

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 01.11.2016

Revision: 01.11.2016

1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: TITAN 700 SURFACTANT**Other Means of Identification:** Mixture**Recommended Use of the Chemical and Restriction on Use:** Surfactant**Details of Manufacturer or Importer:**Titan Ag Pty Ltd
15/16 Princes Street
Newport NSW 2106**Phone Number:** 02 9999 6655**Emergency telephone number:** 02 9999 6655

2. HAZARDS IDENTIFICATION

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



corrosion

Skin Corrosion/Irritation 1A H314 Causes severe skin burns and eye damage.

Serious Eye Damage/Irritation 1 H318 Causes serious eye damage.



environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4 H302 Harmful if swallowed.

Acute Toxicity (Dermal) 4 H312 Harmful in contact with skin.

Aquatic Acute 2 H401 Toxic to aquatic life.

Signal Word Danger**Hazard Statements**

H302+H312 Harmful if swallowed or in contact with skin.

H314 Causes severe skin burns and eye damage.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 2)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 01.11.2016

Revision: 01.11.2016

Product Name: TITAN 700 SURFACTANT

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P391 Collect spillage.



P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 . COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures**Hazardous Components:**

79-09-4	Propionic acid	 Flammable Liquids 3, H226;	 Skin Corrosion/Irritation 1A, H314	350g/L%
---------	----------------	--------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------	---------

4 . FIRST AID MEASURES

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms persist.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for 15 minutes. Seek immediate medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek medical attention if symptoms occur.

Symptoms Caused by Exposure:

Inhalation: May cause mild respiratory irritation.

Skin Contact: Causes severe skin burns. May cause skin irritation and reddening.

Eye Contact: Causes serious eye damage, reddening and watering.

Ingestion: May cause gastrointestinal irritation and reddening to mouth and throat.

5 . FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water fog, foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, water and smoke.

The product is not combustible.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

(Contd. on page 3)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 01.11.2016

Revision: 01.11.2016

Product Name: TITAN 700 SURFACTANT

(Contd. of page 2)

6 . ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear appropriate respiratory protection and protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Wash area after spills.

7 . HANDLING AND STORAGE

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container tightly closed when not in use. Protect from direct sunlight. Keep away from strong oxidising agents and bases.

8 . EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:
79-09-4 Propionic acid

NES	TWA: 30 mg/m ³ , 10 ppm
-----	------------------------------------

Engineering Controls:

Maintain air concentration below occupational exposure standards, providing adequate ventilation.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Viton or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered. Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 . PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form: Liquid

(Contd. on page 4)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 01.11.2016

Revision: 01.11.2016

Product Name: TITAN 700 SURFACTANT

(Contd. of page 3)

Colour:	Dark brown
Odour:	Vinegar-like odour
Odour Threshold:	No information available
pH-Value:	~3.6 (1% solution)
Melting point/Melting range:	No information available
Initial Boiling Point/Boiling Range:	Expected to decompose before boiling.
Flash Point:	Not applicable
Flammability:	Product is not flammable.
Auto-ignition Temperature:	Not applicable
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapour Pressure at 25 °C:	0.5 kPa (propionic acid)
Relative Density at 20 °C:	1.027
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Dispersible
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	No information available

10 . STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Direct sunlight.

Incompatible Materials: Strong oxidising agents and bases.

Hazardous Decomposition Products: Oxides of carbon, water and smoke.

11 . TOXICOLOGICAL INFORMATION

Toxicity:

LD₅₀/LC₅₀ Values Relevant for Classification:

79-09-4 Propionic acid

Oral	LD ₅₀	2600 mg/kg (rat)
Dermal	LD ₅₀	500 mg/kg (rabbit)

Acute Health Effects

Inhalation: May cause mild respiratory irritation.

Skin: Causes severe skin burns. May cause skin irritation and reddening.

Eye: Causes serious eye damage, reddening and watering.

Ingestion: May cause gastrointestinal irritation and reddening to mouth and throat.

Skin Corrosion / Irritation: Causes severe skin burns.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 01.11.2016

Revision: 01.11.2016

Product Name: TITAN 700 SURFACTANT

(Contd. of page 4)

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:**

Prolonged contact or delayed treatment may cause permanent blindness and facial scarring.

Existing Conditions Aggravated by Exposure: No information available**12 . ECOLOGICAL INFORMATION****Ecotoxicity:** No information available**Aquatic toxicity:**

Small amounts of the product are likely to be quickly neutralised or diluted when released into the environment. However, the undiluted product will cause damage due to its high acidity.

Persistence and Degradability: This product is biodegradable.**Bioaccumulative Potential:** This product will not accumulate in soil or water.**Mobility in Soil:** No information available**Other adverse effects:** No information available**13 . DISPOSAL CONSIDERATIONS****Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 . TRANSPORT INFORMATION**UN Number** Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated**Marine pollutant:** No**15 . REGULATORY INFORMATION****Australian Inventory of Chemical Substances:**

8002-43-5	Lecithins
79-09-4	Propionic acid

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

16 . OTHER INFORMATION**Date of Preparation or Last Revision:** 01.11.2016**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au

(Contd. on page 6)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 01.11.2016

Revision: 01.11.2016

Product Name: TITAN 700 SURFACTANT

(Contd. of page 5)

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅₀: Lethal concentration, 50 percentLD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 3: Flammable liquids – Category 3

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Skin Corrosion/Irritation 1A: Skin corrosion/irritation – Category 1A

Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation – Category 1

Aquatic Acute 2: Hazardous to the aquatic environment, short-term (Acute). Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011”

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.