



according to WHS Regulations

Printing date 27.04.2021 Revision: 22.04.2021

1 Identification

Product Name: Optifert EDTA 13% Fe

Recommended Use of the Chemical and Restriction on Use:

Using as fertilizer outdoor and indoor (e.g. greenhouses).

Details of Manufacturer or Importer:

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: (02) 9999 6655

Emergency telephone number: (02) 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

The substance is not classified, according to the Globally Harmonised System (GHS).

Signal Word None

Hazard Statements None

3 Composition and Information on Ingredients

Chemical Characterisation: Substances

CAS No. Description

54959-35-2 - Potassium ferric ethylenediaminetetraacetate - 100%

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

Ingestion:

If swallowed, induce vomiting. Immediately rinse mouth with water. Give 2-3 glasses of water. Never give anything by mouth to an unconscious person. Seek medical attention.

Symptoms Caused by Exposure:

Inhalation: No adverse health effects expected.

Skin Contact: May cause skin irritation. Eve Contact: May cause eye irritation.

Ingestion: May cause gastrointestinal irritation.

(Contd. on page 2)

according to WHS Regulations

Printing date 27.04.2021 Revision: 22.04.2021

Product Name: Optifert EDTA 13% Fe

(Contd. of page 1)

5 Fire Fighting Measures

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include carbon oxides and nitrogen oxides.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Minimise run-off from fire fighting entering drains or water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and sweep granules into a pile and shovel into drums for subsequent disposal using wet sweeping techniques. Avoid generating dust. Decontaminate spill area with water. Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area, between +10 °C to +30 °C. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition.

8 Exposure Controls and Personal Protection

Exposure Standards:

Nuisance dust:

TWA - 10 mg/m3 (inspirable dust)

Engineering Controls:

Maintain air concentration below occupational exposure standards, providing adequate ventilation.

Respiratory Protection:

Where an inhalation risk exists, wear an approved dust/particulate filter respirator. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Nitrile gloves (layer thickness 0.11 mm, >480 mins breakthrough time). See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and

(Contd. on page 3)

according to WHS Regulations

Printing date 27.04.2021 Revision: 22.04.2021

Product Name: Optifert EDTA 13% Fe

(Contd. of page 2)

permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Solid microgranules

Colour: Light brown Odourless

Odour Threshold: PH-Value:No information available
6.0 ± 1.0 (1% (w/v) solution)

Melting point/freezing point: Undetermined.

Initial Boiling Point/Boiling Range:
Flash Point:
Flammability:
Ignition Temperature
Auto-ignition Temperature:

No information available
Decomposes before boiling
No information available
Product is not flammable.
No information available
362 °C (EU Method A.16)

Decomposition Temperature: >225.4 °C

Explosion Limits:

Lower: Upper:No information available
No information available

Vapour Pressure at 20 °C: 1.14 · 10⁻⁴ Pa

Density: No information available

Relative Density: $0.7 \pm 0.1 \text{ g/cm}^3$

Vapour Density:No information availableEvaporation Rate:No information available

Solubility in Water at 20 °C: 558.16 g/L Partition Coefficient (n-octanol/water): log Kow = -4.5

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Protect from heat, sparks, open flames and other sources of ignition.

Incompatible Materials: None known.

Hazardous Decomposition Products: Carbon oxides and nitrogen oxides

11 Toxicological Information

Toxicity:

· •······ y ·		
LD50/LC50 Values Relevant for Classification:		
CAS: 54959-35-2 Potassium ferric ethylenediaminetetraacetate		
Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

(Contd. on page 4)

according to WHS Regulations

Printing date 27.04.2021 Revision: 22.04.2021

Product Name: Optifert EDTA 13% Fe

(Contd. of page 3)

Inhalation LC50/4 h >2.75 mg/l (rat)

Acute Health Effects

Inhalation: No adverse health effects expected.

Skin: May cause skin irritation. **Eye:** May cause eye irritation.

Ingestion: May cause gastrointestinal irritation.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

May cause long lasting harmful effects to aquatic life.

CAS: 54959-35-2 Potassium ferric ethylenediaminetetraacetate

EC50/48 h | 100.9 mg/l (daphnia) EC50/72 h | >87.3 mg/l (algae) LC50/96 h | >100 mg/l (fish)

Persistence and Degradability: Not easily biodegradable.

Bioaccumulative Potential: Bioaccumulation is not expected to occur.

Mobility in Soil: Mobile when released into soil.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers:

Dispose according to applicable local and state government regulations.

Smaller quantities can be disposed of with household waste.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

(Contd. on page 5)

according to WHS Regulations

Printing date 27.04.2021 Revision: 22.04.2021

Product Name: Optifert EDTA 13% Fe

(Contd. of page 4)

14 Transport Information

UN Number Not regulated
Proper Shipping Name Not regulated
Dangerous Goods Class Not regulated
Packing Group: Not regulated

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All ingredients are listed.

This product contains no hazardous ingredients.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Not a scheduled poison.

16 Other Information

Date of Preparation or Last Revision: 27.04.2021

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.