



according to WHS Regulations

Printing date 22.04.2021 Revision: 22.04.2021

1 Identification

Product Name: Optifert EDTA ZMC Blend
Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Agricultural fertiliser

Details of Manufacturer or Importer:

Titan Ag Pty Ltd 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



Skin Corrosion/Irritation 2 H315 Causes skin irritation.

Signal Word Warning

Hazard Statements

H315 Causes skin irritation.

Precautionary Statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water. P321 Specific treatment (see on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:		
CAS: 67989-88-2	Ethylenediaminetetraacetic acid diammonium copper salt	10 - < 25%
	♦ Acute Toxicity (Oral) 4, H302; Skin Corrosion/Irritation 2, H315	

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms persist.

(Contd. on page 2)

according to WHS Regulations

Printing date 22.04.2021 Revision: 22.04.2021

Product Name: Optifert EDTA ZMC Blend

(Contd. of page 1)

Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention if symptoms persist.

Ingestion:

If swallowed, immediately rinse mouth with water. Give 2-3 glasses of water to drink. Induce vomiting. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: No known adverse health effects expected under normal conditions of use.

Skin Contact: Causes skin irritation.

Eye Contact: May cause mild mechanical eye irritation, redness and lachrymation.

Ingestion: May be harmful if swallowed.

Medical Attention and Special Treatment: Provide symptomatic treatment

5 Fire Fighting Measures

Suitable Extinguishing Media:

Use water spray, alcohol-resistant foam, dry chemical powder or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of nitrogen (NOx).

Product is not flammable but may burn or decompose in a fire.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers. Minimise firefighting run off from entering drains and water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear protective equipment. Keep unprotected persons away.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses. Inform authorities in case of leakage.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and sweep granules into a pile and shovel into drums for subsequent disposal. Avoid generating dust by wet-brushing. Provide adequate ventilation. Wash the contaminated spill area with water.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed. Protect from heat, sparks, open flames and hot surfaces. Recommended storage temperature: -10°C to 30°C.

(Contd. on page 3)

according to WHS Regulations

Printing date 22.04.2021 Revision: 22.04.2021

Product Name: Optifert EDTA ZMC Blend

(Contd. of page 2)

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Natural ventilation should be adequate under normal use conditions.

Respiratory Protection:

Respiratory protection is not required under normal use conditions.

Use an approved respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of dust, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Use nitrile protective gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety goggles for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance: Microgranules

Form: Solid
Colour: White-blue
Odour: Odourless

Odour Threshold: No information available

pH-Value (10 g/l) : 5.5 ± 1.0

Melting point/freezing point:
Initial Boiling Point/Boiling Range: No information available
Flash Point:

No information available
No information available

Flammability: Not flammable Ignition Temperature Not applicable Auto-ignition Temperature: Not applicable

Decomposition Temperature: No information available

Explosion Limits:

Lower: Not applicable **Upper:** Not applicable

Vapour Pressure: No information available

Density: $0.90 \pm 0.1 \text{ g/cm}^3$

Relative Density:
Solubility in Water:

No information available
No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No known hazardous reactions.

according to WHS Regulations

Printing date 22.04.2021 Revision: 22.04.2021

Product Name: Optifert EDTA ZMC Blend

(Contd. of page 3)

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid:

Heat, sparks, open flames, hot surfaces and storage at temperatures below -10°C or above 30°C.

Incompatible Materials: None known.

Hazardous Decomposition Products: Nitrogen oxides (NOx)

11 Toxicological Information

Toxicity:

LD50/LC50 Values Relevant for Classification:			
CAS: 67989-88-2 Ethylenediaminetetraacetic acid diammonium copper salt			
Oral	LD50	300-2,000 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	
Inhalation	LC50	>5.32 mg/l (rat)	

Acute Health Effects

Inhalation: No known adverse health effects expected under normal conditions of use.

Skin: Causes skin irritation.

Eye: May cause mild mechanical eye irritation, redness and lachrymation.

Ingestion: May be harmful if swallowed.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

12 Ecological Information

Ecotoxicity: Has not been tested as a whole for ecological effects.

Aquatic toxicity:

CAS: 67989-88-2 Ethylenediaminetetraacetic acid diammonium copper salt

LC50/96 h | 555 mg/l (fish)

Persistence and Degradability: The product is not easily, but potentially biodegradable.

Bioaccumulative Potential: Bioaccumulation is not expected to occur.

Mobility in Soil: Mobile when released into soil.

according to WHS Regulations

Printing date 22.04.2021 Revision: 22.04.2021

Product Name: Optifert EDTA ZMC Blend

(Contd. of page 4)

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated. **Proper Shipping Name** Not regulated. Dangerous Goods Class Not regulated. **Packing Group:** Not regulated.

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

This chemical is not found in AICS.

CAS: 67989-88-2 Ethylenediaminetetraacetic acid diammonium copper salt

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Not a scheduled poison.

Australia: Priority Existing Chemicals

None of the ingredients is listed.

16 Other Information

Date of Preparation or Last Revision: 22.04.2021

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 4: Acute toxicity - oral - Category 4

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.