



OPTIFERT

HighZinc

Zinc treatment for agricultural use
via foliar application, soil application
or seed dressing.

LIQUID FERTILISER

Guaranteed analysis:
70% w/v (700 g/L) zinc (ZN) as zinc oxide,
1.8% w/v (18 g/L) nitrogen (N) as urea

10L




TITAN AG Pty Ltd | ABN 57 122 081 574
15/16 Princes Street, Newport NSW 2106
Tel (02) 9999 6655 | Fax (02) 9999 0483
titanag.com.au

IN A TRANSPORT EMERGENCY

DIAL 000

POLICE OR FIRE BRIGADE



UN 3082
ENVIRONMENTALLY
HAZARDOUS
SUBSTANCE,
LIQUID, N.O.S.
(Zinc Oxide)



Application types, rates & timings:	
BROADACRE: Barley, Canola, Corn, Cotton, Grain legumes, Rice, Sorghum, Wheat & Pasture.	Foliar: 0.3–1L/ha in a minimum of 50L final spray volume. Best applied early in growing season, if the higher rate is required best to apply in split applications.
TREE CROPS: Apple, Almond, Cherry, Pear and Walnut.	Foliar: 0.5–2L/ha in a minimum of 500L final spray volume. Spray at early bud, post petal fall. Apply post harvest at higher rates of 3L/Ha. Note: Avoid applications during flowering.
TREE CROPS: Avocado, Citrus, Macadamia.	Foliar: 0.5–2 L/ha in a minimum of 50L final spray volume. Apply during spring flush or during active growing period and post harvest.
FRUITING VEGETABLES: Capsicum, Cucurbits, Eggplant, Tomatoes (field), Watermelons, Pumpkins.	Foliar: 0.3–1L/ha in a minimum of 300–500L final spray volume.
LEAFY VEGETABLES: Broccoli, Cabbage, Cauliflower, Kale and Herbs.	Foliar: 0.3–1L/ha in a minimum of 300–500L final spray volume.
VEGETABLES: Beetroot, Carrot, Leek, Onion, Potato.	Foliar: 0.3–1L/ha in a minimum of 300L final spray volume. Apply early season or when sufficient leafarea for good coverage.
SEED TREATMENT: Cereals & Pasture.	Apply 2-5L/t of seed cereals.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate dams, waterways or drains with the chemical or used containers. DO NOT apply under weather conditions or from spraying equipment which could be expected to cause spray drift on adjacent areas, particularly wetlands, waterbodies or watercourses.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store in direct sunlight. Triple rinse containers before disposal. Add rinsing's to spray tank. DO NOT dispose of undiluted product on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

Avoid contact with eyes. Wash hands after use. When opening the container and preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, or equivalent clothing. After each day's use, wash contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

SAFETY DATA SHEET

Additional information is listed in the safety data sheet (SDS). A safety data sheet for Optifert HighZinc is available from TITAN AG Pty Ltd on request. Call Customer Service on (02) 9999 6655 or visit www.titanag.com.au

CONDITIONS OF SALE: TITAN AG Pty Ltd shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on TITAN AG's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of TITAN AG Pty Ltd has any authority to add to or alter these conditions.

Additional statements required by Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia: Very toxic to aquatic life with long lasting effects. Avoid release to the environment. Collect spillage.