

Date of issue: 08.07.2025

# Safety Data Sheet according to WHS Regulations

Revision date: 19.06.2025

#### 1 Identification

**Product Name: TITAN CHLOROTHALONIL 900 WG FUNGICIDE** 

Other Means of Identification: Mixture APVMA Approval Number: 85398

Recommended Use of the Chemical and Restriction on Use: Agricultural fungicide

**Details of Manufacturer or Importer:** 

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

### 2 Hazard(s) Identification

#### **Hazardous Nature:**

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.



GHS06 Skull and crossbones

Acute toxicity - inhalation – Category 2 H330 Fatal if inhaled.



GHS08 Health hazard

Carcinogenicity – Category 2 H351 Suspected of causing cancer.



**GHS05 Corrosion** 

Eye damage/irritation – Category 1 H318 Causes serious eye damage.



**GHS09** Environment

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Skin sensitisation – Category 1 Specific target organ toxicity (single exposure) – Category 3 H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

Signal Word Danger

(Contd. on page 2)

### according to WHS Regulations

Date of issue: 08.07.2025 Revision date: 19.06.2025

**Product Name: TITAN CHLOROTHALONIL 900 WG FUNGICIDE** 

(Contd. of page 1)

#### **Hazard Statements**

H330 Fatal if inhaled.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

#### **Precautionary Statements**

P201	Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray. P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Wear respiratory protection. P284

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P320 Specific treatment is urgent (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

# 3 Composition and Information on Ingredients

#### **Chemical Characterization: Mixtures**

**Description:** Mixture of substances listed below with nonhazardous additions.

# **Hazardous Components:**

CAS: 1897-45-6 Chlorothalonil

90.0%

Acute toxicity - inhalation – Category 2, H330; Carcinogenicity – Category 2, H351; Fye damage/irritation – Category 1, H318; Aquatic Chronic 1, H410 (M=10); Skin sensitisation – Category 1, H317; Specific target organ toxicity

(single exposure) - Category 3, H335

#### 4 First Aid Measures

#### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

#### Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

#### **Eye Contact:**

In case of eye contact, hold eyelids open and rinse with water for at least 20 minutes. Seek medical attention if symptoms occur.

(Contd. on page 3)

according to WHS Regulations

Date of issue: 08.07.2025 Revision date: 19.06.2025

**Product Name: TITAN CHLOROTHALONIL 900 WG FUNGICIDE** 

(Contd. of page 2)

#### Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

#### **Symptoms Caused by Exposure:**

Inhalation: Fatal if inhaled. May cause respiratory irritation.

Skin Contact: May cause an allergic skin reaction, inflammation and irritation.

Eye Contact: Causes serious eye damage, blurred vision and redness. Prolonged contact may cause

permanent damage.

Ingestion: May cause gastrointestinal irritation and redness to the mouth and throat.

#### **5 Fire Fighting Measures**

Suitable Extinguishing Media: Use Water fog, foam, dry chemical or carbon dioxide.

#### Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and nitrogen, other nitrogen compounds, hydrogen cyanide, hydrogen chloride and other chlorine compounds.

Product is not flammable. However, it may form explosive dust clouds in air.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

#### Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

#### **6 Accidental Release Measures**

#### Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

#### **Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

#### Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and sweep granules into a pile and shovel into drums for subsequent disposal. Avoid generating dust. Consider vacuuming if appropriate. Provide adequate ventilation.

#### 7 Handling and Storage

#### Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

#### **Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames, hot surfaces and direct sunlight. Keep away from strong oxidising agents, strong acids and strong bases.

#### 8 Exposure Controls and Personal Protection

#### **Exposure Standards:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Engineering Controls:** Ensure adequate ventilation of the working area.

(Contd. on page 4)

according to WHS Regulations

Date of issue: 08.07.2025 Revision date: 19.06.2025

**Product Name: TITAN CHLOROTHALONIL 900 WG FUNGICIDE** 

(Contd. of page 3)

#### **Respiratory Protection:**

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

#### **Skin Protection:**

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

#### **Eye and Face Protection:**

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

### 9 Physical and Chemical Properties

Appearance:

Form: Solid
Colour: Light brown
Odour: Mild but pungent

Odour Threshold: No information available

pH-Value: 6-8
Melting point/freezing point: ~252 °C
Initial Boiling Point/Boiling Range: >350 °C
Flash Point: Not applicable

Flammability Product is not flammable Auto-ignition Temperature: No information available Decomposition Temperature: No information available

**Explosion Limits:** 

**Lower: Upper:**No information available
No information available

**Vapour Pressure:** Negligible at normal ambient temperatures.

Relative Density: ~1.8

Vapour Density:Not applicableEvaporation Rate:Not applicableSolubility in Water:Dispersible

Partition Coefficient (n-octanol/water): No information available

Organic solvents:

Physical state Solid

#### 10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

**Conditions to Avoid:** Heat, sparks, open flames, hot surfaces and direct sunlight. **Incompatible Materials:** Strong oxidising agents, strong acids and strong bases.

#### **Hazardous Decomposition Products:**

Oxides of carbon and nitrogen, other nitrogen compounds, hydrogen cyanide, hydrogen chloride and other chlorine compounds.

(Contd. on page 5)

according to WHS Regulations

Date of issue: 08.07.2025 Revision date: 19.06.2025

Product Name: TITAN CHLOROTHALONIL 900 WG FUNGICIDE

(Contd. of page 4)

### 11 Toxicological Information

#### **Toxicity:**

LD50/LC50 Values: CAS: 1897-45-6 Chlorothalonil		
Dermal	LD50	5,000 mg/kg (Oryctolagus cuniculus (rabbit))
Inhalation	LC50/4 h	0.078 mg/l (Rattus norvegicus (rat))

#### **Acute Health Effects**

**Inhalation:** May cause respiratory irritation.

**Skin:** May cause skin irritation. **Eye:** May cause eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: Suspected of causing cancer.

**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause respiratory irritation.

#### Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

#### Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for chlorothalonil for a human is 0.01 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 1.5 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2024)

### 12 Ecological Information

#### **Ecotoxicity:**

#### Aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

,	· ·· ) · · · · · · · · · · · · · · · ·		
CAS: 1897-45-6 Chlorothalonil			
LC50/96 h	0.059 mg/l (Lepomis macrochirus (bluegill))		
	0.043 mg/l (Oncorhynchus mykiss (rainbow trout))		
LC50/48 h	0.07 mg/l (Daphnia magna (water flea))		
EC50/120hr	0.21 mg/l (Selenastrum capricornutum (green algae))		

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

according to WHS Regulations

Date of issue: 08.07.2025 Revision date: 19.06.2025

**Product Name: TITAN CHLOROTHALONIL 900 WG FUNGICIDE** 

(Contd. of page 5)

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

## 13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

#### **Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

### 14 Transport Information

**UN Number** 

ADG, IMDG, IATA UN3077

**Proper Shipping Name** 

ADG, IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (Chlorothalonil)

**Dangerous Goods Class** 

ADG Class: 9

Packing Group:

ADG, IMDG, IATA

Marine pollutant: Symbol (fish and tree)

**EMS Number:** F-A,S-F

Hazchem Code: 2X

Special Provisions: 61, 274

**Transport/Additional information:** Not subject to the ADG Code when transported by road

or rail in packagings that do not incorporate a receptacle

exceeding 500 kg(L) or IBCs. (refer to SP AU01)

Excepted quantities (EQ): E4

Limited Quantities: 5 kg

Packagings & IBCs - Packing Instruction: P002, IBC08

Packagings & IBCs - Special Packing Provisions: B2, B4

Portable Tanks & Bulk Containers - Instructions: T3

Portable Tanks & Bulk Containers - Special

Provisions: TP33

#### 15 Regulatory Information

#### **Australian Inventory of Industrial Chemicals:**

CAS: 1897-45-6 | Chlorothalonil

#### Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

#### **Australian Pesticides and Veterinary Medicines Authority:**

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA approval number 85398.

#### 16 Other Information

**Date of Preparation or Last Revision:** 19.06.2025

according to WHS Regulations

Date of issue: 08.07.2025 Revision date: 19.06.2025

**Product Name: TITAN CHLOROTHALONIL 900 WG FUNGICIDE** 

(Contd. of page 6)

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

#### Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute toxicity - inhalation - Category 2: Acute toxicity - Category 2

Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1
Skin sensitisation – Category 1: Skin sensitisation, Hazard Category 1
Carcinogenicity – Category 2: Carcinogenicity – Category 2
Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

#### Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - June 2023".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.