

according to WHS Regulations

1 Identification

Product Name: TITAN CHLOROTHALONIL 900 WG FUNGICIDE

Other Means of Identification: Mixture

APVMA Approval Number: 85398

Recommended Use of the Chemical and Restriction on Use: Agricultural fungicide

Details of Manufacturer or Importer:

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

GHS06 Skull and crossbones

Acute toxicity - inhalation - Category 2

H330 Fatal if inhaled.

GHS08 Health hazard

Carcinogenicity - Category 2

H351 Suspected of causing cancer.

GHS05 Corrosion

Eye damage/irritation – Category 1

H318 Causes serious eye damage.

GHS09 Environment

Aquatic Chronic 1

H410 Very toxic to aquatic life with long lasting effects.

GHS07

Signal Word Danger

Skin sensitisation – Category 1 Specific target organ toxicity (single exposure) – Category 3 H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

(Contd. on page 2)

Revision date: 19.06.2025

according to WHS Regulations

Date of issue: 27.06.2025

Revision date: 19.06.2025

Product Name: TITAN CHLOROTHALONIL 900 WG FUNGICIDE

(Contd. of page 1)

Hazard Statements

H330 Fatal if inhaled.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
	Do not breathe dust/fume/gas/mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	Wear respiratory protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
	breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P320	Specific treatment is urgent (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 1897-45-6 Chloro	othalonil	90.0%
H351; (M=10	ute toxicity - inhalation – Category 2, H330; Carcinogenicity – Category 2, Eye damage/irritation – Category 1, H318; Aquatic Chronic 1, H410); Skin sensitisation – Category 1, H317; Specific target organ toxicity e exposure) – Category 3, H335	

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 20 minutes. Seek medical attention if symptoms occur.

according to WHS Regulations

Date of issue: 27.06.2025

Revision date: 19.06.2025

Product Name: TITAN CHLOROTHALONIL 900 WG FUNGICIDE

(Contd. of page 2)

Ingestion: If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: Fatal if inhaled. May cause respiratory irritation.

Skin Contact: May cause an allergic skin reaction, inflammation and irritation.

Eye Contact: Causes serious eye damage, blurred vision and redness. Prolonged contact may cause permanent damage.

Ingestion: May cause gastrointestinal irritation and redness to the mouth and throat.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use Water fog, foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and nitrogen, other nitrogen compounds, hydrogen cyanide, hydrogen chloride and other chlorine compounds.

Product is not flammable. However, it may form explosive dust clouds in air.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and sweep granules into a pile and shovel into drums for subsequent disposal. Avoid generating dust. Consider vacuuming if appropriate. Provide adequate ventilation.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames, hot surfaces and direct sunlight. Keep away from strong oxidising agents, strong acids and strong bases.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

according to WHS Regulations

Date of issue: 27.06.2025

Revision date: 19.06.2025

Product Name: TITAN CHLOROTHALONIL 900 WG FUNGICIDE

(Contd. of page 3)

Respiratory Protection:

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:	
Form:	Solid
Colour:	Light brown
Odour:	Mild but pungent
Odour Threshold:	No information available
pH-Value:	6-8
Melting point/freezing point:	~252 °C
Initial Boiling Point/Boiling Range:	>350 °C
Flash Point:	Not applicable
Flammability	Product is not flammable
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	Negligible at normal ambient temperatures.
Relative Density:	~1.8
Vapour Density:	Not applicable
Evaporation Rate:	Not applicable
Solubility in Water:	Dispersible
Partition Coefficient (n-octanol/water)	: No information available
Organic solvents:	
Physical state	Solid

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Heat, sparks, open flames, hot surfaces and direct sunlight.

Incompatible Materials: Strong oxidising agents, strong acids and strong bases.

Hazardous Decomposition Products:

Oxides of carbon and nitrogen, other nitrogen compounds, hydrogen cyanide, hydrogen chloride and other chlorine compounds.

according to WHS Regulations

Date of issue: 27.06.2025

Revision date: 19.06.2025

Product Name: TITAN CHLOROTHALONIL 900 WG FUNGICIDE

(Contd. of page 4)

11 Toxicological Information

Toxicity:

LD50/LC50 Values:

CAS: 1897-45-6 Chlorothalonil					
Oral	LD50	>5,000 mg/kg (Rattus norvegicus (rat))			
Dermal	LD50	5,000 mg/kg (Oryctolagus cuniculus (rabbit))			
Inhalation	LC50/4 h	0.078 mg/l (Rattus norvegicus (rat))			

Acute Health Effects

Inhalation: May cause respiratory irritation. **Skin:** May cause skin irritation.

Eye: May cause eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: Suspected of causing cancer.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause respiratory irritation.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for chlorothalonil for a human is 0.01 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 1.5 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2024)

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

CAS: 1897-45-6 Chlorothalonil	
LC50/96 h	0.059 mg/l (Lepomis macrochirus (bluegill))
	0.043 mg/l (Oncorhynchus mykiss (rainbow trout))
LC50/48 h	0.07 mg/l (Daphnia magna (water flea))
EC50/120hr	0.21 mg/l (Selenastrum capricornutum (green algae))

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

according to WHS Regulations

Date of issue: 27.06.2025

Product Name: TITAN CHLOROTHALONIL 900 WG FUNGICIDE

(Contd. of page 5)

Revision date: 19.06.2025

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information **UN Number** ADG, IMDG, IATA UN3077 **Proper Shipping Name** ADG 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorothalonil) IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorothalonil) **Dangerous Goods Class** ADG Class: 9 Packing Group: ADG, IMDG, IATA Ш Marine pollutant: Symbol (fish and tree) **EMS Number:** F-A,S-F Hazchem Code: 2X **Special Provisions:** 61, 274 Excepted quantities (EQ): E4 Limited Quantities: 5 kg Packagings & IBCs - Packing Instruction: P002, IBC08 Packagings & IBCs - Special Packing Provisions: B2, B4 Portable Tanks & Bulk Containers - Instructions: T3 Portable Tanks & Bulk Containers - Special **TP33** Provisions: 15 Regulatory Information Australian Inventory of Industrial Chemicals: CAS: 1897-45-6 Chlorothalonil

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule: Poisons Schedule: 6

Australian Pesticides and Veterinary Medicines Authority: This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA approval number 85398.

16 Other Information

Date of Preparation or Last Revision: 19.06.2025

Prepared by: MSDS.COM.AU Pty Ltd

www.msds.com.au

according to WHS Regulations

Date of issue: 27.06.2025

Revision date: 19.06.2025

Product Name: TITAN CHLOROTHALONIL 900 WG FUNGICIDE

(Contd. of page 6)

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute toxicity - inhalation - Category 2: Acute toxicity - Category 2

Eye damage/irritation - Category 1: Serious eye damage/eye irritation - Category 1

Skin sensitisation – Category 1: Skin sensitisation, Hazard Category 1

Carcinogenicity – Category 2: Carcinogenicity – Category 2 Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - June 2023".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.