

Safety Data Sheet

according to WHS & OHS Regulations

Print date: 18.12.2025

Revision date: 12.12.2025

1 Identification

Product Name: TITAN DFF 25 + BROM 250 SELECTIVE HERBICIDE

Other Means of Identification: Mixture

APVMA Approval Number: 69416

Recommended Use of the Chemical and Restriction on Use: Agricultural herbicide

Details of Manufacturer or Importer:

Titan Ag Pty Ltd
Princes Street Marina
Suite 15/16 Princes Street
Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



GHS06 Skull and crossbones

Acute toxicity - inhalation – Category 3 H331 Toxic if inhaled.



GHS08 Health hazard

Reproductive toxicity – Category 1B H360D May damage the unborn child.

Aspiration hazard – Category 1 H304 May be fatal if swallowed and enters airways.



GHS09 Environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Acute toxicity - oral – Category 4 H302 Harmful if swallowed.

Skin corrosion/irritation – Category 2 H315 Causes skin irritation.

Eye damage/irritation – Category 2A H319 Causes serious eye irritation.

Skin sensitisation – Category 1 H317 May cause an allergic skin reaction.

Flammable liquids – Category 4 H227 Combustible liquid.

(Contd. on page 2)

Safety Data Sheet

according to WHS & OHS Regulations

Print date: 18.12.2025

Revision date: 12.12.2025

Product Name: TITAN DFF 25 + BROM 250 SELECTIVE HERBICIDE

(Contd. of page 1)

Signal Word Danger**Hazard Statements**


- H227 Combustible liquid.
 H302 Harmful if swallowed.
 H331 Toxic if inhaled.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H317 May cause an allergic skin reaction.
 H360D May damage the unborn child.
 H304 May be fatal if swallowed and enters airways.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

- P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P264 Wash thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P271 Use only outdoors or in a well-ventilated area.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 P321 Specific treatment (see on this label).
 P330 Rinse mouth.
 P331 Do NOT induce vomiting.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308+P313 IF exposed or concerned: Get medical advice/attention.
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.
 P391 Collect spillage.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Hazardous Components:**

CAS: 64742-94-5	Solvent naphtha (petroleum), heavy arom.	35-40%
	 Aspiration hazard – Category 1, H304	

(Contd. on page 3)

Safety Data Sheet

according to WHS & OHS Regulations

Print date: 18.12.2025

Revision date: 12.12.2025

Product Name: TITAN DFF 25 + BROM 250 SELECTIVE HERBICIDE

(Contd. of page 2)

CAS: 1689-99-2	Bromoxynil octanoate ⚠ Acute toxicity - inhalation – Category 3, H331; ⚠ Reproductive toxicity – Category 2, H361d; ⚠ Aquatic Chronic 1, H410 (M=10); ⚠ Acute toxicity - oral – Category 4, H302; Skin sensitisation – Category 1, H317	20-<25%
CAS: 872-50-4	N-methyl-2-pyrrolidone ⚠ Reproductive toxicity – Category 1B, H360D; ⚠ Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H335	10<20%
CAS: 83164-33-4	Diflufenican ⚠ Aquatic Acute 1, H400 (M=10000); Aquatic Chronic 1, H410 (M=1000)	<2.5%

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: Toxic if inhaled. May cause respiratory irritation.

Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Eye Contact: Causes serious eye irritation.

Ingestion: Harmful if swallowed. May be fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting

5 Fire Fighting Measures

Suitable Extinguishing Media:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Do not use a high volume water jet.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and nitrogen, hydrogen bromide, hydrogen cyanide, and hydrogen fluoride.

Combustible liquid.

Closed containers may explode when exposed to extreme heat. Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

HAZCHEM Code: 3Z

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots.

Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 4)

Safety Data Sheet

according to WHS & OHS Regulations

Print date: 18.12.2025

Revision date: 12.12.2025

Product Name: TITAN DFF 25 + BROM 250 SELECTIVE HERBICIDE

(Contd. of page 3)

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material.
Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.
Take precautionary measures against static discharge. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Keep away strong oxidising agents, acids, and bases.

8 Exposure Controls and Personal Protection

Exposure Standards:
CAS: 872-50-4 N-methyl-2-pyrrolidone

WES	STEL: 309 mg/m ³ , 75 ppm TWA: 103 mg/m ³ , 25 ppm Sk
-----	---

Engineering Controls:

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

Respiratory Protection:

Use an approved respirator (filter type SA) under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Elbow-length PVC or nitrile gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Clear, light yellow to dark brown
Odour:	Aromatic
Odour Threshold:	No information available
pH-Value:	4.2 (10% solution)
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available

(Contd. on page 5)

Safety Data Sheet

according to WHS & OHS Regulations

Print date: 18.12.2025

Revision date: 12.12.2025

Product Name: TITAN DFF 25 + BROM 250 SELECTIVE HERBICIDE

(Contd. of page 4)

Flash Point:	66 °C
Flammability	Not applicable
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	0.6 Vol %
Upper:	7 Vol %
Vapour Pressure:	No information available
Relative Density:	~1.09
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Forms an emulsion in water
Partition Coefficient (n-octanol/water):	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Direct sunlight, heat, sparks, open flames and other sources of ignition.

Incompatible Materials: Strong oxidising agents, acids, and bases.

Hazardous Decomposition Products:

Oxides of carbon, oxides of nitrogen, hydrogen bromide, hydrogen cyanide, and hydrogen fluoride.

11 Toxicological Information

Toxicity:

LD50/LC50 Values:

CAS: 64742-94-5 Solvent naphtha (petroleum), heavy arom.

Oral	LD50	5,000 mg/kg (Rattus norvegicus (rat))
	LD50	2,000 mg/kg (Oryctolagus cuniculus (rabbit))

CAS: 1689-99-2 Bromoxynil octanoate

Oral	LD50	>141 mg/kg (Rattus norvegicus (rat))
		260 mg/kg (Oryctolagus cuniculus (rabbit))
Dermal	LD50	>2,000 mg/kg (Rattus norvegicus (rat))
Inhalation	LC50/4 h	0.72-0.81 mg/l (Rattus norvegicus (rat))

CAS: 872-50-4 N-methyl-2-pyrrolidone

Oral	LD50	4,150 mg/kg (Rattus norvegicus (rat))
Dermal	LD50	>5,000 mg/kg (Rattus norvegicus (rat))

CAS: 83164-33-4 Diflufenican

Oral	LD50	>5,000 mg/kg (Rattus norvegicus (rat))
Dermal	LD50	>2,000 mg/kg (Rattus norvegicus (rat))
Inhalation	LC50/4 h	>5.12 mg/l (Rattus norvegicus (rat))

Acute Health Effects

Inhalation:

Toxic if inhaled.

May cause respiratory irritation.

Skin:

Causes skin irritation.

May cause an allergic skin reaction.

Eye: Causes serious eye irritation.

(Contd. on page 6)

Safety Data Sheet

according to WHS & OHS Regulations

Print date: 18.12.2025

Revision date: 12.12.2025

Product Name: TITAN DFF 25 + BROM 250 SELECTIVE HERBICIDE

(Contd. of page 5)

Ingestion:

Harmful if swallowed. May be fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: Based on classification principles, the classification criteria are not met.

Reproductive Toxicity: May damage fertility or the unborn child.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: May be fatal if swallowed and enters airways.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for bromoxynil for a human is 0.003 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 0.3 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2024)

The Australian Acceptable Daily Intake (ADI) for diflufenican for a human is 0.2 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 23.3 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2024)

12 Ecological Information

Ecotoxicity:**CAS: 1689-99-2 Bromoxynil octanoate**

Oral	LD50	2,350 mg/kg (Anas platyrhynchos (mallard duck))
		170 mg/kg (Coturnix coturnix (common quail))

Aquatic toxicity:

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

CAS: 64742-94-5 Solvent naphtha (petroleum), heavy arom.

EC50/48 h	12 mg/l (Daphnia magna (water flea))
EC50/72 h	2.5 mg/l (Skeletonema costatum (diatom))
LC50/96 h	45 mg/l (Pimephales promelas (fathead minnow))

CAS: 1689-99-2 Bromoxynil octanoate

LC50	0.46 mg/l (Carassius auratus (goldfish))
	0.05 mg/l (Oncorhynchus mykiss (rainbow trout))

CAS: 872-50-4 N-methyl-2-pyrrolidone

EC50/48 h	4,897 mg/l (Daphnia magna (water flea))
EC50/72 h	672 mg/l (Desmodesmus subspicatus (green algae))

(Contd. on page 7)

Safety Data Sheet

according to WHS & OHS Regulations

Print date: 18.12.2025

Revision date: 12.12.2025

Product Name: TITAN DFF 25 + BROM 250 SELECTIVE HERBICIDE

(Contd. of page 6)

LC50/96 h	>500 mg/l (Oncorhynchus mykiss (rainbow trout))
CAS: 83164-33-4 Diflufenican	
LC50/96 h	105 mg/l (carp)
	56-100 mg/l (Oncorhynchus mykiss (rainbow trout))
LC50/48 h	>10 mg/l (Daphnia magna (water flea))

Persistence and Degradability: No data available on finished product.**Bioaccumulative Potential:** No data available on finished product.**Mobility in Soil:** No data available on finished product.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number	UN3082
ADG, IMDG, IATA	
Proper Shipping Name	3082 ENVIRONMENTALLY HAZARDOUS
ADG	SUBSTANCE, LIQUID, N.O.S. (Bromoxynil)
IMDG, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bromoxynil)
Dangerous Goods Class	
ADG Class:	9
Packing Group:	
ADG, IMDG, IATA	III
Marine pollutant:	Symbol (fish and tree)
EMS Number:	F-A,S-F
Hazchem Code:	•3Z
Special Provisions:	274, 331, 335, 375, AU01
Transport/Additional information:	Not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs. (refer to SP AU01)
Exempted quantities (EQ):	E1
Limited Quantities:	5L
Packagings & IBCs - Packing Instruction:	P001, IBC03, LP01
Packagings & IBCs - Special Packing Provisions:	PP1
Portable Tanks & Bulk Containers - Instructions:	T4
Portable Tanks & Bulk Containers - Special Provisions:	TP1, TP29

(Contd. on page 8)

Safety Data Sheet

according to WHS & OHS Regulations

Print date: 18.12.2025

Revision date: 12.12.2025

Product Name: TITAN DFF 25 + BROM 250 SELECTIVE HERBICIDE

(Contd. of page 7)

15 Regulatory Information

Australian Inventory of Industrial Chemicals: All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 7

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA approval number 69416.

16 Other Information

Date of Preparation or Last Revision: 12.12.2025

Prepared by: MSDS.COM.AU Pty Ltd

www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable liquids – Category 4: Flammable liquids – Category 4

Acute toxicity - oral – Category 4: Acute toxicity – Category 4

Acute toxicity - inhalation – Category 3: Acute toxicity – Category 3

Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2

Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

Skin sensitisation – Category 1: Skin sensitisation, Hazard Category 1

Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B

Reproductive toxicity – Category 2: Reproductive toxicity – Category 2

Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3

Aspiration hazard – Category 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - June 2023”.

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.