

Safety Data Sheet according to WHS Regulations

Printing date 12.12.2017 Revision: 12.12.2017

1 Identification

Product Name: EPOXICONAZOLE 125 SC FUNGICIDE by TITAN

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Agricultural fungicide

Details of Manufacturer or Importer:

Titan Ag Pty Ltd 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



Carcinogenicity 2 H351 Suspected of causing cancer.

Toxic To Reproduction 2 H361 Suspected of damaging fertility or the unborn child.

Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Signal Word Danger

Hazard Statements

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

according to WHS Regulations

Printing date 12.12.2017 Revision: 12.12.2017

Product Name: EPOXICONAZOLE 125 SC FUNGICIDE by TITAN

(Contd. of page 1)

Hazardous Components:		
64742-94-5	Solvent naphtha (petroleum), heavy arom.	10-30%
	♦ Aspiration Hazard 1, H304	
133855-98-8	Epoxiconazole Carcinogenicity 2, H351; Toxic To Reproduction 2, H361; Aquatic Chronic 2, H411	12.5%

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause mild respiratory irritation.

Skin Contact: May cause skin irritation, itchiness and reddening.

Eye Contact: May cause eye irritation, stinging, reddening and watering.

Ingestion: May cause irritation, reddening and burning sensation of the mouth and throat.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Water fog, foam, dry chemical or carbon dioxide. Alcohol foam is the preferred medium, but if not available, normal foam may be used.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, nitrogen, nitrogen oxides, other nitrogen compounds, hydrogen cyanide, hydrogen chloride, other chlorine compounds, smoke and water. Product is combustible.

Closed containers may explode when exposed to extreme heat. Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

(Contd. on page 3)

according to WHS Regulations

Printing date 12.12.2017 Revision: 12.12.2017

Product Name: EPOXICONAZOLE 125 SC FUNGICIDE by TITAN

(Contd. of page 2)

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. If absorbent material is not available or spill is too large, create a dike to stop spill from spreading. Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect direct sunlight, heat, sparks, open flames and other sources of ignition. Keep away from strong oxidising agents, strong acids and strong bases.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Liquid Colour: Clear beige

Odour:
Odour Threshold:
pH-Value:
No information available

(Contd. on page 4)

according to WHS Regulations

Printing date 12.12.2017 Revision: 12.12.2017

Product Name: EPOXICONAZOLE 125 SC FUNGICIDE by TITAN

(Contd. of page 3)

Flammability: Combustible liquid

Auto-ignition Temperature: ~420 °C

Decomposition Temperature: No information available

Explosion Limits:

Lower:No information availableUpper:No information availableVapour Pressure:No information available

Relative Density: 1.02-1.08

Vapour Density:No information availableEvaporation Rate:No information available

Solubility in Water: Dispersible

Partition Coefficient (n-octanol/water): 3.44 log POW (at pH 7)

% Volatiles by Weight: 50 %

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat, sparks, open flames and other sources of ignition. **Incompatible Materials:** Strong oxidising agents, strong acids and strong bases.

Hazardous Decomposition Products:

Oxides of carbon, nitrogen, nitrogen oxides, other nitrogen compounds, hydrogen cyanide, hydrogen fluoride, other fluorine compounds, smoke and water.

11 Toxicological Information

Toxicity:

LD₅₀/LC₅₀ Values Relevant for Classification:

For the formulated product: Oral LD50 > 2000 mg/kg (rat) Dermal LD50 > 2000 mg/kg (rabbit) Inhalation LC50/ 4h > 3.26 mg/L (rat)

Acute Health Effects

Inhalation: May cause mild respiratory irritation. **Skin:** May cause skin irritation, itchiness and reddening.

Eye: May cause eye irritation, stinging, reddening and watering.

Ingestion: May cause irritation, reddening and burning sensation of the mouth and throat.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Suspected of causing cancer.

Epoxiconazole is classified by Safe Work Australia as Carcinogen Category 3.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity:

Suspected of damaging fertility or the unborn child.

Epoxiconazole is classified by Safe Work Australia as Toxic to Reproduction Category 3.

(Contd. on page 5)

according to WHS Regulations

Printing date 12.12.2017 Revision: 12.12.2017

Product Name: EPOXICONAZOLE 125 SC FUNGICIDE by TITAN

(Contd. of page 4)

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: May be fatal if swallowed and enters airways.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for epoxiconazole for a human is 0.01 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 1 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2017).

12 Ecological Information

Ecotoxicity:

Aquatic toxicity: Toxic to aquatic life with long lasting effects.

Persistence and Degradability: No information available

Bioaccumulative Potential: No information available

Mobility in Soil: No information available
Other adverse effects: No information available

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulatedProper Shipping Name Not regulatedDangerous Goods Class Not regulatedPacking Group: Not regulated

15 Regulatory Information

Australian Inventory of Chemical Substances:

133855-98-8 Epoxiconazole

64742-94-5 Solvent naphtha (petroleum), heavy arom.

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

16 Other Information

Date of Preparation or Last Revision: 12.12.2017

according to WHS Regulations

Printing date 12.12.2017 Revision: 12.12.2017

Product Name: EPOXICONAZOLE 125 SC FUNGICIDE by TITAN

(Contd. of page 5)

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅₀: Lethal concentration, 50 percent

LD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Carcinogenicity 2: Carcinogenicity – Category 2
Toxic To Reproduction 2: Reproductive toxicity – Category 2 Toxic To Reproduction 2: Reproductive toxicity - Category 2

Aspiration Hazard 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.