

DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

TITAN

Fenamiphos 400

Nematicide Liquid

ACTIVE CONSTITUENT: 400g/L FENAMIPHOS

(an anti-cholinesterase compound)

SOLVENT: 232g/L DIETHYLENE GLYCOL MONOBUTYL ETHER

GROUP 1B INSECTICIDE

For control of nematodes on aloe vera planting material and banana planting material as specified in the Directions for Use table.

IMPORTANT: READ THOROUGHLY BEFORE OPENING OR USING THIS PRODUCT.

APVMA Approval No.: 65405/115207

Contents: 5L, 10L, 20L, 200L



TITAN AG Pty Ltd

15/16 Princes Street, Newport NSW 2106

Tel 02 9999 6655 Fax 02 9999 0483

www.titanag.com.au

IN A TRANSPORT EMERGENCY

DIAL 000

POLICE OR FIRE BRIGADE



UN. 3018
ORGANOPHOSPHORUS
PESTICIDE, LIQUID
(CONTAINS FENAMIPHOS)
HAZCHEM 2X
PACKAGING GROUP II

DIRECTIONS FOR USE

Restraints: DO NOT dispose of spent dip on site. Spent dip waste must be transported to a facility that can lawfully receive it.

CROP	PEST	STATE	RATE	CRITICAL COMMENTS
Aloe vera planting material	Soil borne plant parasitic nematodes	QLD, NSW, WA only	1L/100L water	Air dry or cure prepared pups for 48 hours prior to treatment. Immerse unpared pups in Fenamiphos dip solution for 30 minutes. Allow to drain and dry. Wear elbow-length chemical resistant gloves when dipping and when handling dipped material.
Banana planting material	Soil borne plant parasitic nematodes	QLD, NSW, WA only	100mL/100L water	Pare the planting material to remove all dead tissue. Immerse planting material in Fenamiphos dip solution for 10 minutes. Allow to drain and dry. Wear elbow-length chemical resistant gloves when dipping and when handling dipped material.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WOOD DUCKS (CHENONETTA JUBATA) MAY BE PUT AT RISK IF THIS PRODUCT IS USED INCORRECTLY.

THIS PRODUCT IS TOO HAZARDOUS FOR USE IN THE HOME GARDEN.

WITHHOLDING PERIOD: BANANA AND ALOE VERA PLANTING MATERIAL: NOT REQUIRED WHEN USED AS DIRECTED.

EXPORT OF TREATED PRODUCE: Growers should note that MRLs or import tolerances do not exist in all markets for edible produce treated with TITAN Fenamiphos 400 Nematicide Liquid. If you are growing edible produce for export, please check with the relevant regulatory authorities for the latest information on MRLs and import tolerances before using TITAN Fenamiphos 400 Nematicide Liquid.

GENERAL INSTRUCTIONS

MIXING

Add the required quantity of TITAN Fenamiphos 400 Nematicide Liquid to the dip vat full of water while stirring. Agitate before use if mixture has been left overnight.

ACCELERATED BIODEGRADATION

As with other soil insecticides the effectiveness of this product may be reduced as a result of the soil microflora developing the ability to biodegrade it at an accelerated rate, particularly after repeated application.

If unacceptable control occurs, immediately contact your TITAN AG Pty Ltd representative for detailed information. This product should not be used where the user suspects the soil microflora have developed the ability to degrade it at an accelerated rate.

TITAN AG Pty Ltd accepts no responsibility, and intends by this statement to exclude liability, if the effectiveness of this product is reduced or nullified as a result of accelerated biodegradation, since biodegradation is accelerated by soil characteristics which occur naturally and are beyond TITAN AG Pty Ltd's control.

INSECTICIDE RESISTANCE WARNING

For insecticide resistance management TITAN Fenamiphos 400 Nematicide Liquid is a Group 1B insecticide. Some naturally occurring insect biotypes resistant to TITAN Fenamiphos 400 Nematicide Liquid and other Group 1B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if TITAN Fenamiphos 400 Nematicide Liquid and other Group 1B insecticides are used repeatedly. The effectiveness of TITAN Fenamiphos 400 Nematicide Liquid on resistant individuals could be significantly reduced. Since the occurrence of resistant insects is difficult to detect prior to use, TITAN AG Pty Ltd accepts no liability for any losses that may result from the failure of TITAN Fenamiphos 400 Nematicide Liquid to control resistant insects. TITAN Fenamiphos 400 Nematicide Liquid may be subject to specific resistance management strategies. For further information contact your local suppliers or TITAN AG representative.

GROUP **1B** INSECTICIDE

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish and other aquatic invertebrates. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers. Store in the closed, original container in a dry, cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple-rinse containers before disposal. Add rinsings to dip tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. DO NOT burn empty containers or product.

DIP DISPOSAL

DO NOT dispose of spent dip on site. Spent dip waste must be transported to a facility that can lawfully receive it.

SAFETY DIRECTIONS

Poisonous if absorbed by skin contact or inhaled or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Will damage eyes and skin. Will irritate nose and throat. Avoid contact with eyes and skin. Do not inhale vapour or spray mist. When opening the container, preparing spray and using the prepared spray [open cab] wear chemical resistant clothing buttoned to the neck and wrist and washable hat, elbow-length chemical resistant gloves and full facepiece respirator with combined dust and gas cartridge. When using the prepared spray [closed cab fitted with charcoal filters] wear cotton overalls buttoned to the neck and wrist (or equivalent clothing). After use and before eating drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and respirator (if rubber, wash with detergent and warm water) and contaminated clothing.

FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre. Phone Australia 131126 or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

SAFETY DATA SHEET

Additional information is listed in the safety data sheet (SDS). A safety data sheet for TITAN Fenamiphos 400 Nematicide Liquid is available from TITAN AG Pty Ltd on request. Call Customer Service on (02) 9999 6655 or visit www.titanag.com.au

CONDITIONS OF SALE: TITAN AG Pty Ltd shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on TITAN AG's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of TITAN AG Pty Ltd has any authority to add to or alter these conditions.

Additional statements required by Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia: Fatal if swallowed. Toxic in contact with skin. Suspected of causing cancer. May be fatal if swallowed and enters airways. Very toxic to aquatic life with long lasting effects. Precautionary: Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Specific treatment (see on this label). Call a POISON CENTER/doctor if you feel unwell. IF exposed or concerned: Get medical advice/attention. Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of water. Collect spillage. Take off immediately all contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national regulations.

