

1 Identification

Product Name: TITAN PROPICONAZOLE 625 EC FUNGICIDE

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Agricultural fungicide

Details of Manufacturer or Importer:

Titan Ag Pty Ltd
15/16 Princes Street
Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4 H302 Harmful if swallowed.

Skin Sensitisation 1 H317 May cause an allergic skin reaction.

Flammable Liquids 4 H227 Combustible liquid.

Signal Word Warning

Hazard Statements

H227 Combustible liquid.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P210 Keep away from flames and hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Safety Data Sheet

according to WHS Regulations

Printing date 04.06.2019

Revision: 04.06.2019


Product Name: TITAN PROPICONAZOLE 625 EC FUNGICIDE

(Contd. of page 1)

- P321 Specific treatment (see on this label).
 P370+P378 In case of fire: Use to extinguish: CO₂, powder or water spray.
 P391 Collect spillage.
 P403+P235 Store in a well-ventilated place. Keep cool.
 P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Hazardous Components:**

| | | |
|-----------------|--|-------|
| CAS: 60207-90-1 | Propiconazole | 62.5% |
| |  | |

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation and headaches.

Skin Contact: May cause skin irritation, inflammation and redness. May cause an allergic skin reaction.

Eye Contact: May cause eye irritation, redness and watering. Lengthy exposure or delayed treatment may cause permanent damage.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation, redness and burning sensation.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog, foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, nitrogen and sulphur, other sulphur compounds, other nitrogen compounds, hydrogen cyanide and smoke.

Combustible liquid.

Vapours are heavier than air and may accumulate in low areas or confined spaces. Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 04.06.2019

Revision: 04.06.2019

Product Name: TITAN PROPICONAZOLE 625 EC FUNGICIDE

(Contd. of page 2)

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Wash spill area with plenty of water, preventing runoff from entering drains.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Take precautionary measures against static discharge. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

Contaminated work clothing must not be allowed out of the workplace. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames, hot surfaces and direct sunlight. Keep away from strong oxidising agents, strong acids and strong bases.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Respiratory protection is not required under normal use conditions.

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Impervious PVC or viton gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 04.06.2019

Revision: 04.06.2019

Product Name: TITAN PROPICONAZOLE 625 EC FUNGICIDE

(Contd. of page 3)

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

| | |
|---|--------------------------|
| Form: | Liquid |
| Colour: | Clear yellowish |
| Odour: | Characteristic |
| Odour Threshold: | No information available |
| pH-Value: | No information available |
| Melting point/freezing point: | No information available |
| Initial Boiling Point/Boiling Range: | No information available |
| Flash Point: | >61 °C |
| Flammability: | Combustible |
| Auto-ignition Temperature: | No information available |
| Decomposition Temperature: | No information available |
| Explosion Limits: | |
| Lower: | No information available |
| Upper: | No information available |
| Vapour Pressure: | No information available |
| Relative Density at 20 °C: | ~1.2 |
| Vapour Density: | No information available |
| Evaporation Rate: | No information available |
| Solubility in Water: | Emulsifies into water. |
| Partition Coefficient (n-octanol/water): | No information available |
| Viscosity: | No information available |

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat, sparks, open flames, hot surfaces and direct sunlight.

Incompatible Materials: Strong oxidising agents, strong acids and strong bases.

Hazardous Decomposition Products:

Oxides of carbon, nitrogen and sulphur, other sulphur compounds, other nitrogen compounds, hydrogen cyanide and smoke.

11 Toxicological Information

Toxicity:**LD₅₀/LC₅₀ Values Relevant for Classification:****CAS: 60207-90-1 Propiconazole**

| | | |
|------------|-----------------------|--|
| Oral | LD ₅₀ | 1419 mg/kg (mouse) >1,517 mg/kg (rat) |
| Dermal | LD ₅₀ | >4,000 mg/kg (rat) >6000 mg/kg (rabbit) |
| Inhalation | LC ₅₀ /4 h | >5,800 mg/m ³ (rat) |

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 04.06.2019

Revision: 04.06.2019

Product Name: TITAN PROPICONAZOLE 625 EC FUNGICIDE

(Contd. of page 4)

Acute Health Effects**Inhalation:** May cause respiratory irritation and headaches.**Skin:** May cause skin irritation, inflammation and redness. May cause an allergic skin reaction.**Eye:**

May cause eye irritation, redness and watering. Lengthy exposure or delayed treatment may cause permanent damage.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation, redness and burning sensation.**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.**Respiratory or Skin Sensitisation:** May cause an allergic skin reaction.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:**

The Australian Acceptable Daily Intake (ADI) for propiconazole for a human is 0.07 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 7 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2019).

12 Ecological Information

Ecotoxicity:

Propiconazole -

Birds:

LD50: 2223 mg/kg (Japanese quail)

LD50: >2825 mg/kg (Bobwhite quail)

LD50: >2510 mg/kg (Mallard duck)

Bees: Propiconazole is not toxic to bees.

Aquatic toxicity:

Very Toxic to aquatic life with long lasting effects.

CAS: 60207-90-1 PropiconazoleEC₅₀ 0.02 - 13.6 mg/l (algae)

4.8 mg/l (daphnia)

LC₅₀ 5.1 mg/l (golden orfe)

6.8 mg/l (carp)

>5.3 mg/l (rainbow trout)

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 04.06.2019

Revision: 04.06.2019

Product Name: TITAN PROPICONAZOLE 625 EC FUNGICIDE

(Contd. of page 5)

Persistence and Degradability: No further relevant information available.**Bioaccumulative Potential:** No further relevant information available.**Mobility in Soil:** No further relevant information available.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated

15 Regulatory Information

Australian Inventory of Chemical Substances:

CAS: 60207-90-1 Propiconazole

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

16 Other Information

Date of Preparation or Last Revision: 04.06.2019**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au**Abbreviations and acronyms:**

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅₀: Lethal concentration, 50 percentLD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids – Category 4

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.