

# Safety Data Sheet

according to WHS Regulations

Print date: 25.09.2024

Revision date: 23.09.2024

## 1 Identification

**Product Name: TITAN METALAXYL 250 EC SYSTEMIC FUNGICIDE**

**Other Means of Identification:** Mixture

**APVMA Approval Number:** 88211

**Recommended Use of the Chemical and Restriction on Use:** Agricultural fungicide

**Details of Manufacturer or Importer:**

Titan Ag Pty Ltd  
Princes Street Marina  
Suite 15/16 Princes Street  
Newport NSW 2106

**Phone Number:** 02 9999 6655

**Emergency telephone number:** 02 9999 6655

## 2 Hazard(s) Identification

**Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.



Health hazard

Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways.



Skin Sensitisation 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

**Signal Word** Danger

**Hazard Statements**

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary Statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

# Safety Data Sheet

according to WHS Regulations

Print date: 25.09.2024

Revision date: 23.09.2024

**Product Name: TITAN METALAXYL 250 EC SYSTEMIC FUNGICIDE**

(Contd. of page 1)

### 3 Composition and Information on Ingredients

**Chemical Characterization: Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Hazardous Components:**

CAS: 64742-94-5	Solvent naphtha (petroleum), heavy arom.	45%
	⚠️ Aspiration Hazard 1, H304	
CAS: 57837-19-1	Metalaxyl (ISO)	25%
	⚠️ Acute Toxicity (Oral) 4, H302; Skin Sensitisation 1, H317; Aquatic Chronic 3, H412	

### 4 First Aid Measures

**Inhalation:** If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.**Skin Contact:**

In case of skin contact, remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation occurs.

**Eye Contact:**

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

**Ingestion:**

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

**Symptoms Caused by Exposure:**

Inhalation: May cause respiratory irritation.

Skin Contact: May cause skin irritation. May cause an allergic skin reaction.

Eye Contact: May cause eye irritation.

Ingestion: May be fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

### 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Use water fog, foam, dry chemical or carbon dioxide.**Specific Hazards Arising from the Chemical:**

Hazardous combustion products include oxides of carbon, oxides of nitrogen, hydrogen cyanide, and smoke.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

**Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

### 6 Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures:**

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots.

Evacuate all non-essential personnel from affected area. Do not breathe vapours or mists.

**Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 3)

# Safety Data Sheet

according to WHS Regulations

Print date: 25.09.2024

Revision date: 23.09.2024

**Product Name: TITAN METALAXYL 250 EC SYSTEMIC FUNGICIDE**

(Contd. of page 2)

**Methods and Materials for Containment and Cleaning Up:**

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

## 7 Handling and Storage

**Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours or mists. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

**Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from direct sunlight. Keep away from strong oxidising agents.

## 8 Exposure Controls and Personal Protection

**Exposure Standards:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Engineering Controls:** Natural ventilation should be adequate under normal use conditions.

**Respiratory Protection:**

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

**Skin Protection:**

Rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

**Eye and Face Protection:**

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

## 9 Physical and Chemical Properties

**Appearance:**

<b>Form:</b>	Clear liquid
<b>Colour:</b>	Amber
<b>Odour:</b>	Mild
<b>Odour Threshold:</b>	No information available
<b>pH-Value:</b>	No information available
<b>Melting point/freezing point:</b>	No information available
<b>Initial Boiling Point/Boiling Range:</b>	No information available
<b>Flash Point:</b>	No information available
<b>Flammability (solid, gas):</b>	Not applicable
<b>Auto-ignition Temperature:</b>	No information available
<b>Decomposition Temperature:</b>	No information available
<b>Explosion Limits:</b>	
<b>Lower:</b>	No information available

(Contd. on page 4)

# Safety Data Sheet

according to WHS Regulations

Print date: 25.09.2024

Revision date: 23.09.2024

**Product Name: TITAN METALAXYL 250 EC SYSTEMIC FUNGICIDE**

(Contd. of page 3)

<b>Upper:</b>	No information available
<b>Vapour Pressure:</b>	No information available
<b>Relative Density:</b>	~1.021
<b>Vapour Density:</b>	No information available
<b>Evaporation Rate:</b>	No information available
<b>Solubility in Water:</b>	Forms an emulsion in water
<b>Partition Coefficient (n-octanol/water):</b>	No information available
<b>Viscosity:</b>	No information available

## 10 Stability and Reactivity

**Possibility of Hazardous Reactions:** No dangerous reactions known under conditions of normal use.

**Chemical Stability:** Stable at ambient temperature and under normal conditions of storage and use.

**Conditions to Avoid:** Direct sunlight.

**Incompatible Materials:** Strong oxidising agents.

**Hazardous Decomposition Products:** Oxides of carbon, oxides of nitrogen, hydrogen cyanide, and smoke.

## 11 Toxicological Information

**Toxicity:**

**LD50/LC50 Values:**

**CAS: 64742-94-5 Solvent naphtha (petroleum), heavy arom.**

Oral	LD50	5,000 mg/kg (Rattus norvegicus (rat))
	LD50	2,000 mg/kg (Oryctolagus cuniculus (rabbit))

**CAS: 57837-19-1 Metalaxyl (ISO)**

Oral	LD50	>669 mg/kg (Rattus norvegicus (rat))
Dermal	LD50	5,000 mg/kg (Rattus norvegicus (rat))
Inhalation	LC50/4 h	>3.6 mg/l (Rattus norvegicus (rat))

### Acute Health Effects

**Inhalation:** May cause respiratory irritation.

**Skin:** May cause skin irritation. May cause and allergic skin reaction.

**Eye:** May cause eye irritation.

### Ingestion:

May be fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.

**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.

**Respiratory or Skin Sensitisation:** May cause an allergic skin reaction.

**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.

### Carcinogenicity:

Based on classification principles, the classification criteria are not met.

This product does NOT contain any IARC listed chemicals.

**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.

### Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

### Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

# Safety Data Sheet

according to WHS Regulations

Print date: 25.09.2024

Revision date: 23.09.2024

**Product Name: TITAN METALAXYL 250 EC SYSTEMIC FUNGICIDE**

(Contd. of page 4)

**Aspiration Hazard:** May be fatal if swallowed and enters airways.**Chronic Health Effects:** No data associated with long term health effects.**Existing Conditions Aggravated by Exposure:** No data available.**Additional toxicological information:**

The Australian Acceptable Daily Intake (ADI) for metalaxyl for a human is 0.03 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 3 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2023).

## 12 Ecological Information

**Ecotoxicity:****Aquatic toxicity:**

Harmful to aquatic life with long lasting effects.

**CAS: 64742-94-5 Solvent naphtha (petroleum), heavy arom.**

EC50/48 h	12 mg/l (Daphnia magna (water flea))
EC50/72 h	2.5 mg/l (Skeletonema costatum (diatom))
LC50/96 h	45 mg/l (Pimephales promelas (fathead minnow))

**CAS: 57837-19-1 Metalaxyl (ISO)**

EC50/48 h	3.47 mg/l (Daphnia magna (water flea))
LC50/96 h	>100 mg/l (Lepomis macrochirus (bluegill))
	>100 mg/l (carp)
	0.96 mg/l (Oncorhynchus mykiss (rainbow trout))
LC50	12.5-28 mg/l (Daphnia magna (water flea))

**Persistence and Degradability:** No data available on finished product.**Bioaccumulative Potential:** No data available on finished product.**Mobility in Soil:** No data available on finished product.**Other adverse effects:** No further relevant information available.

## 13 Disposal Considerations

**Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

## 14 Transport Information

**UN Number** Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated

## 15 Regulatory Information

**Australian Inventory of Industrial Chemicals:**

All components are on the inventory, or in compliance with the inventory.

**Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:**

Poisons Schedule: 5

(Contd. on page 6)

# Safety Data Sheet

according to WHS Regulations

Print date: 25.09.2024

Revision date: 23.09.2024

**Product Name: TITAN METALAXYL 250 EC SYSTEMIC FUNGICIDE**

(Contd. of page 5)

**Australian Pesticides and Veterinary Medicines Authority:**

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA approval number 88211.

**16 Other Information****Date of Preparation or Last Revision:** 23.09.2024**Prepared by:** MSDS.COM.AU Pty Ltd[www.msds.com.au](http://www.msds.com.au)**Abbreviations and acronyms:**

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

Aspiration Hazard 1: Aspiration hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

**Disclaimer**

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020”.

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.