

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

TITAN

METALAXYL 250 EC

SYSTEMIC FUNGICIDE

ACTIVE CONSTITUENT: 250g/L METALAXYL
SOLVENT: 459g/L LIQUID HYDROCARBON

GROUP **4** FUNGICIDE



For the control of Phytophthora Heart Rot and Root Rot in Pineapple.

APVMA Approval No.: 88211/120575

Pack Size: 5L; 10L; 20L



TITAN AG Pty Ltd | ABN 57 122 081 574
15/16 Princes Street, Newport NSW 2106
Tel (02) 9999 6655 | titanag.com.au

EC	Formulation Type Emulsifiable Concentrate
IN A TRANSPORT EMERGENCY • DIAL 000 • POLICE OR FIRE BRIGADE	
TRANSPORT AND HANDLING NOT A DANGEROUS GOOD ACCORDING TO THE AUSTRALIAN DANGEROUS GOODS (ADG) CODE FOR TRANSPORT BY ROAD AND RAIL	

DIRECTIONS FOR USE

CROP	DISEASE	STATE	RATE	CRITICAL COMMENTS
Pineapples	Heart Rot and Root Rot caused by <i>Phytophthora</i> spp.	QLD, WA only	High volume application 2L in 2000 to 5000L per hectare.	Spray immediately after planting and repeat at 4 to 8 week intervals during summer, autumn and winter. Use the shorter interval during periods of wet weather, or in areas with past histories of the disease. Thoroughly spray Pineapple foliage and surrounding soil. For the first treatment, hand drenching is preferred to spraying. Use 2000L/ha for young plants, increasing up to 5000L/ha for large plants. TITAN Metalaxyl 250 EC Systemic Fungicide should be applied in alternate years only. In intervening years, use other recommended fungicides.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD: DO NOT APPLY LATER THAN 4 WEEKS BEFORE HARVEST.

GENERAL INSTRUCTIONS

MIXING

Pour the product directly into water in the spray tank and mix well. Beware of solvent vapours while handling the concentrate and working near an open spray tank.

FUNGICIDE RESISTANCE WARNING

TITAN Metalaxyl 250 EC Systemic Fungicide is a member of the Phenylamide group of fungicides.

GROUP 4 FUNGICIDE

For fungicide resistance management, the product is a Group 4 fungicide. Some naturally occurring individual fungi resistance to the product and other Group 4 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by the product and other Group 4 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, TITAN AG Pty Ltd accepts no liability for any losses that may result from the failure of the product to control resistant fungi.

PRECAUTIONS

Re-Entry Period: DO NOT re-enter treated area until sprayed crop is dry.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace lid and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state, or territory government regulations. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

Avoid contact with eyes and skin. DO NOT inhale dust or spray mist.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766. If swallowed, do not induce vomiting.

SAFETY DATA SHEET

Additional information is listed in the safety data sheet (SDS). A safety data sheet for TITAN Metalaxyl 250 EC Systemic Fungicide is available from TITAN AG Pty Ltd on request. Call Customer Service on (02) 9999 6655 or visit titanag.com.au

CONDITIONS OF SALE: TITAN AG Pty Ltd shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on TITAN AG's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of TITAN AG Pty Ltd has any authority to add to or alter these conditions.

Additional statements required by Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia: May cause an allergic skin reaction. May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects. Precautionary Statements: Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Specific treatment (see on this label). Do NOT induce vomiting. IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

