

Safety Data Sheet

according to WHS Regulations

Printing date 24.11.2021

Revision: 24.11.2021

1 Identification

Product Name: TITAN DIMETHOATE 400 SYSTEMIC INSECTICIDE

Other Means of Identification: Mixture

APVMA Approval Number: 62511

Recommended Use of the Chemical and Restriction on Use: Agricultural insecticide

Details of Manufacturer or Importer:

Titan Ag Pty Ltd
Princes Street Marina
Suite 15/16 Princes Street
Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Flame

Flammable Liquids 3 H226 Flammable liquid and vapour.



Skull and crossbones

Acute Toxicity (Oral) 2 H300 Fatal if swallowed.

Acute Toxicity (Dermal) 3 H311 Toxic in contact with skin.



Health hazard

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.



Acute Toxicity (Inhalation) 4 H332 Harmful if inhaled.

Skin Sensitisation 1 H317 May cause an allergic skin reaction.

Signal Word Danger

Hazard Statements

H226 Flammable liquid and vapour.

H300 Fatal if swallowed.

H311 Toxic in contact with skin.

H332 Harmful if inhaled.

H317 May cause an allergic skin reaction.

H372 Causes damage to organs through prolonged or repeated exposure.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 24.11.2021

Revision: 24.11.2021

Product Name: TITAN DIMETHOATE 400 SYSTEMIC INSECTICIDE

(Contd. of page 1)

Precautionary Statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P314	Get medical advice/attention if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P370+P378	In case of fire: Use CO ₂ , powder or water spray to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Hazardous Components:**

Hazardous Components:		
CAS: 60-51-5	Dimethoate (ISO) ☠ Acute Toxicity (Oral) 2, H300; Acute Toxicity (Dermal) 3, H311; ☠ STOT RE 1, H372; ⚠ Acute Toxicity (Inhalation) 4, H332; Skin Sensitisation 1, H317	40%
CAS: 108-94-1	Cyclohexanone ⚠ Flammable Liquids 3, H226; ⚠ Acute Toxicity (Inhalation) 4, H332	12%

Additional information: Petroleum distillate CAS no. not supplied: 40%

4 First Aid Measures

General Information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek immediate medical attention.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek immediate medical attention.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 24.11.2021

Revision: 24.11.2021

Product Name: TITAN DIMETHOATE 400 SYSTEMIC INSECTICIDE

(Contd. of page 2)

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if symptoms persist.

Ingestion:

If swallowed, do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: Harmful if inhaled. Inhalation of vapours, fumes or aerosols may cause respiratory discomfort and distress, central nervous system depression, which can lead to loss of coordination, impaired judgement and if exposure is prolonged, unconsciousness. Cyclohexane vapour irritates the nose and throat and may cause incoordination, low body temperature, damage to the lungs, liver and kidney, breathlessness, unconsciousness and even death depending on the dose.

Skin Contact: Toxic in contact with skin. There may be sweating and muscle twitches at site of contact.

Symptoms may be delayed several hours after exposure. Entry into the blood stream through cuts, abrasions or lesions may produce systemic injury with harmful effects. Symptoms for skin absorption are the same as for inhalation. May cause an allergic skin reaction.

Eye Contact: Direct eye contact may cause tearing, eyelid twitches, pupil contraction, loss of focus, blurred or dimmed vision with dilation of the pupils.

Ingestion: Fatal if swallowed. Ingestion may cause nausea, vomiting, depressed appetite, abdominal cramps and diarrhoea, thirst, acidic blood, breathing difficulties, convulsions, fainting, weakening of the immune system and death.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Foam, dry chemical powder or carbon dioxide. Use water spray or fog for large fires only.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, nitrogen, phosphorus and sulfur, hydrogen chloride, phosgene and other pyrolysis products typical of burning organic material.

The product is flammable.

Containers close to fire should be removed if safe to do so. Use water to keep fire exposed containers cool.

Vapours are heavier than air and may travel long distance to a source of ignition and flash back.

Minimise run off from fire fighting from entering watercourses or drains.

HAZChem Code: •3W

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material.

Collect the spilled material and place into a suitable container for disposal. Use only non-sparking tools.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 24.11.2021

Revision: 24.11.2021

Product Name: TITAN DIMETHOATE 400 SYSTEMIC INSECTICIDE

(Contd. of page 3)

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Take precautionary measures against static discharge. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Keep away from strong oxidising agents. Avoid contact of the concentrate with strong alkalis and alkaline materials such as lime.

8 Exposure Controls and Personal Protection

Exposure Standards:**CAS: 108-94-1 Cyclohexanone**

NES	TWA: 100 mg/m ³ , 25 ppm
	Sk

Engineering Controls:

Maintain air concentration below occupational exposure standards, providing adequate ventilation. Use explosion-proof ventilating equipment.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Elbow length PVC gloves, protective clothing, chemical resistant apron and safety boots. See Australian Standards AS/NZS 2161, 2210.1 and 2210.2 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Pale yellow
Odour:	Offensive mercaptan odour
Odour Threshold:	No information available
pH-Value:	No information available
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	39 °C
Flammability:	Flammable.
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 24.11.2021

Revision: 24.11.2021

Product Name: TITAN DIMETHOATE 400 SYSTEMIC INSECTICIDE

(Contd. of page 4)

Upper:	No information available
Vapour Pressure:	No information available
Relative Density:	1.1
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Immiscible

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Heat, sparks, open flames, hot surfaces and direct sunlight.

Incompatible Materials:

Strong oxidising agents. Avoid contact of the concentrate with strong alkalis and alkaline materials such as lime.

Hazardous Decomposition Products:

Hazardous combustion products include oxides of carbon, nitrogen, phosphorus and sulfur, hydrogen chloride and phosgene.

11 Toxicological Information

Toxicity:

LD50/LC50 Values:

CAS: 60-51-5 Dimethoate (ISO)

Oral	LDLo	30 mg/kg (human)
	LD50	350 mg/l (guinea pig) 60 mg/kg (rat)
	TDL0	286 mg/kg (human) (man)
Dermal	LD50	1000 mg/kg (rabbit) 353 mg/kg (rat)

CAS: 108-94-1 Cyclohexanone

Oral	LD50	1535 mg/kg (rat)
Dermal	LD50	948 mg/kg (rabbit)
Inhalation	LC50/4 h	8000 mg/l (rat)
	TCLo	75 ppm (human)

Acute Health Effects

Inhalation:

Harmful if inhaled. Inhalation of vapours, fumes or aerosols may cause respiratory discomfort and distress, central nervous system depression, which can lead to loss of coordination, impaired judgement and if exposure is prolonged, unconsciousness. Cyclohexane vapour irritates the nose and throat and may cause incoordination, low body temperature, damage to the lungs, liver and kidney, breathlessness, unconsciousness and even death depending on the dose.

Skin:

Toxic in contact with skin. There may be sweating and muscle twitches at site of contact. Symptoms may be delayed several hours after exposure. Entry into the blood stream through cuts, abrasions or lesions may produce systemic injury with harmful effects. Symptoms for skin absorption are the same as for inhalation. May cause an allergic skin reaction.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 24.11.2021

Revision: 24.11.2021

Product Name: TITAN DIMETHOATE 400 SYSTEMIC INSECTICIDE

(Contd. of page 5)

Eye:

Direct eye contact may cause tearing, eyelid twitches, pupil contraction, loss of focus, blurred or dimmed vision with dilation of the pupils.

Ingestion:

Fatal if swallowed. Ingestion may cause nausea, vomiting, depressed appetite, abdominal cramps and diarrhoea, thirst, acidic blood, breathing difficulties, convulsions, fainting, weakening of the immune system and death. Aspiration into the lung from vomiting may cause chemical pneumonitis or pulmonary oedema.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Cyclohexanone is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Causes damage to organs through prolonged or repeated exposure.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects:

Repeated or prolonged contact will cause effects similar to acute symptoms in addition to impaired memory and loss of concentration, severe depression and acute psychosis, irritability, confusion, apathy, emotional liability, speech difficulties, headache, spatial disorientation, delayed reaction times, sleepwalking, drowsiness or insomnia.

Long term cyclohexanone exposure may cause liver and kidney changes, clouding of the eye lens and cataract development.

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for dimethoate (ISO) for a human is 0.001 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 0.1 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2021).

12 Ecological Information

Ecotoxicity: Dimethoate is highly toxic to bees. Dimethoate is moderate to highly toxic to birds.

Aquatic toxicity:**CAS: 60-51-5 Dimethoate (ISO)**

LC50/48 h	6 mg/l (bluegill)
LC50	6.2 mg/l (rainbow trout)

Persistence and Degradability:

This product is biodegradable. It will not accumulate in the soil or water. The persistence of dimethoate and cyclohexanone in water/soil is low.

Bioaccumulative Potential: The bioaccumulation potential of dimethoate and cyclohexanone is low.

Mobility in Soil: The mobility of dimethoate and cyclohexanone is high.

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Printing date 24.11.2021

Revision: 24.11.2021

Product Name: TITAN DIMETHOATE 400 SYSTEMIC INSECTICIDE

(Contd. of page 6)

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number ADG, IMDG, IATA	UN3017
Proper Shipping Name ADG, IMDG, IATA	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE
Dangerous Goods Class ADG Class:	6.1
Subsidiary Risk:	3
Packing Group: ADG, IMDG, IATA	III
Marine pollutant:	No
Hazchem Code:	•3W
Special Provisions:	61, 223, 274
Limited Quantities:	5L
Packagings & IBCs - Packing Instruction:	P001, IBC03
Packagings & IBCs - Special Packing Provisions:	Not applicable
Portable Tanks & Bulk Containers - Instructions:	T7
Portable Tanks & Bulk Containers - Special Provisions:	TP2, TP28

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA number 62511.

16 Other Information

Date of Preparation or Last Revision: 24.11.2021

Prepared by:

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 8)

Safety Data Sheet

according to WHS Regulations

Printing date 24.11.2021

Revision: 24.11.2021

Product Name: TITAN DIMETHOATE 400 SYSTEMIC INSECTICIDE

(Contd. of page 7)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 3: Flammable liquids – Category 3

Acute Toxicity (Oral) 2: Acute toxicity – Category 2

Acute Toxicity (Dermal) 3: Acute toxicity – Category 3

Acute Toxicity (Inhalation) 4: Acute toxicity – Category 4

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Data altered compared to the previous version:

Section 4: Symptoms, Section 5: Specific Hazards Arising from the Chemical, Section 7: Conditions for Safe Storage, Section 11: Acute Health Effects

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020”

The information contained in this material safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.