POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



READY TO USE BAITS IN A PALATABLE SACHET

For the control of Brown or Norway Rats (Rattus norvegicus) and Mice, including those resistant to other anti-coagulants. For use in and around buildings.

CONTAINS DENATONIUM BENZOATE AS A BITTERING AGENT

APVMA Approval No.: 91555/132645

Pack Size: 1kg-10kg; 20kg



TITAN AG Pty Ltd | ABN 57 122 081 574 15/16 Princes Street, Newport NSW 2106 Tel (02) 9999 6655 | Fax (02) 9999 0483 titanag.com.au

IN A TRANSPORT EMERGENCY

DIAL 000

POLICE OR FIRE BRIGADE

TRANSPORT AND HANDLING
NOT A DANGEROUS GOOD
ACCORDING TO THE AUSTRALIAN
DANGEROUS GOODS (ADG) CODE
FOR TRANSPORT BY ROAD AND RAIL

DIRECTIONS FOR USE

Restraints: DO NOT exceed 3 m between bait stations for mice or 9m for rats.

DO NOT place baits in the open unless in bait stations.

DO NOT remove bait from paper sachet.

SITUATION	PEST	RATE	CRITICAL COMMENTS
and parioultural buildings	Mice (<i>Mus musculus</i>)	1 or 2 bait sachets per bait point	Place bait points wherever droppings, damage or other signs of rodent activity are seen, but not more than 2m away from buildings.
			For Mice: Use many bait points. For Rats: Place a number of bait points in dry locations throughout the infested area. The use of secured, tamper-resistant bait stations is preferred. Follow the baiting strategies detailed below.

Baiting strategy for rats and mice: Eliminate, as far as practicable, all other food sources. Bait the infested area, placing the bait sachets under cover. Record the number and locations of bait stations for purpose of replacement and later removal. Inspect baits frequently, particularly in the first ten days. Replace eaten bait. If bait is completely consumed, the quantity should be increased. Continue replenishing baits until they are left untouched. Baiting for at least two weeks will be necessary to reduce rat/mouse numbers. Two or more feeds are required to produce a delayed mortality. Most deaths occur 4 to 10 days after consumption of bait, but deaths may occur for up to 2 weeks. Following treatment remove all remains of bait and bait containers and look for dead rats or mice. Burn or bury carcasses. DO not place in refuse bins. DO NOT let cats, dogs, and non-target animals eat poisoned rats and mice. While handling remaining bait material/animal carcasses, wear rubber gloves.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

The baits are ready to use-do not unwrap individual baits. Rats and mice will chew through the wrapper.

TITAN Onza Blue Rodenticide Paste is a highly palatable cereal based all-purpose rodenticide containing the advanced anticoagulant, Difenacoum, which is equally effective against rats and mice, including strains resistant to some other anticoagulants.

PRECAUTIONS

The bait is hazardous to dogs, cats, pigs, poultry and wildlife and care should be exercised in its use. DO NOT feed the bait to wild or domestic birds. DO NOT apply directly on or near exposed food or food utensils, food preparation areas, livestock feed or water, or food storage areas.

PROTECTION OF LIVESTOCK WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate dams, waterways and drains with the bait or its used container. DO NOT place baits in locations which are accessible to domestic animals, livestock, birds or other animals. DO NOT use this product to control native animals. In areas where possums and other non-target animals frequent, baits should be secured inside proper bait stations or bait stations constructed from drainpipes or boxes.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Triple rinse containers before disposal. Dispose of rinsings and unused or untaken bait in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. If recycling replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury containers in an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Empty containers and product should not be burnt. Containers that have held bait should not be used for any other purpose.

SAFETY DIRECTIONS

Poisonous if swallowed. Repeated minor exposure may have cumulative poisoning effect. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126, New Zealand 0800 764 766. Vitamin K1 (Phytomenadione) is antidotal.

SAFETY DATA SHEET

Additional information is listed in the safety data sheet (SDS). A safety data sheet for TITAN Onza Blue Rodenticide Paste is available from TITAN AG Pty Ltd on request. Call Customer Service on (02) 9999 6655 or visit titanag.com.au

CONDITIONS OF SALE: TITAN AG Pty Ltd shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on TITAN AG's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of TITAN AG Pty Ltd has any authority to add to or alter these conditions.

Additional statements required by Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia: None. Precautionary Statements: Keep out of reach of children. Read label before use. Keep / Store away from foodstuffs, beverages and animal feeding stuffs. Do not get on skin. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves [Professional users]. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Store in a closed container. Store locked up. Dispose of contents/container in accordance with local regulations.

