

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

TITAN

ONZA

RODENTICIDE PASTE

RED

ACTIVE CONSTITUENT: 0.05g/kg BRODIFACOUM



READY TO USE BAITS IN A PALATABLE SACHET

For the control of Brown or Norway Rats (*Rattus norvegicus*) and Mice, including those resistant to other anti-coagulants. For use in and around buildings.

CONTAINS DENATONIUM BENZOATE AS A BITTERING AGENT

APVMA Approval No.: 91555/132645

Pack Size: 1kg-10kg; 20kg



TITAN AG Pty Ltd | ABN 57 122 081 574
15/16 Princes Street, Newport NSW 2106
Tel (02) 9999 6655 | Fax (02) 9999 0483
titanag.com.au

IN A TRANSPORT EMERGENCY

DIAL 000

POLICE OR FIRE BRIGADE

TRANSPORT AND HANDLING
NOT A DANGEROUS GOOD
ACCORDING TO THE AUSTRALIAN
DANGEROUS GOODS (ADG) CODE
FOR TRANSPORT BY ROAD AND RAIL

DIRECTIONS FOR USE

Restrictions: DO NOT place baits in the open unless in bait stations.
DO NOT exceed 3 metres between baits for mice or 9 metres for rats.
DO NOT remove bait from paper sachet.
DO NOT apply baits to crops.

SITUATION	PEST	RATE	CRITICAL COMMENTS
In and around agricultural, commercial, domestic and industrial buildings	Mice (<i>Mus musculus</i>) Norway Rat (<i>Rattus norvegicus</i>)	1-3 bait sachets per bait station depending on level of infestation	Place bait points wherever droppings, damage or other signs of rodent activity are seen, but not more than 2m away from buildings. For Mice: Place single baits at 2-3 metre intervals in infested areas. For Rats: Place 1 to 3 baits at intervals of 5-9 metre in infested areas.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

The baits are ready to use – do not unwrap individual baits. Rats and mice will chew through the wrapper.

Note: One feed is sufficient to kill rats and mice.

TITAN ONZA Red Rodenticide Paste can be used both indoors and outdoors. It is recommended that clearly marked tamper evident stations are used wherever baits are to be placed.

Baiting strategy: Eliminate, as far as practicable, all other food sources. Bait the infested area. Place baits under cover. Inspect baits daily. Replace eaten baits. If quickly eaten, increase number of baits. Continue observation and replenish until no more baits are taken. Baiting for at least two weeks is necessary to reduce rat/mouse numbers. Locate bait stations along walls or rafters or in dark sheltered spots where there are signs of rodent activity. Nail or fix in place if relevant. Record the number and locations of bait stations for purpose of replenishment and later removal. Look for dead rats or mice – burn or bury them, do not place in refuse bins. Inspect all bait stations regularly and ensure baits are removed when rodent activity has ceased. **Most rodent deaths occur 4 to 7 days after consumption of bait.**

PRECAUTIONS

The bait is hazardous to dogs, cats, pigs, poultry, birds and wildlife and care should be exercised in its use. DO NOT feed the bait to wild or domestic birds. DO NOT apply directly on or near exposed food or food utensils, food preparation areas, livestock feed or water, or food storage areas.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used container. DO NOT place baits in locations which are accessible to domestic animals, livestock, birds or other animals. DO NOT use this product to control native animals. In areas where possums and other non-target animals frequent, baits should be secured inside proper bait stations or bait stations constructed from drainpipes or boxes.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Break, crush, puncture and bury empty containers and dispose of unused bait in a local authority landfill. If not available bury the containers, or unused bait below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt. DO NOT use containers that have held bait for any other purpose. Dispose of carcasses safely by burning or burying in an approved landfill.

SAFETY DIRECTIONS

Poisonous if swallowed. DO NOT inhale dust. DO NOT touch bait. Use scoop or measure. If on skin and after each baiting, wash thoroughly with soap and water.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766. Vitamin K1 (Phytomenadione) is antidotal.

SAFETY DATA SHEET

Additional information is listed in the safety data sheet (SDS). A safety data sheet for TITAN ONZA Red Rodenticide Paste is available from TITAN AG Pty Ltd on request. Call Customer Service on (02) 9999 6655 or visit titanag.com.au

CONDITIONS OF SALE: TITAN AG Pty Ltd shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on TITAN AG's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of TITAN AG Pty Ltd has any authority to add to or alter these conditions.

Additional statements required by Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia: None. **Precautionary Statements:** Keep out of reach of children. Read label before use. Keep / Store away from foodstuffs, beverages and animal feeding stuffs. Do not get on skin. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves [Professional users]. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Store in a closed container. Store locked up. Dispose of contents/container in accordance with local regulations.