

# SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product name:	Titan Onza Blue Rodenticide Blocks
Recommended Use:	Ready for use Rodenticide containing 50ppm Difenacoum.
Restrictions on Use:	None specified.
Supplier of SDS:	Titan Ag Pty Ltd
Supplier Address:	Suite 15 / 16 Princes Street
	Newport NSW 2106
Supplier Phone:	02 9999 6655
Emergency Telephone	
Number:	02 9999 6655

## SECTION 2: Hazards identification

2.1. Classification of the substance or mixture		
Physical hazards	Not Classified	
Health hazards	Not Classified	
Environmental hazards	Not Classified	
2.2. Label elements		
Hazard statements	Not Classified	
Precautionary Statements	P102 Keep out of reach of children.	
	P103 Read label before use.	
	P220 Keep / Store away from foodstuffs, beverages and animal feeding stuffs.	
	P262 Do not get on skin.	
	P270 Do not eat, drink or smoke when using this product.	
	P280 Wear protective gloves [Professional users].	
	P273 Avoid release to the environment.	
	P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P	
	404 Store in a closed container.	
	P405 Store locked up.	
	P501 Dispose of contents/container in accordance with local regulations.	

SECTION 3: Composition/information on	ingredients
3.1. Substances	
Synonym	
3.2. Mixtures	
Ethyl vanillin	<0.1
CAS number: 121-32-4	EC number: 204-464-7
Classification	
Eye Irrit. 2 - H319	
2,2'-Imino Diethanol	<0.1%
CAS number: 111-42-2	EC number: 203-868-0
Classification	
Acute Tox. 4 - H302	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
STOT RE 2 - H373	
Aquatic Chronic 3 - H412	
1,2-BENZISOTHIAZOLIN-3-ONE	0.02%
CAS number: 2634-33-5	EC number: 220-120-9
Classification	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
Aquatic Chronic 2 - H411	

DIFENACOUM (RoW)		0.005%
CAS number: 56073-07-5	EC number: 259-978-4	
M factor (Acute) = 1	M factor (Chronic) = 1	

Classification		
Acute Tox. 1 - H300		
Acute Tox. 1 - H310		
Acute Tox. 1 - H330		
STOT RE 1 - H372		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
Denatonium Benzoate		0.001%
CAS number: 3734-33-6	EC number: 223-095-2	
Classification		
Classification Acute Tox. 4 - H332		
Acute Tox. 4 - H332		

The full text for all hazard statements is displayed in Section 16.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General information	In case of accident or if you feel unwell, seek medical advice immediately (show the label
	where possible). Advice for Medical Doctors: Difenacoum is an indirect anti-coagulant.
	Phytomenadione, Vitamin K, is antidotal. Determin prothrombin time not less than 18 hours
	after consumption. If elevated, administer Vitamin K1 until prothrombin time normalises.
	Continue determination of prothrombin time for two weeks after withdrawal of antidote and
	resume treatment if elevation occurs in that time.
Inhalation	Due to the physical nature of this product, exposure by this route is unlikely. Seek medical
	attention if symptoms persist.
Ingestion	Rinse mouth. Do not induce vomiting. Get medical attention immediately.
Skin contact	May cause irritation to susceptible persons. If skin irritation occurs wash with soap and water.
	Remove contaminated clothing. Get medical attention if symptoms are severe or persist.
Eye contact	May cause eye irritation to susceptible persons. Rinse immediately with plenty of water and
	seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

SECTION 5: Firefighting measures		
4.3. Indication of any immediate medical attention and special treatment needed		
5.1. Extinguishing media		
Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	

## 5.2. Special hazards arising from the substance or mixture

Specific hazards None known.

Hazardous combustionproducts

5.3. Advice for firefighters

Specific hazards	None known.	
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.	
5.4. Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	
SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		

	Personal precautions	No specific recommendations. For personal protection, see Section 8.
--	----------------------	--

#### 6.2. Environmental precautions

١

Environmental precautions Avoid discharge to the aquatic environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Reuse or recycle products wherever possible. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.

#### 6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in
	Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs.
	Keep container tightly sealed when not in use.
Advice on general	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash
occupational hygiene	contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store away from incompatible materials (see Section 10). No specific recommendations.

Storage class Unspecified storage.

7.3. Specific end use(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
Usage description	Ready to use rodenticide containing 50 ppm Difenacoum.	
SECTION 8: Exposure control	ols/Personal protection	
8.1. Control parameters		
Occupational exposure limits		
Propane-1,2-diol (Propane-1,2-diol Particulates) WEL 8-Hr limit mg/M3: 10		
Propane-1,2-diol (Propane-1	,2-diol total vapour and particulates) WEL 8-Hr limit ppm: 150	
	WEL 8Hr limit mg/M3: 474	
Sugar (Sucrose) WEL 8-Hr limit mg/M3: 10 WEL 15 min limit mg/M3: 20		
Paraffin Wax WEL 8-Hr li	nit mg/M3: 2 WEL 15 min limit mg/M3: 6	
Paraffin Wax (Paraffin wax fu	Ime) WEL 8-Hr limit mg/M3: 2 WEL 15 min limit mg/M3: 6	
8.2. Exposure controls		
Protective equipment		
Appropriate engineering controls	No specific ventilation requirements.	
Personal protection	Body protection must be chosen depending on activity and possible exposure, for example apron, protecting boots, chemical-protection suit.	
Eye/face protection	No specific eye protection required during normal use.	
Hand protection	Suitable chemical resistant gloves are recommended for professional users.	
Other skin and body protection	Handle in accordance with good hygiene and safety practice. Wearing of closed work clothing is recommended. Avoid contact with the skin, eyes and clothing. Store work clothing separately.	
Hygiene measures	Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.	
Respiratory protection	No specific recommendations. Provide adequate ventilation.	
Environmental exposure		
controls	Not regarded as dangerous for the environment.	
	Not regarded as dangerous for the environment.	

١

## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Appearance	Wax Block.	
Colour	Blue	
Odour	Slight.	
Odour threshold	No information available.	
рН	No information available.	
Melting point	approx. 60 Deg C (for the wax).	
Initial boiling point and range	No information available.	
Flash point	No information available.	
Evaporation rate	Not relevant.	
Evaporation factor	No information available.	
Flammability (solid, gas)	combustible	
Upper/lower flammability or explosive limits	No information available.	
Other flammability	No information available.	
Vapour pressure	Not relevant.	
Vapour density	Not relevant.	
Relative density	No information available.	
Bulk density	No information available.	
Solubility(ies)	Immiscible with water.	
Partition coefficient	Not relevant.	
Auto-ignition temperature	No information available.	
Decomposition Temperature	No information available.	
Viscosity	No information available.	
Explosive properties	Not considered to be explosive.	
Oxidising properties	Not oxidising.	

### 9.2. Other information

SECTION 10: Stability and reactivity	
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the
	prescribed storage conditions.
10.3. Possibility of hazardous reactions	
Possibility of hazardous	Keep away from: Oxidising agents.
reactions	
10.4. Conditions to avoid	
Conditions to avoid	Heat, sparks, flames.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a
	hazardous situation.
10.6. Hazardous decomposition products	
Hazardous decomposition	Does not decompose when used and stored as recommended. Thermal decomposition or
products	combustion products may include the following substances: Harmful gases or vapours.

# SECTION 11: Toxicological information

11.1. Information on toxicological effects	
Toxicological effects	Not regarded as a health hazard under current legislation.
Acute toxicity - oral	
Notes (oral LD₅₀)	>2000 mg/kg
Acute toxicity - dermal	
Notes (dermal LD₅₀)	>2000 mg/kg
Acute toxicity - inhalation	

Notes (inhalation LC₅₀)	>5 mg/l (Dust)
Skin corrosion/irritation	
Skin corrosion/irritation	Not irritating.
Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation	
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity -	Based on available data the classification criteria are not met.
development	
	single exposure
Specific target organ toxicity -	
<u>Specific target organ toxicity -</u> STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity - STOT - single exposure Specific target organ toxicity - STOT - repeated exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity - STOT - single exposure Specific target organ toxicity -	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity - STOT - single exposure Specific target organ toxicity - STOT - repeated exposure Aspiration hazard	Not classified as a specific target organ toxicant after a single exposure. repeated exposure Not classified as a specific target organ toxicant after repeated exposure.
Specific target organ toxicity - STOT - single exposure Specific target organ toxicity - STOT - repeated exposure Aspiration hazard	Not classified as a specific target organ toxicant after a single exposure. repeated exposure Not classified as a specific target organ toxicant after repeated exposure.
Specific target organ toxicity - STOT - single exposure Specific target organ toxicity - STOT - repeated exposure Aspiration hazard Aspiration hazard	Not classified as a specific target organ toxicant after a single exposure. <u>repeated exposure</u> Not classified as a specific target organ toxicant after repeated exposure. Not relevant. Solid.
Specific target organ toxicity - STOT - single exposure Specific target organ toxicity - STOT - repeated exposure Aspiration hazard Aspiration hazard	Not classified as a specific target organ toxicant after a single exposure. <a href="mailto:repeated exposure">repeated exposure</a> <a href="mailto:Not classified">Not classified as a specific target organ toxicant after repeated exposure</a> . Not relevant. Solid. No specific health hazards known. The severity of the symptoms described will vary
Specific target organ toxicity - STOT - single exposure Specific target organ toxicity - STOT - repeated exposure Aspiration hazard Aspiration hazard General information	Not classified as a specific target organ toxicant after a single exposure. <a href="mailto:repeated exposure">repeated exposure</a> <a href="mailto:Not classified as a specific target organ toxicant after repeated exposure">not classified as a specific target organ toxicant after repeated exposure</a> . Not relevant. Solid. No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Specific target organ toxicity - STOT - single exposure Specific target organ toxicity - STOT - repeated exposure Aspiration hazard Aspiration hazard General information	Not classified as a specific target organ toxicant after a single exposure.         repeated exposure         Not classified as a specific target organ toxicant after repeated exposure.         Not relevant. Solid.         No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.         No specific symptoms known.
Specific target organ toxicity - STOT - single exposure Specific target organ toxicity - STOT - repeated exposure Aspiration hazard Aspiration hazard General information	Not classified as a specific target organ toxicant after a single exposure.         repeated exposure         Not classified as a specific target organ toxicant after repeated exposure.         Not relevant. Solid.         No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.         No specific symptoms known.         See section 4 - First Aid
Specific target organ toxicity -STOT - single exposureSpecific target organ toxicity -STOT - repeated exposureAspiration hazardAspiration hazardGeneral informationInhalationIngestionSkin contact	Not classified as a specific target organ toxicant after a single exposure. <a href="mailto:repeated exposure">repeated exposure</a> Not classified as a specific target organ toxicant after repeated exposure.  Not relevant. Solid. No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. No specific symptoms known. See section 4 - First Aid Prolonged contact may cause dryness of the skin.

١

Version 1, Issue Date: 01 December 2021

١

Toxicity of ingredients SECTION 12: Ecological infor	Denatonium Benzoate: LD50 Oral (Rat) = 584 mg/kg LC50 (Rat) 4h: >8.7 mg/l Brodifacoum Acute Oral ≤5mg/kg Acute Dermal ≤50mg/kg Acute Inhalation ≤0.05mg/kg	
Ecotoxicity	Not regarded as dangerous for the environment.	
<u>12.1.</u> Toxicity		
Toxicity	Based on available data the classification criteria are not met.	
12.2. Persistence and degradability		
Persistence and degradability	The degradability of the product is not known.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	No data available on bioaccumulation.	
Partition coefficient	Not relevant.	
<u>12.4.</u> Mobility in soil		
Mobility	No data available.	
12.5. Results of PBT and vPvB assessment		
12.6. Other adverse effects		
Other adverse effects	Toxic to mammals, including domesticated animals and birds if ingested. Exposure of non-	
	target animals should be prevented.	
Toxicity of ingredients	Difenacoum Daphnia EC50/48Hr = 0.91 mg/l Rainbow trout LC50/96Hr = 0.33 mg/l	

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

General information	This material and its container must be disposed of in a safe way.
Disposal methods	Dispose of in accordance with applicable regional, national, and local laws and regulations. Dispose of Contaminated packaging as unused product unless fully cleaned.
Waste class	Waste disposal key number from EWC is 20 01 19 (Pesticides)

### SECTION 14: Transport information

General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
Not applicable.	
14.2. UN proper shipping name	
Not applicable.	
14.3. Transport hazard class(es)	
No transport warning sign required.	
14.4. Packing group	
Not applicable.	
14.5. Environmental hazards	
Environmentally hazardous substance/marine pollutant	
No.	
14.6. Special precautions for user	
Not applicable.	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code	
Transport in bulk according to Not applicable	
Annex II of MARPOL 73/78	

and the IBC Code

SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
National regulations	Health and Safety at Work etc. Act 1974 (as amended).	
	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment	
	Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].	
	EH40/2005 Workplace exposure limits.	
15.2. Chemical safety assessment		
No chemical safety assessment has been carried out.		
les ve este elle e		

#### Inventories

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

## SECTION 16: Other information

Abbreviations and acronyms	ADR: European Agreement concerning the International Carriage of Dangerous Goods by
used in the safety data sheet	Road.
	ADN: European Agreement concerning the International Carriage of Dangerous Goods by
	Inland Waterways.
	RID: European Agreement concerning the International Carriage of Dangerous Goods by
	Rail.
	IATA: International Air Transport Association.
	ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
	IMDG: International Maritime Dangerous Goods.
	CAS: Chemical Abstracts Service.
	ATE: Acute Toxicity Estimate.
	LC₅₀: Lethal Concentration to 50 % of a test population.
	$LD_{50}$ : Lethal Dose to 50% of a test population (Median Lethal Dose).
	EC <sub>50</sub> : 50% of maximal Effective Concentration.
	PBT: Persistent, Bioaccumulative and Toxic substance.
	vPvB: Very Persistent and Very Bioaccumulative.
Revision date	01/12/2021
Revision	1
Supersedes date	-

Hazard statements in full H300 Fatal if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H332 Harmful if inhaled. H372 Causes damage to organs (Blood) through prolonged or repeated exposure. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.