

according to WHS Regulations

Revision: 03.12.2021

Page 1/7

Printing date 03.12.2021

1 Identification

Product Name: TITAN ATRAZINE 500 FLOWABLE HERBICIDE

Other Means of Identification: Mixture APVMA Approval Number: 89648

Recommended Use of the Chemical and Restriction on Use: Agricultural herbicide

Details of Manufacturer or Importer: Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500(L) or less; or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



H373 May cause damage to organs through prolonged or repeated exposure.

Environment

Aquatic Acute 1H400 Very toxic to aquatic life.Aquatic Chronic 1H410 Very toxic to aquatic life with long lasting effects.



STOT RE 2

Skin Sensitisation 1 H317 May cause an allergic skin reaction.

Signal Word Warning

Hazard Statements

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P280 Wear protective gloves.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P314 Get medical advice/attention if you feel unwell.

according to WHS Regulations

Revision: 03.12.2021 Printing date 03.12.2021

Product Name: TITAN ATRAZINE 500 FLOWABLE HERBICIDE

(Contd. of page 1)

50%

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 1912-24-9 Atrazine (ISO)

🚸 STOT RE 2, H373; 🚸 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🚸 Skin Sensitisation 1, H317

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eve Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention if symptoms occur.

Indestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: May cause skin irritation. May cause an allergic skin reaction.

Eye Contact: May cause eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Use fire extinguishing methods suitable to surrounding conditions. Alcohol resistant foam is preferred, but normal protein foam can be used.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and nitrogen.

Product is non-flammable, but may burn or decompose in a fire.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses. HAZCHEM Code: •3Z

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

(Contd. on page 3)

Page 2/7

according to WHS Regulations

Printing date 03.12.2021

Revision: 03.12.2021

Product Name: TITAN ATRAZINE 500 FLOWABLE HERBICIDE

(Contd. of page 2)

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Wash spill area with plenty of water.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight. Check regularly for leaks. Keep away from strong acids, strong bases and strong oxidising agents.

8 Exposure Controls and Personal Protection Exposure Standards: CAS: 1912-24-9 Atrazine (ISO)

WES TWA: 5 mg/m³ Sen

Engineering Controls:

Maintain air concentration below occupational exposure standards, providing adequate ventilation.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC, PVA, nitrile, neoprene, rubber or vinyl gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

(Contd. on page 4)

Page 3/7

according to WHS Regulations

Printing date 03.12.2021

Product Name: TITAN ATRAZINE 500 FLOWABLE HERBICIDE

9 Physical and Chemical Properties

Appearance:	
Form:	Liquid
Colour:	White to beige
Odour:	Faint, non-specific
Odour Threshold:	No information available
pH-Value:	No information available
Melting point/freezing point:	~0 °C
Initial Boiling Point/Boiling Range:	~100 °C
Flash Point:	No information available
Flammability:	Product is non-flammable
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Density:	No information available
Relative Density at 20 °C:	1.10
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Forms a suspension
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Direct sunlight.

Incompatible Materials: Strong acids, strong bases and strong oxidising agents.

Hazardous Decomposition Products:

Hazardous combustion products include oxides of carbon and nitrogen.

11 Toxicological Information

Toxicity: LD50/LC50 Values:				
Oral	LD50	1,750 mg/kg (mouse)		
		3,090 mg/kg (rat)		
		750 mg/kg (rabbit)		
Dermal	LD50	>3,000 mg/kg (rat)		
		7,500 mg/kg (rabbit)		
Inhalation	LC50/4 h	5.2 mg/l (rat)		

Acute Health Effects

Inhalation: May cause respiratory irritation. **Skin:** May cause skin irritation. May cause an allergic skin reaction. Revision: 03.12.2021

(Contd. of page 3)

Page 4/7

according to WHS Regulations

Printing date 03.12.2021

Product Name: TITAN ATRAZINE 500 FLOWABLE HERBICIDE

Eye: May cause eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Atrazine is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure: May cause damage to organs through prolonged or repeated exposure.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: Repeated or prolonged skin exposure may cause allergic contact dermatitis.

Existing Conditions Aggravated by Exposure: No information available.

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for atrazine for a human is 0.005 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 0.5 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2021).

12 Ecological Information

Ecotoxicity:

Aquatic toxicity: Very toxic to aquatic life with long lasting effects.

Persistence and Degradability: Persistent in soil.

Bioaccumulative Potential: Potential for bioaccumulation.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number ADG, IMDG, IATA

UN3082

(Contd. on page 6)

(Contd. of page 4)

Revision: 03.12.2021

Page 6/7

Safety Data Sheet

according to WHS Regulations

Printing date 03.12.2021

....

Product Name: TITAN ATRAZINE 500 FLOWABLE HERBICIDE

(Contd. of page 5)

Revision: 03.12.2021

	ADG, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	IMDG	LIQUID, N.O.S. (Atrazine (ISO)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Atrazine (ISO)), MARINE POLLUTANT
	Dangerous Goods Class ADG Class: Subsidiary Risk:	9
	Packing Group: ADG, IMDG, IATA	111
	Marine pollutant:	Symbol (fish and tree)
	EMS Number:	F-A,S-F
	Hazchem Code:	•3Z
	Special Provisions:	274, 331, 335, 375, AU01
	Transport/Additional information:	Not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs. (refer to SP AU01)
	Limited Quantities:	5L
	Packagings & IBCs - Packing Instruction:	P001, IBC03, LP01
	Packagings & IBCs - Special Packing Provisions:	PP1
	Portable Tanks & Bulk Containers - Instructions:	Τ4
	Portable Tanks & Bulk Containers - Special Provisions:	TP1, TP29
5	Regulatory Information	

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule: Poisons Schedule: 5

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA number 89648.

www.msds.com.au

16 Other Information

1

Date of Preparation or Last Revision: 03.12.2021

Prepared by: MSDS.COM.AU Pty Ltd

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer STEL: Short Term Exposure Limit

TWA: Time Weighted Average

Page 7/7

Safety Data Sheet

according to WHS Regulations

Printing date 03.12.2021

Revision: 03.12.2021

Product Name: TITAN ATRAZINE 500 FLOWABLE HERBICIDE

(Contd. of page 6)

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants) Skin Sensitisation 1: Skin sensitisation, Hazard Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.