

according to WHS Regulations

Revision: 01.12.2021

Page 1/7

Printing date 01.12.2021

1 Identification

Product Name: TITAN BUTROXYDIM 250 WG HERBICIDE

Other Means of Identification: Mixture APVMA Approval Number: 82121

Recommended Use of the Chemical and Restriction on Use: Agricultural herbicide

Details of Manufacturer or Importer: Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packages 500kg(L) or less; or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



Toxic To Reproduction 2 H361 Suspected of damaging fertility or the unborn child.



Aquatic Chronic 1

H410 Very toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4 H302 Harmful if swallowed. Skin Corrosion/Irritation 2 H315 Causes skin irritation.

Signal Word Warning

Hazard Statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H361 Suspected of damaging fertility or the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

according to WHS Regulations

Printing date 01.12.2021

Product Name: TITAN BUTROXYDIM 250 WG HERBICIDE

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P332+P313 If skin irritation occurs: Get medical advice/attention.

- P391 Collect spillage.
- P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

| CAS: 14807-96-6 | Talc (Mg3H2(SiO3)4) | 60-65% |
|------------------|--|--------|
| CAS: 138164-12-2 | | 20-25% |
| | Toxic To Reproduction 2, H361; Aquatic Chronic 1, H410; Acute Toxicity (Oral) 4, H302; Skin Corrosion/Irritation 2, H315 | |

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

Ingestion:

Call for a doctor immediately. If swallowed, do not induce vomiting. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: Dust may cause irritation to the respiratory tract. Skin Contact: Causes skin irritation. Eye Contact: May cause eye irritation. Ingestion: May cause nausea, vomiting and abdominal pain.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog, foam, carbon dioxide or dry chemical powder.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and nitrogen, and possibly sulfur. Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses. HAZCHEM Code: 2Z Page 2/7

Revision: 01.12.2021

(Contd. of page 1)

according to WHS Regulations

Printing date 01.12.2021

Product Name: TITAN BUTROXYDIM 250 WG HERBICIDE

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Recover the product by sweeping up or vacuuming without raising dust. Collect spilled material and waste in sealable open-top type containers for disposal. Decontaminate spill area with water and detergent.

7 Handling and Storage

Precautions for Safe Handling:

Prevent formation of dust.

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight. Keep away from strong oxidising agents.

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 14807-96-6 Talc (Mg3H2(SiO3)4)

WES TWA: 2.5 mg/m³

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapour below occupational exposure standards.

Respiratory Protection:

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC, PVA, nitrile, neoprene, rubber or vinyl gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

(Contd. on page 4)

Page 3/7

Revision: 01.12.2021

(Contd. of page 2)

according to WHS Regulations

Printing date 01.12.2021

Product Name: TITAN BUTROXYDIM 250 WG HERBICIDE

Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

| Appearance: | | | |
|---|--------------------------|--|--|
| Form: | Solid - granules | | |
| Colour: | Off-white | | |
| Odour: | Unpleasant | | |
| Odour Threshold: | Not determined. | | |
| pH-Value: | Not applicable. | | |
| Melting point/freezing point: | 81 °C (butroxydim) | | |
| Initial Boiling Point/Boiling Range: | No information available | | |
| Flash Point: | Not applicable | | |
| Flammability: | Non combustible. | | |
| Decomposition Temperature: | No information available | | |
| Explosion Limits: | | | |
| Lower: | Not applicable | | |
| Upper: | Not applicable | | |
| Vapour Pressure: | Not applicable. | | |
| Relative Density: | No information available | | |
| Vapour Density: | Not applicable. | | |
| Evaporation Rate: | Not applicable | | |
| Solubility in Water: | Disperses in water. | | |
| Partition Coefficient (n-octanol/water): No information available | | | |

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: No further relevant information available.

Incompatible Materials: Strong oxidising agents.

Hazardous Decomposition Products: Oxides of carbon and nitrogen, and possibly sulfur.

11 Toxicological Information

| Toxicity: LD50/LC50 Values: | | | | |
|--------------------------------|----------|--------------------|--|--|
| | | | | |
| Oral | LD50 | 1,635 mg/kg (rat) | | |
| | LD50 | >2,000 mg/kg (rat) | | |
| Inhalation | LC50/4 h | >2.99 mg/l (rat) | | |

Acute Health Effects

Inhalation: Dust may cause irritation to the respiratory tract.
Skin: Causes skin irritation.
Eye: May cause eye irritation.
Ingestion: May cause nausea, vomiting and abdominal pain.

Skin Corrosion / Irritation: Causes skin irritation.

Page 4/7

Revision: 01.12.2021

(Contd. of page 3)

Page 5/7

Safety Data Sheet

according to WHS Regulations

Printing date 01.12.2021

Product Name: TITAN BUTROXYDIM 250 WG HERBICIDE

(Contd. of page 4)

Revision: 01.12.2021

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Talc not containing asbestos or asbestiform fibres is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity (STOT) - Single Exposure: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure: Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: Chronic exposure can cause damage to the liver.

Existing Conditions Aggravated by Exposure: No data available.

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for butroxydim for a human is 0.005 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 0.5 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2021).

12 Ecological Information

Ecotoxicity: Not toxic to birds and bees.

Aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

CAS: 138164-12-2 butroxydim (ISO)

LC50/96 h 8.8 mg/l (bluegill)

>6.9 mg/l (rainbow trout)

LC50/48 h >3.7 mg/l (daphnia)

Persistence and Degradability: Average half life of butroxydim is 9 days.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number ADG, IMDG, IATA

Page 6/7

Safety Data Sheet

according to WHS Regulations

Printing date 01.12.2021

Product Name: TITAN BUTROXYDIM 250 WG HERBICIDE

(Contd. of page 5)

Revision: 01.12.2021

| Dangerous Goods Class ADG Class: Subsidiary Risk:9Packing Group: ADG, IMDG, IATAIIIPacking Group: ADG, IMDG, IATAIIIMarine pollutant:F-A,S-FEMS Number:F-A,S-FHazchem Code:2ZSpecial Provisions:274, 331, 335, 375, AU01Transport/Additional information:Not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs. (refer to SP AU01)Limited Quantities:5 kgPackagings & IBCs - Packing Instruction:P002, IBC08, LP02Packagings & IBCs - Special Packing Provisions:PP12, B3Portable Tanks & Bulk Containers - Instructions:T, BK2, BK3Portable Tanks & Bulk Containers - Special Provisions:TP33 | Proper Shipping Name ADG, IMDG, IATA | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (butroxydim (ISO)) | |
|---|--|--|--|
| ADG, IMDG, IATAIIIMarine pollutant:F.A,S-FEMS Number:F-A,S-FHazchem Code:2ZSpecial Provisions:274, 331, 335, 375, AU01Transport/Additional information:Not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs. (refer to SP AU01)Limited Quantities:5 kgPackagings & IBCs - Packing Instruction:P002, IBC08, LP02Packagings & IBCs - Special Packing Provisions:T1, BK2, BK3Portable Tanks & Bulk Containers - Instructions:T1, BK2, BK3 | ADG Class: | 9 | |
| EMS Number:F-A,S-FHazchem Code:ZZSpecial Provisions:274, 331, 335, 375, AU01Transport/Additional information:Not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs. (refer to SP AU01)Limited Quantities:5 kgPackagings & IBCs - Packing Instruction:P002, IBC08, LP02Packagings & IBCs - Special Packing Provisions:P112, B3Portable Tanks & Bulk Containers - Instructions:T1, BK2, BK3Portable Tanks & Bulk Containers - SpecialTP33 | | III | |
| Hazchem Code:2ZSpecial Provisions:274, 331, 335, 375, AU01Transport/Additional information:Not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs. (refer to SP AU01)Limited Quantities:5 kgPackagings & IBCs - Packing Instruction:P002, IBC08, LP02Packagings & IBCs - Special Packing Provisions:PP12, B3Portable Tanks & Bulk Containers - Instructions:T1, BK2, BK3Portable Tanks & Bulk Containers - Special Provisions:TP33 | Marine pollutant: | | |
| Special Provisions:274, 331, 335, 375, AU01Transport/Additional information:Not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs. (refer to SP AU01)Limited Quantities:5 kgPackagings & IBCs - Packing Instruction:P002, IBC08, LP02Packagings & IBCs - Special Packing Provisions:PP12, B3Portable Tanks & Bulk Containers - Instructions:T1, BK2, BK3Portable Tanks & Bulk Containers - Special Provisions:TP33 | EMS Number: | F-A,S-F | |
| Transport/Additional information:Not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs. (refer to SP AU01)Limited Quantities:5 kgPackagings & IBCs - Packing Instruction:P002, IBC08, LP02Packagings & IBCs - Special Packing Provisions:PP12, B3Portable Tanks & Bulk Containers - Instruction:T1, BK2, BK3Portable Tanks & Bulk Containers - SpecialTP33 | Hazchem Code: | 2Z | |
| visionor rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs. (refer to SP AU01)Limited Quantities:5 kgPackagings & IBCs - Packing Instruction:P002, IBC08, LP02Packagings & IBCs - Special Packing Provisions:PP12, B3Portable Tanks & Bulk Containers - Instructions:T1, BK2, BK3Portable Tanks & Bulk Containers - Special Provisions:TP33 | Special Provisions: | 274, 331, 335, 375, AU01 | |
| Packagings & IBCs - Packing Instruction:P002, IBC08, LP02Packagings & IBCs - Special Packing Provisions:PP12, B3Portable Tanks & Bulk Containers - Instructions:T1, BK2, BK3Portable Tanks & Bulk Containers - Special Provisions:TP33 | Transport/Additional information: | or rail in packagings that do not incorporate a receptacle | |
| Packagings & IBCs - Special Packing Provisions: PP12, B3 Portable Tanks & Bulk Containers - Instructions: T1, BK2, BK3 Portable Tanks & Bulk Containers - Special Provisions: TP33 | Limited Quantities: | 5 kg | |
| Portable Tanks & Bulk Containers - Instructions: T1, BK2, BK3 Portable Tanks & Bulk Containers - Special TP33 | Packagings & IBCs - Packing Instruction: | P002, IBC08, LP02 | |
| Portable Tanks & Bulk Containers - Special Provisions: TP33 | Packagings & IBCs - Special Packing Provisions: PP12, B3 | | |
| Provisions: TP33 | Portable Tanks & Bulk Containers - Instructions: | T1, BK2, BK3 | |
| | • | TP33 | |

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule: Poisons Schedule: 5

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA number 82121.

www.msds.com.au

16 Other Information

Date of Preparation or Last Revision: 01.12.2021

Prepared by: MSDS.COM.AU Pty Ltd

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants) Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Page 7/7

Safety Data Sheet

according to WHS Regulations

Printing date 01.12.2021

Product Name: TITAN BUTROXYDIM 250 WG HERBICIDE

(Contd. of page 6)

Revision: 01.12.2021

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2 Toxic To Reproduction 2: Reproductive toxicity – Category 2 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.