

# Safety Data Sheet according to WHS Regulations

Printing date 30.11.2021 Revision: 30.11.2021

### 1 Identification

Product Name: TITAN CAPTAN 900 WG FUNGICIDE

Other Means of Identification: Mixture APVMA Approval Number: 89522

Recommended Use of the Chemical and Restriction on Use: Agricultural fungicide

**Details of Manufacturer or Importer:** 

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

# 2 Hazard(s) Identification

#### **Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packages 500kg(L) or less; or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



Skull and crossbones

Acute Toxicity (Inhalation) 3 H331 Toxic if inhaled.



Health hazard

Germ Cell Mutagenicity 1B H340 May cause genetic defects.
Carcinogenicity 2 H351 Suspected of causing cancer.



Corrosion

Serious Eye Damage/Irritation 1 H318 Causes serious eye damage.



Environment

Aquatic Acute 1 H400 Very toxic to aquatic life.



Skin Sensitisation 1

H317 May cause an allergic skin reaction.

Signal Word Danger

#### **Hazard Statements**

H331 Toxic if inhaled.

# according to WHS Regulations

Printing date 30.11.2021 Revision: 30.11.2021

**Product Name: TITAN CAPTAN 900 WG FUNGICIDE** 

(Contd. of page 1)

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

#### **Precautionary Statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

# 3 Composition and Information on Ingredients

#### **Chemical Characterization: Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:		
CAS: 133-06-2	Captan (ISO)	90%
	Acute Toxicity (Inhalation) 3, H331; & Germ Cell Mutagenicity 1B, H340; Carcinogenicity 2, H351; Serious Eye Damage/Irritation 1, H318; Aquatic Acute 1, H400; Skin Sensitisation 1, H317	
CAS: 14807-96-6	Talc (Mg3H2(SiO3)4)	0-10%

# **4 First Aid Measures**

#### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

#### **Skin Contact:**

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

#### Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

#### Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

(Contd. on page 3)

# according to WHS Regulations

Printing date 30.11.2021 Revision: 30.11.2021

**Product Name: TITAN CAPTAN 900 WG FUNGICIDE** 

(Contd. of page 2)

#### **Symptoms Caused by Exposure:**

Inhalation: Toxic if inhaled. May cause headache, nausea, dizziness and weakness. Skin Contact: May cause an allergic skin reaction. May cause mild skin irritation.

Eye Contact: Causes serious eye damage.

Ingestion: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

# **5 Fire Fighting Measures**

Suitable Extinguishing Media: Water fog, foam, dry chemical or carbon dioxide.

### **Specific Hazards Arising from the Chemical:**

Hazardous combustion products include oxides of carbon and nitrogen, hydrogen chloride and thiophosgene.

Product is not flammable, but may burn or decompose in a fire.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: 2Z

#### **Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

### 6 Accidental Release Measures

#### Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

#### **Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

#### Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and sweep granules into a pile and shovel into drums for subsequent disposal. Avoid generating dust. Provide adequate ventilation. Decontaminate spill area with detergent and water.

#### 7 Handling and Storage

# **Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

# **Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from extreme temperatures and direct sunlight. Keep away from strong oxidising agents.

# 8 Exposure Controls and Personal Protection

# Exposure Standards: CAS: 133-06-2 Captan (ISO)

WES TWA: 0.5 mg/m<sup>3</sup>

Sk, Sen

CAS: 14807-96-6 Talc (Mg3H2(SiO3)4)

WES TWA: 2.5 mg/m<sup>3</sup>

(Contd. on page 4)

according to WHS Regulations

Printing date 30.11.2021 Revision: 30.11.2021

**Product Name: TITAN CAPTAN 900 WG FUNGICIDE** 

(Contd. of page 3)

#### **Engineering Controls:**

Maintain air concentration below occupational exposure standards, providing adequate ventilation.

#### **Respiratory Protection:**

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

#### **Skin Protection:**

PVC, PVA, nitrile, neoprene, rubber or vinyl gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

# **Eye and Face Protection:**

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

# 9 Physical and Chemical Properties

Appearance:

Form: Granulate Colour: Grey-Brown

Odour:Faint characteristic odourOdour Threshold:No information availablepH-Value:No information available

Melting point/freezing point: 175 - 178 °C

Initial Boiling Point/Boiling Range:

Flash Point:

Flammability:

Auto-ignition Temperature:

Decomposition Temperature:

No information available

No information available

No information available

No information available

**Explosion Limits:** 

Lower: No information available Upper: No information available

Vapour Pressure at 25 °C: <1.3 mPa

Density:No information availableRelative Density:No information availableVapour Density:No information availableEvaporation Rate:No information available

Solubility in Water: Dispersible Partition Coefficient (n-octanol/water) at 25 °C: 2.8 log POW

### 10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Extreme temperatures and direct sunlight.

Incompatible Materials: Strong oxidising agents.

(Contd. on page 5)

# according to WHS Regulations

Printing date 30.11.2021 Revision: 30.11.2021

**Product Name: TITAN CAPTAN 900 WG FUNGICIDE** 

(Contd. of page 4)

Hazardous Decomposition Products: Oxides of carbon and nitrogen, hydrogen chloride and thiophosgene.

# 11 Toxicological Information

#### **Toxicity:**

LD50/LC50 Values:		
CAS: 133-06-2 Captan (ISO)		
Oral	LD50	9,000 mg/kg (rat)
Dermal	LD50	>4,500 mg/kg (rabbit)
Inhalation	LC50	0.668 mg/l (rat)

#### **Acute Health Effects**

Inhalation: Toxic if inhaled. May cause headache, nausea, dizziness and weakness.

**Skin:** May cause an allergic skin reaction. May cause mild skin irritation.

Eye: Causes serious eye damage.

**Ingestion:** May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: May cause genetic defects.

### Carcinogenicity:

Suspected of causing cancer.

Captan and talc not containing asbestos or asbestiform fibres are classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

# **Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

#### Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: Repeated or prolonged skin exposure may cause irritation and dermatitis.

Existing Conditions Aggravated by Exposure: No information available

# Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for captan for a human is 0.1 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 10 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2021).

# 12 Ecological Information

#### **Ecotoxicity:**

Non-toxic to birds and bees. LD50 >5000 mg/kg (Pheasant) LD50 >5000 mg/kg (Mallard) LD50 2000 - 4000 mg/kg (Bobwhite quail) LD50 91 µg/bee

# according to WHS Regulations

Printing date 30.11.2021 Revision: 30.11.2021

**Product Name: TITAN CAPTAN 900 WG FUNGICIDE** 

(Contd. of page 5)

**Aquatic toxicity:** 

Very toxic to aquatic life with long lasting effects.

CAS: 133-06-2 Captan (ISO)

LC50/96 h 0.072 mg/l (bluegill)

0.034 mg/l (trout)

LC50/48 h 7-10 mg/l (daphnia)

Persistence and Degradability: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

Other adverse effects: No further relevant information available.

## 13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

#### **Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

# 14 Transport Information

**UN Number** 

ADG, IMDG, IATA UN3077

**Proper Shipping Name** 

ADG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (Captan (ISO))

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE.

SOLID, N.O.S. (Captan (ISO)), MARINE POLLUTANT

**Dangerous Goods Class** 

ADG Class: 9

Subsidiary Risk:

Packing Group:

ADG, IMDG, IATA

Marine pollutant: Yes

Symbol (fish and tree)

**EMS Number:** F-A,S-A

Hazchem Code: 2Z

**Special Provisions:** 274, 331, 335, 375, AU01

Transport/Additional information: Not subject to the ADG Code when transported by road

or rail in packagings that do not incorporate a receptacle

exceeding 500 kg(L) or IBCs. (refer to SP AU01)

Limited Quantities: 5 kg

Packagings & IBCs - Packing Instruction: P002, IBC08, LP02

Packagings & IBCs - Special Packing Provisions: PP12, B3

Portable Tanks & Bulk Containers - Instructions: T1, BK2, BK3

(Contd. on page 7)

# according to WHS Regulations

Printing date 30.11.2021 Revision: 30.11.2021

**Product Name: TITAN CAPTAN 900 WG FUNGICIDE** 

(Contd. of page 6)

Portable Tanks & Bulk Containers - Special

Provisions: TP33

# 15 Regulatory Information

#### **Australian Inventory of Industrial Chemicals:**

All ingredients are listed.

### Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

#### **Australian Pesticides and Veterinary Medicines Authority:**

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA number 89522.

#### 16 Other Information

Date of Preparation or Last Revision: 30.11.2021

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

#### Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Inhalation) 3: Acute toxicity - Category 3

Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation – Category 1

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

Germ Cell Mutagenicity 1B: Germ cell mutagenicity – Category 1B

Carcinogenicity 2: Carcinogenicity - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

# Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.