

Safety Data Sheet according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

1 Identification

Product Name: TITAN FLUMIOXAZIN 500 WDG HERBICIDE

Other Means of Identification: Mixture APVMA Approval Number: 87182

Recommended Use of the Chemical and Restriction on Use: Agricultural herbicide

Details of Manufacturer or Importer:

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500(L) or less; or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



Health hazard

Toxic To Reproduction 1B H360 May damage fertility or the unborn child.



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

Signal Word Danger

Hazard Statements

H360 May damage fertility or the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

(Contd. on page 2)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN FLUMIOXAZIN 500 WDG HERBICIDE

(Contd. of page 1)

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:		
CAS: 103361-09-7	Flumioxazin (ISO) Toxic To Reproduction 1B, H360; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	50%
CAS: 1332-58-7	Kaolin	10-30%

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

Inaestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: May cause skin irritation and redness.

Eye Contact: May cause eye irritation.

Ingestion: May cause gastrointestinal irritation.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Water fog, alcohol-resistant foam, dry chemical powder or carbon dioxide. Do not use full water jet as it may spread the fire.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include harmful gases.

This product is not flammable, but may burn or decompose in a fire.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: 2Z

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

(Contd. on page 3)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN FLUMIOXAZIN 500 WDG HERBICIDE

(Contd. of page 2)

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and sweep granules into a pile and shovel into drums for subsequent disposal. Avoid generating dust. Provide adequate ventilation. Flush spill area with plenty of water. Do not allow contaminated water to enter drains.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust.

Pregnant or breastfeeding women must not work with this product.

Do not reuse empty containers.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Store in original container. Protect containers from physical damage. Opened containers must be stored upright to prevent leakage.

8 Exposure Controls and Personal Protection

Exposure Standards: CAS: 1332-58-7 Kaolin

WES TWA: 10 mg/m³

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Protective gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Granulate
Colour: Beige
Odour: Odourless

(Contd. on page 4)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN FLUMIOXAZIN 500 WDG HERBICIDE

(Contd. of page 3)

Odour Threshold: Not determined. pH-Value: 5.4 (1% dilution)

Melting point/freezing point:No information availableInitial Boiling Point/Boiling Range:No information availableFlash Point:No information availableFlammability:Product is not flammableAuto-ignition Temperature:No information availableDecomposition Temperature:No information available

Explosion Limits:

Lower: No information available
Upper: No information available
Vapour Pressure: No information available

Bulk Density: 0.51 kg/L

Relative Density:
Vapour Density:
No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: No further relevant information available. **Incompatible Materials:** No further relevant information available.

Hazardous Decomposition Products: Harmful gases.

11 Toxicological Information

Toxicity:

LD50/LC50 Values:

CAS: 1332-58-7 Kaolin

Oral LD50 >5,000 mg/kg (rat)

Acute Health Effects

Inhalation: May cause respiratory irritation. **Skin:** May cause skin irritation and redness.

Eye: May cause eye irritation.

Ingestion: May cause gastrointestinal irritation.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: May damage fertility or the unborn child.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN FLUMIOXAZIN 500 WDG HERBICIDE

(Contd. of page 4)

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for flumioxazin for a human is 0.003 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 3 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2021).

12 Ecological Information

Ecotoxicity: LC50 14 day: >5620 mg/kg/day (Bobwhite quail)

Aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

CAS: 1332-58-7 Kaolin

LC50/48 h >1,100 mg/l (daphnia)

Persistence and Degradability: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number

ADG, IMDG, IATA UN3077

Proper Shipping Name

ADG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (Flumioxazin (ISO))

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (Flumioxazin (ISO)), MARINE

POLLUTANT

Dangerous Goods Class

ADG Class: 9

Subsidiary Risk:

Packing Group:

ADG, IMDG, IATA

Marine pollutant: Symbol (fish and tree)

(Contd. on page 6)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN FLUMIOXAZIN 500 WDG HERBICIDE

(Contd. of page 5)

EMS Number: F-A.S-F

Special Provisions: 274, 331, 335, 375, AU01

Not subject to the ADG Code when transported by road Transport/Additional information: or rail in packagings that do not incorporate a receptacle

2Z

exceeding 500 kg(L) or IBCs. (refer to SP AU01)

Limited Quantities: 5 kg

Packagings & IBCs - Packing Instruction: P002, IBC08, LP02

Packagings & IBCs - Special Packing Provisions: PP12, B3 Portable Tanks & Bulk Containers - Instructions: T1, BK2, BK3

Portable Tanks & Bulk Containers - Special

Provisions: TP33

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

Hazchem Code:

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA number 87182.

16 Other Information

Date of Preparation or Last Revision: 03.12.2021

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Toxic To Reproduction 1B: Reproductive toxicity - Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.