

Safety Data Sheet

according to WHS Regulations

Printing date 20.12.2021

Revision: 20.12.2021

1 Identification

Product Name: TITAN HEXAZINONE 250 SL HERBICIDE

Other Means of Identification: Mixture

APVMA Approval Number: 67605

Recommended Use of the Chemical and Restriction on Use: Agricultural herbicide

Details of Manufacturer or Importer:

Titan Ag Pty Ltd
Princes Street Marina
Suite 15/16 Princes Street
Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Flame

Flammable Liquids 3 H226 Flammable liquid and vapour.



Environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4 H302 Harmful if swallowed.

Eye Irrit. 2A H319 Causes serious eye irritation.

Signal Word Warning

Hazard Statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 20.12.2021

Revision: 20.12.2021

Product Name: TITAN HEXAZINONE 250 SL HERBICIDE

(Contd. of page 1)

P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P330	Rinse mouth.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO ₂ , powder or water spray to extinguish.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 64-17-5	Ethanol ⚠ Flammable Liquids 2, H225; ⚠ Eye Irrit. 2A, H319	40-50%
CAS: 51235-04-2	Hexazinone ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Toxicity (Oral) 4, H302; Serious Eye Damage/Irritation 2, H319	25-30%

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting. Wash mouth with water. Give 1-2 glasses of water to drink. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: May cause skin irritation.

Eye Contact: Causes serious eye irritation.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Fine water spray or water fog, foam, dry chemical powder or carbon dioxide. Do not use water jet.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 20.12.2021

Revision: 20.12.2021

Product Name: TITAN HEXAZINONE 250 SL HERBICIDE

(Contd. of page 2)

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and nitrogen.

Product is flammable. Vapours may travel considerable distances to a source of ignition where they can ignite, flashback, or explode.

Closed containers may explode when exposed to extreme heat. Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: •3Y

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots.

Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material.

Collect the spilled material and place into a suitable container for disposal. Use only non-sparking tools.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Take precautionary measures against static discharge. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container tightly closed when not in use. Store at temperatures above 0 °C. Protect from direct sunlight heat, sparks, open flames and other sources of ignition.

Keep away from strong acids and bases.

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 64-17-5 Ethanol

WES | TWA: 1880 mg/m³, 1000 ppm

Engineering Controls:

Maintain air concentration below occupational exposure standards, providing adequate ventilation. Use explosion-proof ventilating equipment.

Respiratory Protection:

Use approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 20.12.2021

Revision: 20.12.2021

Product Name: TITAN HEXAZINONE 250 SL HERBICIDE

(Contd. of page 3)

Skin Protection:

PVC, PVA, nitrile, neoprene, rubber or vinyl gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Light yellow
Odour:	Like alcohol
Odour Threshold:	Not determined.
pH-Value:	Not determined.
Melting point/freezing point:	Not applicable
Initial Boiling Point/Boiling Range:	Undetermined. Not determined
Flash Point:	23-25 °C
Flammability:	Flammable.
Auto-ignition Temperature:	Not determined
Decomposition Temperature:	Not determined.
Explosion Limits:	
Lower:	Not determined
Upper:	Not determined
Vapour Pressure:	Not determined.
Relative Density at 20 °C:	0.97
Vapour Density:	Not determined.
Evaporation Rate:	Not determined.
Solubility in Water:	Dispersible

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Heat, sparks, open flames, hot surfaces and direct sunlight.

Incompatible Materials: Strong acids and bases.

Hazardous Decomposition Products: Oxides of carbon and nitrogen.

11 Toxicological Information

Toxicity:**LD50/LC50 Values:****CAS: 64-17-5 Ethanol**

Oral	LD50	7,060 mg/kg (rat)
------	------	-------------------

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 20.12.2021

Revision: 20.12.2021

Product Name: TITAN HEXAZINONE 250 SL HERBICIDE

(Contd. of page 4)

Inhalation	LC50/4 h	20,000 mg/l (rat)
CAS: 51235-04-2 Hexazinone		
Oral	LD50	1,690 mg/kg (rat)
	LD50	5,278 mg/kg (rat)

Acute Health Effects**Inhalation:** May cause respiratory irritation.**Skin:** May cause skin irritation.**Eye:** Causes serious eye irritation.**Ingestion:** Harmful if swallowed. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.**Serious Eye Damage / Irritation:** Causes serious eye irritation.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:**

The Australian Acceptable Daily Intake (ADI) for hexazinone for a human is 0.1 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 10 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2021).

12 Ecological Information

Ecotoxicity: Hexazinone is slightly toxic to birds and non-toxic to honey bees.**Aquatic toxicity:**

Very toxic to aquatic life with long lasting effects.

CAS: 64-17-5 Ethanol

EC50/48 h	9,268-14,221 mg/l (daphnia)
	>100 mg/l (senastrum capricornutum)
EC50/72 h	275 mg/l (algae)
LC50/96 h	>100 mg/l (fathead minnow)
	12-16 mg/l (rainbow trout)
LC50/48 h	>100 mg/l (golden orfe)

Persistence and Degradability:

Hexazinone is moderately persistent with half-life 30-180 days. Hexazinone is slowly degraded.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 20.12.2021

Revision: 20.12.2021

Product Name: TITAN HEXAZINONE 250 SL HERBICIDE

(Contd. of page 5)

Bioaccumulative Potential: No information available**Mobility in Soil:** Hexazinone is mobile in most soils.**Other adverse effects:** No information available

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number ADG, IMDG, IATA	UN1993
Proper Shipping Name ADG	FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)), ENVIRONMENTALLY HAZARDOUS
IMDG	FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL), Hexazinone), MARINE POLLUTANT
IATA	FLAMMABLE LIQUID, N.O.S. (ETHANOL)
Dangerous Goods Class ADG Class:	3
Packing Group: ADG, IMDG, IATA	III
Marine pollutant:	Yes Symbol (fish and tree)
EMS Number:	F-E, <u>S-E</u>
Hazchem Code:	•3Y
Special Provisions:	223, 274
Limited Quantities:	5L
Packagings & IBCs - Packing Instruction:	P001, IBC03, LP01
Packagings & IBCs - Special Packing Provisions:	None
Portable Tanks & Bulk Containers - Instructions:	T4
Portable Tanks & Bulk Containers - Special Provisions:	TP1, TP29

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA number 67605.

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Printing date 20.12.2021

Revision: 20.12.2021

Product Name: TITAN HEXAZINONE 250 SL HERBICIDE

(Contd. of page 6)

16 Other Information

Date of Preparation or Last Revision: 20.12.2021**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au**Abbreviations and acronyms:**

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 2: Flammable liquids – Category 2

Flammable Liquids 3: Flammable liquids – Category 3

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Serious Eye Damage/Irritation 2: Serious eye damage/eye irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020”

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.