



RODENT CONTROL GUIDE.

THE FIVE STEP GUIDE TO RODENT CONTROL

Step 1 Locate rodent activity

Look for places where there are signs of rodent activity.



Look for

- Footprints
- Signs of fresh damage
- Fresh droppings
- Smears of grease from the rodent's stomach, on walls and roof trusses



Listen for

- Squeaking as rats fight to try and establish territory. Once the dispute is settled the rats will settle into this territory, mice are less territorial.



Smell for

- Rodents have a distinctive smell, this is often one of the first ways of detecting infestations. The smell will often be of strong urine/ammonia.

DID YOU KNOW? Onza rodenticides include a marker dye that shows up in rodent faeces red or blue

Step 2 Choose your bait

STRENGTH

ONZA

RED

High population control and as a rotational bait

FORM

BLOCK | For use:

- a. In hot/cold/damp/dry areas
- b. Where bait needs to be secured
- c. Very long lasting

PELLET | For use:

- In targeting rodent burrows.

NON-TOXIC

NON-TOXIC OPTIONS:

- a. Victor Rat/Mouse traps
- b. Victor Rat/Mouse Glue Trays*

ONZA

BLUE



Everyday baiting and in sensitive areas such as where pets/kids/livestock/birds of prey are present.

GRAIN | For use:

- In areas where rodents feed on grain, particularly for mice (eg. storage sheds)


PASTE | For use:

- a. In areas with competing food sources
- b. Where other baits are not being taken by rodents
- c. Highly attractive

Simply place in rodent runways, checking regularly for rodent activity.

*Not available in all states.

Step 5 Responsible disposal




Always ensure dead rodents are collected and disposed of in accordance with the label

Untaken or spoiled bait should be disposed of in accordance with the label

Step 4 Placing bait



It is important to always use gloves when placing bait to avoid bait contaminated



Place chosen bait in a bait station



Monitor bait stations checking for bait uptake and replenishing baits where necessary

NOTE: If bait is taken rapidly or continually requires replenishment this may indicate a high rodent population. Ratshot Red is recommended for use where high rodent populations exist

Step 3 Before baiting:

- a. Remove all possible food sources
- b. Ensure target areas are clean and free of vegetation and debris to reduce the number of places mice & rats can harbor or nest.
- c. Cut off water supply



IMPORTANT NOTE:



Rats can enter through anything the width of your thumb



Mice can enter through anything the width of your pinky



**For further information or help with your rodent control proaram
speak to your local Elders Branch or visit elders.com.**

The information in this brochure should be viewed as a guide,
please always refer to product label and instructions.

Elders