

Safety Data Sheet according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

1 Identification

Product Name: TITAN IPRODIONE AQUAFLOW 500 FUNGICIDE

Other Means of Identification: Mixture **APVMA Approval Number:** 65494

Recommended Use of the Chemical and Restriction on Use: Agricultural fungicide

Details of Manufacturer or Importer:

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500(L) or less; or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

Signal Word Warning

Hazard Statements

H351 Suspected of causing cancer.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

(Contd. on page 2)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN IPRODIONE AQUAFLOW 500 FUNGICIDE

(Contd. of page 1)

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 36734-19-7 | Iprodione (ISO)

45-55%

🕸 Carcinogenicity 2, H351; 🎨 Aquatic Acute 1, H400; Aquatic Chronic 1, H410

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause mild respiratory irritation.

Skin Contact: May cause mild skin irritation.

Eye Contact: May cause mild eye irritation.

Ingestion: May cause mild irritation of mucous membranes.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and nitrogen, other nitrogen compounds, hydrogen cyanide gas, hydrogen chloride gas, other chlorine compounds and water.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: •3Z

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear an approved respiratory protection and protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

(Contd. on page 3)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN IPRODIONE AQUAFLOW 500 FUNGICIDE

(Contd. of page 2)

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable labelled container for disposal. Decontaminate spill area with detergent and water.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from direct sunlight.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Respiratory protection is not required under normal use conditions.

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Liquid Colour: White Odour: Mild

Odour Threshold: No information available

pH-Value: 4-6

Melting point/freezing point:
Undetermined.

**Too °C (at 100 kPa)

(Contd. on page 4)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN IPRODIONE AQUAFLOW 500 FUNGICIDE

(Contd. of page 3)

Flash Point:

Flammability:

Auto-ignition Temperature:

Decomposition Temperature:

No information available

No information available

No information available

Explosion Limits:

Lower: No information available Upper: No information available

Vapour Pressure at 20 °C: 2.37 kPa (water vapour pressure)

Relative Density:No information available **Vapour Density:**No information available

Evaporation Rate: Not determined. **Solubility in Water:** Forms suspension in water.

Partition Coefficient (n-octanol/water): 3 log POW

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Direct sunlight.

Incompatible Materials: No further relevant information available.

Hazardous Decomposition Products:

Oxides of carbon and nitrogen, other nitrogen compounds, hydrogen cyanide gas, hydrogen chloride gas, other chlorine compounds and water.

11 Toxicological Information

Toxicity:

LD50/LC50 Values:		
CAS: 36734-19-7 Iprodione (ISO)		
Oral	LD50	4,000 mg/kg (mouse)
		3,500 mg/kg (rat)
		4,400 mg/kg (rabbit)
Inhalation	LC50/4 h	>3.3 mg/l (rat)

Acute Health Effects

Inhalation: May cause mild respiratory irritation.

Skin: May cause mild skin irritation. **Eye:** May cause mild eye irritation.

Ingestion: May cause mild irritation of mucous membranes.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: Suspected of causing cancer.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN IPRODIONE AQUAFLOW 500 FUNGICIDE

(Contd. of page 4)

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects:

Exposure to iprodione may cause increased kidney and liver weights, and decreased prostate and uterus weights.

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for iprodione for a human is 0.04 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 4 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and

Veterinary Chemicals', 2021).

12 Ecological Information

Ecotoxicity:

Birds:

LD50 (bobwhite quail) = 930 mg/kg

Iprodione is harmful to birds.

Iprodione is non-toxic to bees.

Aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

CAS: 36734-19-7 Iprodione (ISO)

LC50 6.7 mg/l (rainbow trout)

2.25 mg/l (sunfish)

Persistence and Degradability:

Iprodione is biodegradable and will not accumulate in soil or water.

The half-life in soil ranges from 7 to 60 days, with 14 days estimated as representative of most soils.

Bioaccumulative Potential: Iprodione has a low potential for bioaccumulation.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number

ADG, IMDG, IATA UN3082

Proper Shipping Name

ADG, IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Iprodione (ISO))

Dangerous Goods Class

ADG Class: 9

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN IPRODIONE AQUAFLOW 500 FUNGICIDE

(Contd. of page 5)

Subsidiary Risk:

Packing Group:

ADG, IMDG, IATA III

Marine pollutant:

EMS Number: F-A,S-F

Hazchem Code: •3Z

Special Provisions: 274, 331, 335, 375, AU01

Transport/Additional information: Not subject to the ADG Code when transported by road

or rail in packagings that do not incorporate a receptacle

exceeding 500 kg(L) or IBCs. (refer to SP AU01)

Limited Quantities: 5L

Packagings & IBCs - Packing Instruction: P001, IBC03, LP01

Packagings & IBCs - Special Packing Provisions: PP1
Portable Tanks & Bulk Containers - Instructions: T4

Portable Tanks & Bulk Containers - Special

Provisions: TP1, TP29

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Not a scheduled poison.

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA number 65494.

16 Other Information

Date of Preparation or Last Revision: 03.12.2021

Prepared by:

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Carcinogenicity 2: Carcinogenicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the

(Contd. on page 7)

according to WHS Regulations

Product Name: TITAN IPRODIONE AQUAFLOW 500 FUNGICIDE

Printing date 03.12.2021

(Contd. of page 6)

Revision: 03.12.2021

information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.