

Safety Data Sheet according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

1 Identification

Product Name: TITAN PINOXADEN 100EC HERBICIDE

Other Means of Identification: Mixture APVMA Approval Number: 85289

Recommended Use of the Chemical and Restriction on Use: Agricultural herbicide

Details of Manufacturer or Importer:

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500(L) or less; or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



Health hazard

Toxic To Reproduction 1B H360 May damage fertility or the unborn child.

Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways.



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4 H302 Harmful if swallowed. Skin Corrosion/Irritation 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sensitisation 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

Flammable Liquids 4 H227 Combustible liquid. Aquatic Acute 2 H401 Toxic to aquatic life.

Signal Word Danger

Hazard Statements

H227 Combustible liquid. H302 Harmful if swallowed. H315 Causes skin irritation.

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN PINOXADEN 100EC HERBICIDE

(Contd. of page 1)

11040	\sim			
H319	(Callees	SELIUIS	6//6	irritation.
11010	Caases	JULIUUJ	\sim y \sim	minuation.

H317 May cause an allergic skin reaction.

H360 May damage fertility or the unborn child.

H335 May cause respiratory irritation.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

P201 Obtain special instructions before use.
--

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P330 Rinse mouth.

P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:			
CAS: 64742-94-5	Solvent naphtha (petroleum), heavy arom.		
	♦ Aspiration Hazard 1, H304		
CAS: 98-86-2	Acetophenone	10-15%	
	♦ Acute Toxicity (Oral) 4, H302; Serious Eye Damage/Irritation 2, H319	1	
CAS: 872-50-4	N-methyl-2-pyrrolidone	10-15%	
	♦ Toxic To Reproduction 1B, H360; ♦ Skin Corrosion/Irritation 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335		
CAS: 243973-20-8	Pinoxaden	10%	
	Toxic To Reproduction 2, H361; Aquatic Acute 1, H400; Acute Toxicity (Oral) 4, H302; Acute Toxicity (Inhalation) 4, H332; Eye Irrit. 2A, H319; Skin Sensitisation 1A, H317; STOT SE 3, H335; Aquatic Chronic 3, H412		

(Contd. on page 3)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN PINOXADEN 100EC HERBICIDE

(Contd. of page 2)

CAS: 99734-09-5	Poly(oxy-1,2-ethanediyl), .alpha[tris(1-phenylethyl)phenyl]omegahydroxy-	xy- 8-10%
	Aquatic Chronic 3, H412	
CAS: 99607-70-2	Cloquintocet mexyl	2.5%
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♦ Skin Sensitisation 1, H317	

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation, breathing difficulties, coughing and chest tightness.

Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Eye Contact: Causes serious eye irritation.

Ingestion: Harmful if swallowed. May be fatal if swallowed and enters airways. May cause pulmonary oedema and pneumonitis.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Water fog, alcohol-resistant foam, dry chemical or carbon dioxide. For large fires use water or alcohol-resistant foam.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include toxic and irritating vapours.

Product is combustible.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: •3Z

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

(Contd. on page 4)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN PINOXADEN 100EC HERBICIDE

(Contd. of page 3)

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Decontaminate spill area with detergent and water.

7 Handling and Storage

Precautions for Safe Handling:

May damage the unborn child. Pregnant women must not handle this product.

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Take precautionary measures against static discharge. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Contaminated work clothing must not be allowed out of the workplace. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight. Do not store for prolonged periods in direct sunlight.

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 872-50-4 N-methyl-2-pyrrolidone

WES STEL: 309 mg/m³, 75 ppm

TWA: 103 mg/m³, 25 ppm

Sk

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Liquid

Colour: Clear yellow to orange.

Odour: Aromatic

Odour Threshold: No information available

(Contd. on page 5)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN PINOXADEN 100EC HERBICIDE

(Contd. of page 4)

pH-Value: 3 - 7 (1% w/v)

Melting point/freezing point:

Initial Boiling Point/Boiling Range:

No information available

No information available

Flash Point: 79 °C

Flammability: Product is combustible.

Auto-ignition Temperature: No information available

Decomposition Temperature: No information available

Explosion Limits:

Lower: Not applicable
Upper: Not applicable
Vapour Pressure: Not applicable
Density at 20 °C: 1.03 g/cm³

Vapour Density:No information availableEvaporation Rate:No information available

Solubility in Water: Miscible

Partition Coefficient (n-octanol/water): No information available

Viscosity at 20 °C: 8.34 mPa.s

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Direct sunlight.

Incompatible Materials: No further relevant information available.

Hazardous Decomposition Products: Toxic and irritating vapours.

11 Toxicological Information

Toxicity:

LD50/L0	LD50/LC50 Values:		
CAS: 64	CAS: 64742-94-5 Solvent naphtha (petroleum), heavy arom.		
Oral	LD50 5,000 mg/kg (rat)		
	LD50 2,000 mg/kg (rabbit)		
CAS: 98	CAS: 98-86-2 Acetophenone		
Oral	LD50 815 mg/kg (rat)		
CAS: 87	CAS: 872-50-4 N-methyl-2-pyrrolidone		
Oral	LD50 3,914 mg/kg (rat)		
	LD50 8,000 mg/kg (rabbit)		
CAS: 99607-70-2 Cloquintocet mexyl			
Oral	LD50 >2,000 mg/kg (rat)		
Dermal	LD50 >2,000 ml/kg (rat)		

Acute Health Effects

Inhalation: May cause respiratory irritation, breathing difficulties, coughing and chest tightness.

Skin: Causes skin irritation. May cause an allergic skin reaction.

Eye: Causes serious eye irritation.

Ingestion:

Harmful if swallowed. May be fatal if swallowed and enters airways. May cause pulmonary oedema and pneumonitis.

(Contd. on page 6)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN PINOXADEN 100EC HERBICIDE

(Contd. of page 5)

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: May damage the unborn child.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause respiratory irritation.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: May be fatal if swallowed and enters airways.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for pinoxaden for a human is 0.1 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 10 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2021).

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

Toxic to aquatic life with long lasting effects.

'	3 3		
CAS: 6474	CAS: 64742-94-5 Solvent naphtha (petroleum), heavy arom.		
EC50/48 h	12 mg/l (daphnia)		
EC50/72 h	2.5 mg/l (skeletonema costatum)		
LC50/96 h	45 mg/l (fathead minnow)		
CAS: 872-	CAS: 872-50-4 N-methyl-2-pyrrolidone		
EC50/24 h	>1,000 mg/l (daphnia)		
EC50/72 h	>500 mg/l (green algae)		
LC50/96 h	1,072 mg/l (fathead minnow)		
	>5,000 mg/l (rainbow trout)		

Persistence and Degradability: This product is not readily biodegradable.

Bioaccumulative Potential:

Pinoxaden has low potential for bioaccumulation. Cloquintocet-mexyl does not bioaccumulate.

Mobility in Soil:

Pinoxaden has medium mobility in soil. Cloquintocet-mexyl is immobile in soil.

Other adverse effects: No further relevant information available.

(Contd. on page 7)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN PINOXADEN 100EC HERBICIDE

(Contd. of page 6)

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number

ADG, IMDG, IATA UN3082

Proper Shipping Name

ADG, IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.

Dangerous Goods Class

ADG Class: 9

Subsidiary Risk:

Packing Group:

ADG, IMDG, IATA

Marine pollutant:

EMS Number: F-A,S-F

Hazchem Code: •3Z

Special Provisions: 274, 331, 335, 375, AU01

Transport/Additional information: Not subject to the ADG Code when transported by road

or rail in packagings that do not incorporate a receptacle

exceeding 500 kg(L) or IBCs. (refer to SP AU01)

Limited Quantities: 5L

Packagings & IBCs - Packing Instruction: P001, IBC03, LP01

Packagings & IBCs - Special Packing Provisions: PP1
Portable Tanks & Bulk Containers - Instructions: T4

Portable Tanks & Bulk Containers - Special

Provisions: TP1, TP29

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA number 85289.

16 Other Information

Date of Preparation or Last Revision: 03.12.2021

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

(Contd. on page 8)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN PINOXADEN 100EC HERBICIDE

(Contd. of page 7)

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids - Category 4 Acute Toxicity (Oral) 4: Acute toxicity - Category 4

Skin Corrosion/Irritation 2: Skin corrosion/irritation - Category 2

Serious Eye Damage/Irritation 2: Serious eye damage/eye irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sensitisation 1: Skin sensitisation, Hazard Category 1 Skin Sensitisation 1A: Skin sensitisation, Hazard Category 1A Toxic To Reproduction 1B: Reproductive toxicity – Category 1B Toxic To Reproduction 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aspiration Hazard 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1 Aquatic Acute 2: Hazardous to the aquatic environment, short-term (Acute). Category 2 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.