

Safety Data Sheet according to WHS Regulations

Printing date 02.12.2021 Revision: 02.12.2021

1 Identification

Product Name: TITAN PROPICONAZOLE 250 EC FUNGICIDE

Other Means of Identification: Mixture **APVMA Approval Number:** 63627

Recommended Use of the Chemical and Restriction on Use: Agricultural fungicide

Details of Manufacturer or Importer:

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500(L) or less; or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



Health hazard

Toxic To Reproduction 1B H360 May damage fertility or the unborn child.

Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways.



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4 H302 Harmful if swallowed.

Skin Sensitisation 1 H317 May cause an allergic skin reaction.

Flammable Liquids 4 H227 Combustible liquid.

Signal Word Danger

Hazard Statements

H227 Combustible liquid.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H360 May damage fertility or the unborn child.

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

according to WHS Regulations

Printing date 02.12.2021 Revision: 02.12.2021

Product Name: TITAN PROPICONAZOLE 250 EC FUNGICIDE

(Contd. of page 1)

Precautionary Statements

	i iccuation	ary otatomonto	
	P201	Obtain special instructions before use.	
	P202	Do not handle until all safety precautions have been read and understood.	
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
	P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
	P264	Wash thoroughly after handling.	
	P270	Do not eat, drink or smoke when using this product.	
	P272	Contaminated work clothing should not be allowed out of the workplace.	
	P273	Avoid release to the environment.	
	P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
	P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.	
	P321	Specific treatment (see on this label).	
	P330	Rinse mouth.	
	P331	Do NOT induce vomiting.	
	P302+P352	! IF ON SKIN: Wash with plenty of water.	
	P308+P313 IF exposed or concerned: Get medical advice/attention.		
	P362+P364	Take off contaminated clothing and wash it before reuse.	
P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.		If skin irritation or rash occurs: Get medical advice/attention.	
		In case of fire: Use CO2, powder or water spray to extinguish.	
	P391	Collect spillage.	
	P403	Store in a well-ventilated place.	

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Store locked up.

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Comp	Hazardous Components:			
CAS: 64742-94-5	Solvent naphtha (petroleum), heavy arom.	60-70%		
	♦ Aspiration Hazard 1, H304			
CAS: 60207-90-1	Propiconazole	20-30%		
	Toxic To Reproduction 1B, H360; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Toxicity (Oral) 4, H302; Skin Sensitisation 1, H317			

Dispose of contents/container in accordance with local/regional/national regulations.

Additional information: Liquid hydrocarbon, CAS No. not supplied - 75%

4 First Aid Measures

Inhalation:

P405

P501

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eve Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

(Contd. on page 3)

according to WHS Regulations

Printing date 02.12.2021 Revision: 02.12.2021

Product Name: TITAN PROPICONAZOLE 250 EC FUNGICIDE

(Contd. of page 2)

Information for Doctor:

If vomiting occurs, solvent present may cause pulmonary pneumonitis. Pulmonary oedema may be delayed.

Symptoms Caused by Exposure:

Inhalation: Inhalation of excessive amounts of spray mist may cause headaches, dizziness and possible nausea.

Skin contact: May cause an allergic skin reaction.

Eye contact: The concentrate may cause eye irritation.

Ingestion: Harmful if swallowed. If aspirated into the lung, e.g. from vomiting, the presence of solvent may result in chemical pneumonitis.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog, foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and nitrogen, other nitrogen compounds, nitrogen, hydrogen cyanide gas and water.

Product is combustible.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: •3Z

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Decontaminate spill area with detergent and water.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from direct sunlight, heat, sparks, open flames and other sources of ignition. Keep away from strong oxidising agents, strong acids and strong bases.

(Contd. on page 4)

according to WHS Regulations

Printing date 02.12.2021 Revision: 02.12.2021

Product Name: TITAN PROPICONAZOLE 250 EC FUNGICIDE

(Contd. of page 3)

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Use a Safe Work Australia approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Liquid Colour: Yellow

Odour:
Odour Threshold:
pH-Value:
No information available
Melting point/freezing point:
No information available
No information available
No information available
No information available

Flash Point: >61 °C

Flammability: Product is combustible
Auto-ignition Temperature: No information available
Decomposition Temperature: No information available

Explosion Limits:

Lower:No information availableUpper:No information availableVapour Pressure:No information available

Relative Density at 20 °C: ~1

Vapour Density:No information availableEvaporation Rate:No information availableSolubility in Water:Emulsifies into water.Partition Coefficient (n-octanol/water):No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

(Contd. on page 5)

according to WHS Regulations

Printing date 02.12.2021 Revision: 02.12.2021

Product Name: TITAN PROPICONAZOLE 250 EC FUNGICIDE

(Contd. of page 4)

Conditions to Avoid: Heat, sparks, open flames, hot surfaces and direct sunlight. **Incompatible Materials:** Strong oxidising agents, strong acids and strong bases.

Hazardous Decomposition Products:

Oxides of carbon and nitrogen, other nitrogen compounds, nitrogen, hydrogen cyanide gas and water.

11 Toxicological Information

Toxicity:

LD50/LC	LD50/LC50 Values:				
CAS: 64	CAS: 64742-94-5 Solvent naphtha (petroleum), heavy arom.				
Oral	LD50	5,000 mg/kg (rat)			
	LD50	2,000 mg/kg (rabbit)			
CAS: 60207-90-1 Propiconazole					
Oral	LD50	>1,517 mg/kg (rat)			
	LD50	>4,000 mg/kg (rat)			
Inhalatio	n L50/4 h	>5,800 mg/m³ (rat)			

Acute Health Effects

Inhalation:

Inhalation of excessive amounts of spray mist may cause headaches, dizziness and possible nausea.

Skin: May cause an allergic skin reaction.

Eye: The concentrate may cause eye irritation.

Ingestion:

Harmful if swallowed. If aspirated into the lung, e.g. from vomiting, the presence of solvent may result in chemical pneumonitis.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: May be fatal if swallowed and enters airways.

Chronic Health Effects:

Prolonged contact with the concentrate may cause irritation. Prolonged contact with the concentrate can cause defatting of the skin and may result in dermatitis.

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for propiconazole for a human is 0.04 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 4 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2021).

according to WHS Regulations

Revision: 02.12.2021 Printing date 02.12.2021

Product Name: TITAN PROPICONAZOLE 250 EC FUNGICIDE

(Contd. of page 5)

12 Ecological Information

Ecotoxicity: Low toxicity to birds. Not toxic to bees.

Aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

CAS: 64742-94-5 Solvent naphtha (petroleum), heavy arom. EC50/48 h 12 mg/l (daphnia) EC50/72 h 2.5 mg/l (skeletonema costatum) LC50/96 h 45 mg/l (fathead minnow) CAS: 60207-90-1 Propiconazole

LC50 >5.3 mg/l (rainbow trout)

Persistence and Degradability: This product is biodegradable.

Bioaccumulative Potential: This product will not accumulate in the soil or water or cause long term problems.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number

ADG, IMDG, IATA UN3082

Proper Shipping Name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE. ADG. IATA

LIQUID, N.O.S. (Propiconazole)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Propiconazole), MARINE POLLUTANT

Dangerous Goods Class

ADG Class: 9

Subsidiary Risk:

Packing Group:

ADG, IMDG, IATA

Marine pollutant: Symbol (fish and tree)

EMS Number: F-A,S-F

Hazchem Code: •3Z

Special Provisions: 274, 331, 335, 375, AU01

Transport/Additional information: Not subject to the ADG Code when transported by road

or rail in packagings that do not incorporate a receptacle

exceeding 500 kg(L) or IBCs. (refer to SP AU01)

Limited Quantities: 5L

(Contd. on page 7)

according to WHS Regulations

Printing date 02.12.2021 Revision: 02.12.2021

Product Name: TITAN PROPICONAZOLE 250 EC FUNGICIDE

(Contd. of page 6)

Packagings & IBCs - Packing Instruction: P001, IBC03, LP01

Packagings & IBCs - Special Packing Provisions: PP1
Portable Tanks & Bulk Containers - Instructions: T4

Portable Tanks & Bulk Containers - Special

Provisions: TP1, TP29

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA number 63627.

16 Other Information

Date of Preparation or Last Revision: 02.12.2021

Prepared by:

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable Liquids – Category 4
Acute Toxicity (Oral) 4: Acute toxicity – Category 4
Skin Sensitisation 1: Skin sensitisation, Hazard Category 1
Toxic To Reproduction 1B: Reproductive toxicity – Category 1B

Aspiration Hazard 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.