

# Safety Data Sheet according to WHS Regulations

Printing date 22.12.2021 Revision: 22.12.2021

## 1 Identification

Product Name: TITAN PROPYZAMIDE 500 WG HERBICIDE

**Other Means of Identification:** Mixture **APVMA Approval Number:** 64972

Recommended Use of the Chemical and Restriction on Use: Agricultural herbicide

**Details of Manufacturer or Importer:** 

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

## 2 Hazard(s) Identification

#### **Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

### Signal Word Warning

#### **Hazard Statements**

H351 Suspected of causing cancer.

H410 Very toxic to aquatic life with long lasting effects.

## **Precautionary Statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

(Contd. on page 2)

## according to WHS Regulations

Printing date 22.12.2021 Revision: 22.12.2021

**Product Name: TITAN PROPYZAMIDE 500 WG HERBICIDE** 

(Contd. of page 1)

## 3 Composition and Information on Ingredients

**Chemical Characterization: Mixtures** 

**Description:** Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 23950-58-5 Propyzamide (ISO)

Carcinogenicity 2, H351; Aquatic Acute 1, H400; Aquatic Chronic 1, H410

## **4 First Aid Measures**

#### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

#### Skin Contact

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

#### Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention.

#### Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

## **Symptoms Caused by Exposure:**

Inhalation: May cause mild respiratory irritation.

Skin Contact: May cause skin irritation. Eye Contact: May cause eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

### 5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog, foam, dry chemical or carbon dioxide.

#### Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, nitrogen, oxides of nitrogen, other nitrogen compounds, hydrogen cyanide, hydrogen chloride, other chlorine compounds and water.

Product may be combustible when exposed to excessive heat.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: 2Z

#### **Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

### 6 Accidental Release Measures

#### Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

## **Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

(Contd. on page 3)

according to WHS Regulations

Printing date 22.12.2021 Revision: 22.12.2021

**Product Name: TITAN PROPYZAMIDE 500 WG HERBICIDE** 

(Contd. of page 2)

#### Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and sweep granules into a pile and shovel into drums for subsequent disposal. Avoid generating dust. Consider vacuuming. Provide adequate ventilation. Wash spill area, preventing runoff from entering drains.

## 7 Handling and Storage

#### **Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

#### **Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from heat, sparks, open flames, hot surfaces and direct sunlight. Keep away from strong oxidising agents, strong acids and strong bases.

## 8 Exposure Controls and Personal Protection

#### **Exposure Standards:**

#### Nuisance dust

WES TWA: 10 mg/m<sup>3</sup>

**Engineering Controls:** Ensure adequate ventilation of the working area.

#### **Respiratory Protection:**

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

#### Skin Protection:

Impervious gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

#### Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

## 9 Physical and Chemical Properties

Appearance:

Form: Granulate
Colour: White to off-white
Odour: Odourless

**Odour Threshold: PH-Value:**No information available
No information available

Melting point/freezing point: 155-156 °C

Initial Boiling Point/Boiling Range: Expected to decompose before boiling.

Flash Point: No information available

Flammability: May be combustible when exposed to excessive heat

(Contd. on page 4)

## according to WHS Regulations

Printing date 22.12.2021 Revision: 22.12.2021

**Product Name: TITAN PROPYZAMIDE 500 WG HERBICIDE** 

(Contd. of page 3)

Ignition TemperatureNo information availableAuto-ignition Temperature:No information availableDecomposition Temperature:No information available

**Explosion Limits:** 

**Lower: Upper:**No information available
No information available

**Vapour Pressure:** Negligible at normal ambient temperatures.

Relative Density:

Vapour Density:

No information available

No information available

No information available

Solubility in Water: Dispersible

Partition Coefficient (n-octanol/water): No information available

## 10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

**Conditions to Avoid:** Heat, sparks, open flames, hot surfaces and direct sunlight. **Incompatible Materials:** Strong oxidising agents, strong acids and strong bases.

## **Hazardous Decomposition Products:**

Oxides of carbon, nitrogen, oxides of nitrogen, other nitrogen compounds, hydrogen cyanide, hydrogen chloride, other chlorine compounds and water.

## 11 Toxicological Information

## Toxicity:

LD50/LC50 Values:		
CAS: 23950-58-5 Propyzamide (ISO)		
Oral	LD50	10,000 mg/kg (dog)
		5,620-8,350 mg/kg (rat)
	LD50	>3,160 mg/kg (rabbit)
Inhalation	LC50/4 h	>5 mg/l (rat)

### **Acute Health Effects**

Inhalation: May cause mild respiratory irritation.

Skin: May cause skin irritation.

**Eye:** May cause eye irritation, redness and lachrymation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

## Carcinogenicity:

Suspected of causing cancer.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

according to WHS Regulations

Printing date 22.12.2021 Revision: 22.12.2021

Product Name: TITAN PROPYZAMIDE 500 WG HERBICIDE

(Contd. of page 4)

### Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

#### Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

### **Chronic Health Effects:**

Prolonged exposure or delayed treatment may cause permanent eye damage. Prolonged exposure may cause decreased weight gain, changes in blood chemistry, increased liver weight and changes to thyroid, adrenal and pituitary function in laboratory animals.

Existing Conditions Aggravated by Exposure: No information available

#### Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for propyzamid for a human is 0.04 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the LOAEL of 40 mg/kg/day, the lowest concentration determined to show effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2021).

Prolonged exposure may cause decreased weight gain, changes in blood chemistry, increased liver weight and changes to thyroid, adrenal and pituitary function in laboratory animals.

## 12 Ecological Information

#### **Ecotoxicity:**

Propyzamide is practically nontoxic to birds and bees.

Oral LD50 = 8700 mg/kg (Japanese quail)

Oral LD50 = 14000 mg/kg (mallard duck)

## **Aquatic toxicity:**

Very toxic to aquatic life with long lasting effects.

## CAS: 23950-58-5 Propyzamide (ISO)

LC50/96 h | 100 mg/l (bluegill)

350 mg/l (goldfish)

150 mg/l (guppy)

72 mg/l (rainbow trout)

LC50/48 h >5.6 mg/l (daphnia)

Persistence and Degradability: Moderately persistent. Half-life in soil: 60 days.

Bioaccumulative Potential: No data available on finished product.

## **Mobility in Soil:**

Propyzamide is not readily soluble in water, and is strongly adsorbed to soil particles. Propyzamide has low mobility in soil and very little leaching is expected.

Other adverse effects: No further relevant information available.

## 13 Disposal Considerations

### **Disposal Methods and Containers:**

Dispose according to applicable local and state government regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

## according to WHS Regulations

Printing date 22.12.2021 Revision: 22.12.2021

**Product Name: TITAN PROPYZAMIDE 500 WG HERBICIDE** 

(Contd. of page 5)

#### Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

## 14 Transport Information

**UN Number** 

ADG, IMDG, IATA UN3077

**Proper Shipping Name** 

ADG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (Propyzamide (ISO))

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (Propyzamide (ISO)), MARINE

**POLLUTANT** 

**Dangerous Goods Class** 

ADG Class: 9

Packing Group:

ADG, IMDG, IATA

Marine pollutant: Yes

Symbol (fish and tree)

**EMS Number:** F-A,S-F

Hazchem Code: 2Z

**Special Provisions:** 274, 331, 335, 375, AU01

**Transport/Additional information:**Not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle

exceeding 500 kg(L) or IBCs. (refer to SP AU01)

Limited Quantities: 5 kg

Packagings & IBCs - Packing Instruction: P002, IBC08, LP02

Packagings & IBCs - Special Packing Provisions: PP12, B3

Portable Tanks & Bulk Containers - Instructions: T1, BK2, BK3

Portable Tanks & Bulk Containers - Special

Provisions: TP33

## 15 Regulatory Information

#### **Australian Inventory of Industrial Chemicals:**

All ingredients are listed.

## Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

#### **Australian Pesticides and Veterinary Medicines Authority:**

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA number 64972.

## 16 Other Information

Date of Preparation or Last Revision: 22.12.2021

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

(Contd. on page 7)

according to WHS Regulations

Printing date 22.12.2021 Revision: 22.12.2021

**Product Name: TITAN PROPYZAMIDE 500 WG HERBICIDE** 

(Contd. of page 6)

#### Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Carcinogenicity 2: Carcinogenicity - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

#### **Disclaimer**

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.