

Safety Data Sheet according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

1 Identification

Product Name: TITAN PYRIPROXYFEN 100 INSECT GROWTH REGULATOR

Other Means of Identification: Mixture APVMA Approval Number: 87071

Recommended Use of the Chemical and Restriction on Use: Agricultural insecticide

Details of Manufacturer or Importer:

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500(L) or less; or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



Health hazard

Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways.



Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

Flammable Liquids 4 H227 Combustible liquid. Aquatic Acute 2 H401 Toxic to aquatic life.

Signal Word Danger

Hazard Statements

H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P391 Collect spillage.

P403 Store in a well-ventilated place.

P405 Store locked up.

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN PYRIPROXYFEN 100 INSECT GROWTH REGULATOR

(Contd. of page 1)

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:		
CAS: 64742-94-5	Solvent naphtha (petroleum), heavy arom.	40-50%
	♦ Aspiration Hazard 1, H304	
CAS: 95737-68-1	1 Pyriproxyfen	5-10%
	4 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause mild respiratory irritation.

Skin Contact: May cause skin irritation and redness.

Eye Contact: May cause eye irritation, redness and watering.

Ingestion: May be fatal if swallowed and enters airways. May cause gastrointestinal irritation. May be harmful if swallowed.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Foam, dry chemical or carbon dioxide. Alcohol resistant foam is preferred but normal foam may be effective.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and nitrogen, hydrogen cyanide, other nitrogen compounds and smoke.

Product is not flammable, however it will burn in larger fire.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: •3Z

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

(Contd. on page 3)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN PYRIPROXYFEN 100 INSECT GROWTH REGULATOR

(Contd. of page 2)

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Wash spill area with plenty of water.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames, hot surfaces and direct sunlight. Keep away from strong oxidising agents, strong acids and strong bases.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection: Respiratory protection is not required under normal use conditions.

Skin Protection:

Impervious PVC or nitrile gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Liquid

Colour: No information available

Odour: Characteristic

(Contd. on page 4)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN PYRIPROXYFEN 100 INSECT GROWTH REGULATOR

(Contd. of page 3)

Odour Threshold:

pH-Value:

Melting point/freezing point:

Initial Boiling Point/Boiling Range:

No information available
No information available
No information available

Flash Point: ~67 °C

Flammability: Product is not flammable, however it will burn in larger fire.

Auto-ignition Temperature: No information available Decomposition Temperature: No information available

Explosion Limits:

No information available Lower: Upper: No information available **Vapour Pressure:** No information available **Relative Density:** No information available Vapour Density: No information available No information available **Evaporation Rate:** Solubility in Water: Emulsifies into water. Partition Coefficient (n-octanol/water): No information available No information available Viscosity:

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Heat, sparks, open flames, hot surfaces and direct sunlight. **Incompatible Materials:** Strong oxidising agents, strong acids and strong bases.

Hazardous Decomposition Products:

Oxides of carbon and nitrogen, hydrogen cyanide, other nitrogen compounds and smoke.

11 Toxicological Information

Toxicity:

LD50/LC50 Values:

CAS: 64742-94-5 Solvent naphtha (petroleum), heavy arom.

Oral LD50 5,000 mg/kg (rat) LD50 2,000 mg/kg (rabbit)

Acute Health Effects

Inhalation: May cause mild respiratory irritation.

Skin: May cause skin irritation and redness.

Eye: May cause eye irritation, redness and watering.

Ingestion:

May be fatal if swallowed and enters airways. May cause gastrointestinal irritation. May be harmful if swallowed.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

(Contd. on page 5)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN PYRIPROXYFEN 100 INSECT GROWTH REGULATOR

(Contd. of page 4)

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: May be fatal if swallowed and enters airways.

Chronic Health Effects: Prolonged eye contact may cause permanent damage.

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for pyriproxyfen for a human is 0.07 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 7 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2021).

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

Toxic to aquatic life with long lasting effects.

CAS: 64742-94-5 Solvent naphtha (petroleum), heavy arom.

EC50/48 h 12 mg/l (daphnia)

EC50/72 h | 2.5 mg/l (skeletonema costatum)

LC50/96 h 45 mg/l (fathead minnow)

Persistence and Degradability: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number

ADG, IMDG, IATA UN3082

Proper Shipping Name

ADG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE.

LIQUID, N.O.S. (Pyriproxyfen)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Pyriproxyfen), MARINE POLLUTANT

Dangerous Goods Class

ADG Class: 9

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN PYRIPROXYFEN 100 INSECT GROWTH REGULATOR

(Contd. of page 5)

Subsidiary Risk:

Packing Group:

ADG, IMDG, IATA

Marine pollutant: Symbol (fish and tree)

EMS Number: F-A,S-F

Hazchem Code: •3Z

Special Provisions: 274, 331, 335, 375, AU01

Transport/Additional information: Not subject to the ADG Code when transported by road

or rail in packagings that do not incorporate a receptacle

exceeding 500 kg(L) or IBCs. (refer to SP AU01)

Limited Quantities: 51

Packagings & IBCs - Packing Instruction: P001, IBC03, LP01

Packagings & IBCs - Special Packing Provisions: PP1
Portable Tanks & Bulk Containers - Instructions: T4

Portable Tanks & Bulk Containers - Special

Provisions: TP1, TP29

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA number 87071.

16 Other Information

Date of Preparation or Last Revision: 03.12.2021

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids – Category 4 Aspiration Hazard 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1 Aquatic Acute 2: Hazardous to the aquatic environment, short-term (Acute). Category 2 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2

(Contd. on page 7)

according to WHS Regulations

Printing date 03.12.2021 Revision: 03.12.2021

Product Name: TITAN PYRIPROXYFEN 100 INSECT GROWTH REGULATOR

(Contd. of page 6)

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.