

# Safety Data Sheet

according to WHS Regulations

Printing date 03.12.2021

Revision: 03.12.2021

## 1 Identification

**Product Name: TITAN THIDIAZURON 500 COTTON DEFOLIANT****Other Means of Identification:** Mixture**APVMA Approval Number:** 60882**Recommended Use of the Chemical and Restriction on Use:** Cotton defoliant**Details of Manufacturer or Importer:**Titan Ag Pty Ltd  
Princes Street Marina  
Suite 15/16 Princes Street  
Newport NSW 2106**Phone Number:** 02 9999 6655**Emergency telephone number:** 02 9999 6655

## 2 Hazard(s) Identification

**Hazardous Nature:**

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500(L) or less; or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.



Environment

Aquatic Acute 1

H400 Very toxic to aquatic life.

Aquatic Chronic 1

H410 Very toxic to aquatic life with long lasting effects.



Acute Toxicity (Inhalation) 4 H332 Harmful if inhaled.

**Signal Word** Warning**Hazard Statements**

H332 Harmful if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary Statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

## 3 Composition and Information on Ingredients

**Chemical Characterization: Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

# Safety Data Sheet

## according to WHS Regulations

Printing date 03.12.2021

Revision: 03.12.2021

**Product Name: TITAN THIDIAZURON 500 COTTON DEFOLIANT**

(Contd. of page 1)

Hazardous Components:		
CAS: 51707-55-2	Thidiazuron ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Toxicity (Dermal) 4, H312; Acute Toxicity (Inhalation) 4, H332	40-50%

### 4 First Aid Measures

**Inhalation:**

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

**Skin Contact:**

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

**Eye Contact:**

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention if symptoms occur.

**Ingestion:**

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

**Symptoms Caused by Exposure:**

Inhalation: Harmful if inhaled. May cause respiratory irritation, coughing and shortness of breath.

Skin Contact: May cause skin irritation.

Eye Contact: May cause serious eye irritation.

Ingestion: Swallowing large amounts of concentrate may cause nausea and vomiting.

### 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Use fire extinguishing methods suitable to surrounding conditions.

**Specific Hazards Arising from the Chemical:**

Hazardous combustion products include oxides of carbon and nitrogen.

Product is not flammable. However, it may burn in larger fire.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: •3Z

**Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

### 6 Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures:**

Wear an approved respiratory protection and protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

**Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

**Methods and Materials for Containment and Cleaning Up:**

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material.

Collect the spilled material and place into a suitable labelled container for disposal. Decontaminate spill area with detergent and water.

(Contd. on page 3)

# Safety Data Sheet

## according to WHS Regulations

Printing date 03.12.2021

Revision: 03.12.2021

**Product Name: TITAN THIDIAZURON 500 COTTON DEFOLIANT**

(Contd. of page 2)

### 7 Handling and Storage

**Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

**Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from direct sunlight. Keep away from strong oxidising agents.

### 8 Exposure Controls and Personal Protection

**Exposure Standards:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Engineering Controls:** Ensure adequate ventilation of the working area.

**Respiratory Protection:**

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

**Skin Protection:**

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

**Eye and Face Protection:**

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

### 9 Physical and Chemical Properties

**Appearance:**

<b>Form:</b>	Liquid
<b>Colour:</b>	Beige
<b>Odour:</b>	Odourless
<b>Odour Threshold:</b>	No information available
<b>pH-Value:</b>	No information available
<b>Melting point/freezing point:</b>	No information available
<b>Initial Boiling Point/Boiling Range:</b>	~100 °C (at 100 kPa)
<b>Flash Point:</b>	No information available
<b>Flammability:</b>	Product is not flammable.
<b>Auto-ignition Temperature:</b>	No information available
<b>Decomposition Temperature:</b>	No information available
<b>Explosion Limits:</b>	
<b>Lower:</b>	No information available

(Contd. on page 4)

# Safety Data Sheet

according to WHS Regulations

Printing date 03.12.2021

Revision: 03.12.2021

**Product Name: TITAN THIDIAZURON 500 COTTON DEFOLIANT**

(Contd. of page 3)

<b>Upper:</b>	No information available
<b>Vapour Pressure at 20 °C:</b>	2.37 kPa (water vapour pressure)
<b>Relative Density at 20 °C:</b>	~1.179
<b>Vapour Density:</b>	No information available
<b>Evaporation Rate:</b>	No information available
<b>Solubility in Water:</b>	Completely soluble

## 10 Stability and Reactivity

**Possibility of Hazardous Reactions:** Hazardous polymerisation will not occur.

**Chemical Stability:** Stable at ambient temperature and under normal conditions of storage and use.

**Conditions to Avoid:** Direct sunlight.

**Incompatible Materials:** Strong oxidising agents.

**Hazardous Decomposition Products:** Oxides of carbon and nitrogen.

## 11 Toxicological Information

**Toxicity:**

**LD50/LC50 Values:**

**CAS: 51707-55-2 Thidiazuron**

Oral	LD50	>5,000 mg/kg (mouse)
		>4,000 mg/kg (rat)
	LD50	>1,000 mg/kg (rat)
		>4,000 mg/kg (rabbit)
Inhalation	LC50/4 h	2.3 mg/l (rat)

### Acute Health Effects

**Inhalation:** Harmful if inhaled. May cause respiratory irritation, coughing and shortness of breath.

**Skin:** May cause skin irritation.

**Eye:** May cause eye irritation.

**Ingestion:** Swallowing large amounts of concentrate may cause nausea and vomiting.

**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.

**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.

**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.

**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.

**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.

**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.

### Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

### Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

**Aspiration Hazard:** Based on classification principles, the classification criteria are not met.

**Chronic Health Effects:** No information available

**Existing Conditions Aggravated by Exposure:** No information available

(Contd. on page 5)

# Safety Data Sheet

## according to WHS Regulations

Printing date 03.12.2021

Revision: 03.12.2021

**Product Name: TITAN THIDIAZURON 500 COTTON DEFOLIANT**

(Contd. of page 4)

**Additional toxicological information:**

The Australian Acceptable Daily Intake (ADI) for thidiazuron for a human is 0.02 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 2.5 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2021).

## 12 Ecological Information

**Ecotoxicity:**

Birds:

LD50 (Japanese quail): 3160 mg/kg

LD50 (Bobwhite quail): 5000 mg/kg

LD50 (Mallard): 5000 mg/kg

Worms:

LD50 (Worms): 1400 mg/kg

Toxic to birds. Not toxic to bees.

**Aquatic toxicity:**

Very toxic to aquatic life with long lasting effects.

**CAS: 51707-55-2 Thidiazuron**

LC50 1,000 mg/l (bluegill)

1,000 mg/l (rainbow trout)

**Persistence and Degradability:**

The half-life of the product in soil is up to 144 days in aerobic environments and 28 days in anaerobic environments.

**Bioaccumulative Potential:** No information available**Mobility in Soil:** The product has low mobility, as it is strongly adsorbed by soil.**Other adverse effects:** No information available

## 13 Disposal Considerations

**Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

## 14 Transport Information

**UN Number****ADG, IMDG, IATA**

UN3082

**Proper Shipping Name****ADG, IMDG, IATA**ENVIRONMENTALLY HAZARDOUS SUBSTANCE,  
LIQUID, N.O.S. (Thidiazuron)**Dangerous Goods Class****ADG Class:**

9

**Subsidiary Risk:****Packing Group:****ADG, IMDG, IATA**

III

(Contd. on page 6)

# Safety Data Sheet

## according to WHS Regulations

Printing date 03.12.2021

Revision: 03.12.2021

**Product Name: TITAN THIDIAZURON 500 COTTON DEFOLIANT**

(Contd. of page 5)

**Marine pollutant:****EMS Number:** F-A,S-F**Hazchem Code:** •3Z**Special Provisions:** 274, 331, 335, 375, AU01**Transport/Additional information:** Not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs. (refer to SP AU01)**Limited Quantities:** 5L**Packagings & IBCs - Packing Instruction:** P001, IBC03, LP01**Packagings & IBCs - Special Packing Provisions:** PP1**Portable Tanks & Bulk Containers - Instructions:** T4**Portable Tanks & Bulk Containers - Special Provisions:** TP1, TP29

### 15 Regulatory Information

**Australian Inventory of Industrial Chemicals:**

All ingredients are listed.

**Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:**

Not a scheduled poison.

**Australian Pesticides and Veterinary Medicines Authority:**

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA number 60882.

### 16 Other Information

**Date of Preparation or Last Revision:** 03.12.2021**Prepared by:****Abbreviations and acronyms:**

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Dermal) 4: Acute toxicity – Category 4

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

**Disclaimer**

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the

(Contd. on page 7)

# Safety Data Sheet

according to WHS Regulations

Printing date 03.12.2021

Revision: 03.12.2021

**Product Name: TITAN THIDIAZURON 500 COTTON DEFOLIANT**

suitability of the information provided to the particular circumstances in which the product is used. (Contd. of page 6)