POISON

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Ready to use bait for the control of Brown or Norway Rats (*Rattus norvegicus*) and Mice, including those resistant to other anticoagulants. For use in and around buildings, including industrial, commercial, agricultural, public services and domestic structures.

CONTAINS DENATONIUM BENZOATE AS A BITTERING AGENT

APVMA Approval No.: 91552/132630

Pack Size: 250g-20kg



TITAN AG Pty Ltd | ABN 57 122 081 574 15/16 Princes Street, Newport NSW 2106 Tel (02) 9999 6655 | Fax (02) 9999 0483 titanag.com.au IN A TRANSPORT EMERGENCY **DIAL 000** POLICE OR FIRE BRIGADE

TRANSPORT AND HANDLING NOT A DANGEROUS GOOD ACCORDING TO THE AUSTRALIAN DANGEROUS GOODS (ADG) CODE FOR TRANSPORT BY ROAD AND RAIL

DIRECTIONS FOR USE

Restraints: DO NOT place bait in the open unless in bait stations.

PEST	SITUATION	RATE	CRITICAL COMMENTS
Mice	For use in and around (within 2 metres) industrial, commercial, public services, domestic and agricultural buildings (machinery sheds, etc.)	20-30g of bait per bait point	Explore the site and locate runs, nests, droppings and signs of damage. Eliminate as far as practical all alternative food sources. Place bait points wherever droppings, damage or other signs of activity are seen.
Brown or Norway Bat			As mice are sporadic feeders use many bait points, not more than 3m apart.
		100-200g of bait per bait point	Explore the site and locate runs, burrows, droppings and signs of damage. Eliminate as far as practical all alternative food sources.
			Place a number of bait points in dry locations throughout the infested area, on runs, in burrows, and where droppings are seen, not more than 9m apart.

General Information and baiting strategy for rats and mice: Eliminate, as far as practicable, all other food sources. Always place bait where it is inaccessible to children, animals and birds. Protect and cover bait. When using outdoors, use weather resistant bait stations. It is recommended that lockable, securable, weather resistant bait stations be used where possible. Alternatively, place bait in suitable containers or use weather resistant bait stations constructed from drainpipes or boxes. Try not to touch the bait as this deters mice and rats from eating it. D0 NOT place baits where food, feed or water could become contaminated. Record the number and locations of bait stations for the purpose of replacement and later removal. Inspect baits frequently, particularly in the first ten days. Replace eaten bait. If bait is completely consumed, the quantity should be increased. Continue replenishing baits until left untouched. Baiting for at least two weeks will be necessary to reduce rat/mouse numbers. Most deaths occur 4 to 7 days after consumption of bait, but deaths may occur for up to 2 weeks. During treatment search for and collect dead rats and mice. Following treatment remove all remains of bait, and bait containers and search for and collect dead rats or mice. Burn or bury carcasses. D0 NOT place in refuse bins. D0 NOT let cats, dogs, and non-target animals eat poisoned rats and mice. While handling remaining bait material/animal carcasses, wear rubber gloves.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

TITAN Onza Blue Rodenticide Grain Bait is a palatable all-purpose rodenticide formulation based on the advanced anticoagulant, difenacoum, which is equally effective against rats and mice, including strains resistant to some other anticoagulants. In some circumstances more than one feed may be required to produce mortality that generally occurs 4-10 days after consuming the bait. TITAN Onza Blue Rodenticide Grain Bait contains Denatonium benzoate (a human taste deterrent) to help prevent accidental human consumption.

PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

The bait is hazardous to pigs, cats, dogs, poultry, birds and wildlife and care should be exercised in its use. DO NOT place baits in locations that are accessible to domestic animals, livestock, birds or other animals. DO NOT contaminate dams, waterways and drains with bait or its used containers. DO NOT use this product to control native animals. The product is restricted to use in and around buildings (within 2 metres) or within enclosed spaces. In areas where possums and other non-target animals frequent, baits should be secured inside proper bait stations or bait stations constructed from drainpipes or boxes.

STORAGE AND DISPOSAL

Store in original container, tightly closed, in a safe place. Triple rinse containers before disposal. Dispose of rinsings and unused or untaken bait in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. If recycling replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. DO NOT burn empty containers or product. Search for dead mice and rats, burn or bury them, do not place in refuse bins or rubbish tips. Inspect all bait stations regularly and ensure baits are removed when rodent activity has ceased. Containers that have held bait should not be used for any other purpose.

SAFETY DIRECTIONS

Poisonous if swallowed. May irritate the eyes. Avoid contact with eyes. DO NOT inhale dust. Repeated minor exposure may have a cumulative poisoning effect. Wash hands after use. When opening the container and using the product wear goggles and disposable dust mask covering mouth and nose. After each day's use, wash goggles.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766. Vitamin K1 (Phytomenadione) is antidotal.

SAFETY DATA SHEET

Additional information is listed in the safety data sheet (SDS). A safety data sheet for TITAN ONZA Blue Rodenticide Grain Bait is available from TITAN AG Pty Ltd on request. Call Customer Service on (02) 9999 6655 or visit titanag. com.au

CONDITIONS OF SALE: TITAN AG Pty Ltd shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on TITAN AG's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of TITAN AG Pty Ltd has any authority to add to or alter these conditions.

Additional statements required by Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia: None.

