

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

TITAN

ONZA

RED

RODENTICIDE GRAIN BAIT

ACTIVE CONSTITUENT: 0.05g/kg BRODIFACOUM



Contains denatonium benzoate (bittering agent)

READY TO USE GRAIN BAIT FOR USE IN COMMERCIAL, AGRICULTURAL AND DOMESTIC BUILDINGS.

KILLS RATS AND MICE

APVMA Approval No.: 91708/133200

Pack Size: 100g-20kg



TITAN AG Pty Ltd | ABN 57 122 081 574
15/16 Princes Street, Newport NSW 2106
Tel (02) 9999 6655 | Fax (02) 9999 0483
titanag.com.au

IN A TRANSPORT EMERGENCY

DIAL 000

POLICE OR FIRE BRIGADE

TRANSPORT AND HANDLING
NOT A DANGEROUS GOOD
ACCORDING TO THE AUSTRALIAN
DANGEROUS GOODS (ADG) CODE
FOR TRANSPORT BY ROAD AND RAIL

DIRECTIONS FOR USE

Restraints:

DO NOT exceed 3m between bait stations for mice or 9m for rats.

DO NOT place bait stations in the open.

DO NOT apply bait to crops.

Baiting Strategy: Eliminate, as far as practicable, all other food sources. Bait the infested area. Place bait stations under cover along walls or rafters or in dark sheltered spots where there are signs of activity. Inspect bait stations daily. Replace eaten baits. If quickly eaten, increase number of bait stations. Continue observation and replenish until no more baits are taken. Baiting for at least two weeks is necessary to reduce rat/mouse numbers.

Situation: In and around agricultural, commercial and domestic buildings (within 2 metres). Mice require several bait stations, 50g per station (0.2g will kill a mouse). Rats require larger quantities of bait in one or two locations, 100g-200g per station in small populations (1.4g will kill a rat)*. For larger populations more baiting points will be required. For effective control continue until feeding ceases.
*Based on 25g mouse and 250g rat

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

THE USE OF THIS PRODUCT FOR THE CONTROL OF PROTECTED NATIVE RODENTS REQUIRES PERMISSION FROM WILDLIFE AUTHORITIES

GENERAL INSTRUCTIONS

Most deaths occur 4 to 7 days after consumption of bait. Locate bait stations along walls or rafters and in dark sheltered spots where there are signs of rodent activity. Record the number and locations of bait stations for purpose of replenishment and later removal.

Collect and dispose of all dead animals and rodent faeces, by burning or burial. When rodent activity has ceased, ensure uneaten bait is removed and disposed of as per disposal instructions.

PRECAUTIONS

DO NOT place baits in areas where there is a possibility of contaminating food, livestock feed, water or surfaces that come into direct contact with food.

PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate dams, streams, rivers, waterways and drains with the bait or its used container. The bait and dead or affected rodents are hazardous to dogs, cats, pigs, poultry, birds and wildlife and care should be exercised in its use. DO NOT place baits in locations which are accessible to domestic animals, livestock, birds or other non-target wildlife.

The product is restricted to use in and around buildings (within 2 m) or enclosed spaces, eg. drains. Regularly search for, remove and destroy dead or affected rodents by burning or burial. Ensure uneaten baits are removed and disposed of with empty containers when rodent activity has ceased.

STORAGE AND DISPOSAL

Store in a tightly closed, original container in a dry, well-ventilated area as cool as possible out of direct sunlight. Shake empty container onto baiting area. Break, crush, or puncture and bury empty container in an approved waste management facility. If an approved waste management facility is not available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or territory government regulation. DO NOT burn empty containers or product. Search for and burn or bury all rodent bodies, do not place in refuse bins or in rubbish tips. Ensure uneaten baits are removed and disposed of with the empty containers when rodent activity has ceased.

SAFETY DIRECTIONS

Poisonous if swallowed. DO NOT inhale dust. DO NOT touch bait. Use scoop or measure. If on skin, and after each baiting, wash thoroughly with soap and water.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766. Vitamin K1 (Phytomenadione) is antidotal.

SAFETY DATA SHEET

Additional information is listed in the safety data sheet (SDS). A safety data sheet for TITAN ONZA Red Rodenticide Grain Bait is available from TITAN AG Pty Ltd on request. Call Customer Service on (02) 9999 6655 or visit titanag.com.au

CONDITIONS OF SALE: TITAN AG Pty Ltd shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on TITAN AG's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of TITAN AG Pty Ltd has any authority to add to or alter these conditions.

Additional statements required by Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia:
None.