

# CAUTION

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

TITAN

# TEBU T FLOWABLE

## FUNGICIDE/INSECTICIDE SEED TREATMENT

ACTIVE CONSTITUENTS: 25g/L TEBUCONAZOLE  
4g/L TRIFLUMURON

GROUP **15** INSECTICIDE | GROUP **3** FUNGICIDE



Wheat: For control of Bunt, Flag Smut and Loose Smut.

Barley: For control of Covered and Loose Smut of Barley.

Oats: For control of Covered and Loose Smut. For protection against insect pests of stored grain.

APVMA Approval No.: 92531/135838

Pack Size: 5L-1000L



TITAN AG Pty Ltd | ABN 57 122 081 574  
15/16 Princes Street, Newport NSW 2106  
Tel (02) 9999 6655 | Fax (02) 9999 0483  
[titanag.com.au](http://titanag.com.au)

IN A TRANSPORT EMERGENCY

# DIAL 000

POLICE OR FIRE BRIGADE

TRANSPORT AND HANDLING  
NOT A DANGEROUS GOOD  
ACCORDING TO THE AUSTRALIAN  
DANGEROUS GOODS (ADG) CODE  
FOR TRANSPORT BY ROAD AND RAIL

## DIRECTIONS FOR USE

**Restraint:** DO NOT treat physically damaged seed.

CROP	DISEASE/PEST	RATE	CRITICAL COMMENTS
Wheat	Bunt, Flag Smut (seed and soil borne), Loose Smut	100mL/100kg seed	Seed Dressing should be mixed with water to give even coverage of seed. The quantity of water will vary depending on type of equipment and quality of seed. Use a minimum of 400mL of mixture (ie. Seed Dressing plus water) with each 100kg of seed.  DO NOT use more than 600mL of mixture (product + water) with each 100kg of seed. Whatever dilution is used it is essential that 100mL of Seed Dressing is applied per 100kg seed. The mixture should be gently stirred regularly. If nasal irritation occurs wear a face mask while treating seed.
Barley	Covered and Loose Smut		
Oats	Covered and Loose Smut		
Wheat, Barley, Oats	Protection against pests of stored grain: Granary Weevil, Lesser Grain Borer, Rice Weevil, Rust-red Flour Beetle, Sawtoothed Grain Beetle		

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

**WITHHOLDING PERIODS:**

**HARVEST:** NOT REQUIRED WHEN USED AS DIRECTED.

**GRAZING:** DO NOT GRAZE PLANTS GROWN FROM TREATED SEED, OR CUT FOR STOCK FOOD WITHIN 4 WEEKS OF SOWING.

## GENERAL INSTRUCTIONS

**In Wheat:** TITAN Tebu T Flowable Fungicide/Insecticide Seed Treatment may delay emergence. Crop will recover rapidly in most soil types. However, treated seed should not be sown in soils that are likely to clod or crust over after sowing.

### Sowing

TITAN Tebu T Flowable Fungicide/Insecticide Seed Treatment treated wheat deeper than 50mm may slightly reduce percentage plant establishment in heavier soils and sowing rates may need to be adjusted accordingly.

Germination may be reduced if poor quality seed is used (cracked or shrivelled) – best to use high quality seed. Treated seed may be held over for sowing in the following season. If so, additional insecticide treatment may be necessary. If the seed is not used immediately after treatment, it should be stored in a dry, well-ventilated place. Treated seed which will not be used for sowing at all should be destroyed.

### MIXING for use in a pickle pot or similar (liquid application)

The required quantity of TITAN Tebu T Flowable Fungicide/Insecticide Seed Treatment should be thoroughly mixed with a small quantity of clean, filtered water to make a creamy mix. Add this blend to the required quantity of water in the tank and mix thoroughly. Agitate prior to and during spraying.

DO NOT mix more than can be used for the day's seeding. DO NOT tank mix with trace elements or other chemicals without first checking compatibility.

### SEED QUALITY

TITAN Tebu T Flowable Fungicide/Insecticide Seed Treatment should not be used on seed with more than 12% moisture content, as the treatment can raise the level by 0.6%. Seed to be treated should be of the highest quality. Poor quality (sprouted, cracked, pinched etc.) seed should not be used.

### CLEANING OF EQUIPMENT

Clean equipment (augers etc.) with water after use. If changing from this water based product to a solvent based formulated product or vice versa, ensure complete dryness with methylated spirits (or similar). Failure to do so will result in clogging of equipment.

### FUNGICIDE RESISTANCE WARNING

TITAN Tebu T Flowable Fungicide/Insecticide Seed Treatment is a Group 3 Fungicide and a member of the DMI group of fungicides. For fungicide resistance management TITAN Tebu T Flowable Fungicide/Insecticide Seed Treatment is a Group 3 fungicide. Some naturally occurring individual fungi resistant to TITAN Tebu T Flowable Fungicide/Insecticide Seed Treatment and other Group 3 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by TITAN Tebu T Flowable Fungicide/Insecticide Seed Treatment or other Group 3 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, TITAN AG Pty Ltd accepts no liability for any losses that may result from the failure of TITAN Tebu T Flowable Fungicide/Insecticide Seed Treatment to control resistant fungi.

GROUP **3** FUNGICIDE

### INSECTICIDE RESISTANCE WARNING

For insecticide resistance management TITAN Tebu T Flowable Fungicide/Insecticide Seed Treatment is a Group 15 insecticide. Some naturally occurring insect biotypes resistant to TITAN Tebu T Flowable Fungicide/Insecticide Seed Treatment and other group 15 insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if TITAN Tebu T Flowable Fungicide/Insecticide Seed Treatment or other Group 15 insecticides are used repeatedly. The effectiveness of TITAN Tebu T Flowable Fungicide/Insecticide Seed Treatment on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, TITAN AG Pty Ltd accepts no liability for any losses that may result from the failure of TITAN Tebu T Flowable Fungicide/Insecticide Seed Treatment to control resistant insects. TITAN Tebu T Flowable Fungicide/Insecticide Seed Treatment may be subject to specific resistance management strategies. For further information contact your local supplier, TITAN AG Pty Ltd representative or local agricultural department agronomist.

GROUP **15** INSECTICIDE

### PRECAUTION

DO NOT allow seed treated with this product to contaminate grain intended for human consumption. If possible, use a separate auger for treating seed. If using the same auger for treating grain and moving grain for human consumption, ensure auger is completely cleaned as above.

### PROTECTION OF LIVESTOCK

Seed treated with this product must not be used for animal consumption, poultry feed or mixed with animal feed. DO NOT allow seed treated with this product to contaminate grain intended for animal consumption.

### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT feed treated seed or otherwise expose to wild or domestic birds or other animals. Harmful to fish. DO NOT contaminate streams, rivers or watercourses with the chemical or used containers. Used containers or bags which have held treated seed must be correctly disposed of.

### STORAGE AND DISPOSAL

When treated seed is stored it should be kept apart from other grain. Such bags or other containers should clearly be marked to indicate the contents have been treated with TITAN Tebu T Flowable Fungicide/Insecticide Seed Treatment. DO NOT use seed treated with TITAN Tebu T Flowable Fungicide/Insecticide Seed Treatment for human consumption. Bags which have held seed treated with this product are not to be used for any other purpose.

**For Non-Refillable Containers:** Store in the closed, original container in a dry, cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or a designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. DO NOT burn empty containers or product.



**For Refillable Containers:** Storage must be secure so that contents cannot be tampered with. All locks and/or seals must be in order. If locks or seals are broken prior to initial use then the integrity of this product cannot be assured. If this occurs TITAN AG Pty Ltd should be advised immediately. Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

**SAFETY DIRECTIONS**

Wash hands after use.

**FIRST AID**

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766.

**SAFETY DATA SHEET**

Additional information is listed in the safety data sheet (SDS). A safety data sheet for TITAN Tebu T Flowable Fungicide/Insecticide Seed Treatment is available from TITAN AG Pty Ltd on request. Call Customer Service on (02) 9999 6655 or visit [titanag.com.au](http://titanag.com.au)

**CONDITIONS OF SALE:** TITAN AG Pty Ltd shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on TITAN AG's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of TITAN AG Pty Ltd has any authority to add to or alter these conditions.

Additional statements required by Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia: Harmful to aquatic life. Very toxic to aquatic life with long lasting effects. Precautionary Statements: Avoid release to the environment. Collect spillage. Dispose of contents/container in accordance with local/regional/national regulations.

