

# Safety Data Sheet

according to WHS Regulations

Print date: 24.04.2023

Revision date: 01.12.2022

## 1 Identification

**Product Name:** Titan Titanium 570 Herbicide

**Other Means of Identification:** Mixture

**APVMA Approval Number:** 92218

**Recommended Use of the Chemical and Restriction on Use:** Herbicide.

**Details of Manufacturer or Importer:**

Titan Ag Pty Ltd  
Princes Street Marina  
Suite 15/16 Princes Street  
Newport NSW 2106

**Phone Number:** 02 9999 6655

**Emergency telephone number:** 02 9999 6655

## 2 Hazard(s) Identification

**Hazardous Nature:**

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

**Signal Word** None

**Hazard Statements**

H411 Toxic to aquatic life with long lasting effects.

**Precautionary Statements**

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## 3 Composition and Information on Ingredients

**Chemical Characterization: Mixtures**

**Description:** Mixture of substances listed below with nonhazardous additions.

**Hazardous Components:**

CAS: 70901-12-1	Potassium salt of glyphosate		Aquatic Chronic 2, H411	<50%
-----------------	------------------------------	---	-------------------------	------

## 4 First Aid Measures

**Inhalation:** If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

**Skin Contact:**

In case of skin contact, remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation persists.

(Contd. on page 2)

# Safety Data Sheet

according to WHS Regulations

Print date: 24.04.2023

Revision date: 01.12.2022

**Product Name: Titan Titanium 570 Herbicide**

(Contd. of page 1)

**Eye Contact:**

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

**Ingestion:**

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek medical attention immediately.

**Symptoms Caused by Exposure:**

Inhalation: May cause respiratory irritation. May be harmful if inhaled.

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Ingestion: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

## 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Use fire extinguishing methods suitable to surrounding conditions.

**Specific Hazards Arising from the Chemical:**

Hazardous combustion products include oxides of carbon, nitrogen, and phosphorous.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting measures entering drains or water courses.

HAZCHEM Code: •3Z

**Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

## 6 Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures:**

Wear appropriate personal protective equipment. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

**Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

**Methods and Materials for Containment and Cleaning Up:**

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material.

Collect the spilled material and place into a suitable container for disposal.

## 7 Handling and Storage

**Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

**Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from extreme temperatures, freezing, and direct sunlight. Keep away from galvanised steel.

## 8 Exposure Controls and Personal Protection

**Exposure Standards:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)

# Safety Data Sheet

## according to WHS Regulations

Print date: 24.04.2023

Revision date: 01.12.2022

**Product Name: Titan Titanium 570 Herbicide**

(Contd. of page 2)

**Engineering Controls:** Ensure adequate ventilation of the working area.**Respiratory Protection:**

Respiratory protection is not required under normal use conditions.

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

**Skin Protection:**

Impervious gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing such as coveralls (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

**Eye and Face Protection:**

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

## 9 Physical and Chemical Properties

**Appearance:**

<b>Form:</b>	Liquid
<b>Colour:</b>	No information available
<b>Odour:</b>	No information available
<b>Odour Threshold:</b>	No information available
<b>pH-Value:</b>	5.0-6.0
<b>Melting point/freezing point:</b>	No information available
<b>Initial Boiling Point/Boiling Range:</b>	No information available
<b>Flash Point:</b>	No information available
<b>Flammability (solid, gas):</b>	Not flammable
<b>Auto-ignition Temperature:</b>	No information available
<b>Decomposition Temperature:</b>	No information available
<b>Explosion Limits:</b>	
<b>Lower:</b>	No information available
<b>Upper:</b>	No information available
<b>Vapour Pressure:</b>	No information available
<b>Density at 20 °C:</b>	1.374-1.290 g/mL
<b>Vapour Density:</b>	No information available
<b>Evaporation Rate:</b>	No information available
<b>Solubility in Water:</b>	Soluble
<b>Partition Coefficient (n-octanol/water):</b>	No information available
<b>Viscosity:</b>	No information available

## 10 Stability and Reactivity

**Possibility of Hazardous Reactions:**

May react with steel products such as galvanised steel and produce hydrogen gas.

**Chemical Stability:** Stable at ambient temperature and under normal conditions of storage and use.

**Conditions to Avoid:** Protect from extreme temperatures, freezing, and direct sunlight.

**Incompatible Materials:** Galvanised steel.

(Contd. on page 4)

# Safety Data Sheet

according to WHS Regulations

Print date: 24.04.2023

Revision date: 01.12.2022

**Product Name: Titan Titanium 570 Herbicide**

(Contd. of page 3)

**Hazardous Decomposition Products:** Oxides of carbon, nitrogen, and phosphorous.

## 11 Toxicological Information

**Toxicity:****LD50/LC50 Values:****CAS: 70901-12-1 Potassium salt of glyphosate**

Oral	LD50	>2,000 mg/kg (Rattus norvegicus (rat))
Dermal	LD50	2,000 mg/kg (Rattus norvegicus (rat))
Inhalation	LC50/4 h	>5 mg/l (Rattus norvegicus (rat))

**Acute Health Effects****Inhalation:** May cause respiratory irritation. May be harmful if inhaled.**Skin:** May cause skin irritation.**Eye:** May cause eye irritation.**Ingestion:** May be harmful if swallowed. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:**

Based on classification principles, the classification criteria are not met.

Glyphosate is classified by IARC as Group 2A - Probably carcinogenic to humans.

**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT) - Repeated Exposure:**

Based on classification principles, the classification criteria are not met.

**Aspiration Hazard:** Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:**

The Australian Acceptable Daily Intake (ADI) for Glyphosate for a human is 0.3 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 30 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2023).

## 12 Ecological Information

**Ecotoxicity:****Aquatic toxicity:** Toxic to aquatic life with long lasting effects.**Persistence and Degradability:** Not likely to be biodegradable.**Bioaccumulative Potential:** No data available on finished product.**Mobility in Soil:** No data available on finished product.**Other adverse effects:** No further relevant information available.

(Contd. on page 5)

# Safety Data Sheet

according to WHS Regulations

Print date: 24.04.2023

Revision date: 01.12.2022

**Product Name: Titan Titanium 570 Herbicide**

(Contd. of page 4)

## 13 Disposal Considerations

**Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.

**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

## 14 Transport Information

<b>UN Number ADG, IMDG, IATA</b>	UN3082
<b>Proper Shipping Name ADG, IMDG, IATA</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
<b>Dangerous Goods Class ADG Class:</b>	9
<b>Packing Group: ADG, IMDG, IATA</b>	III
<b>EMS Number:</b>	F-A,S-F
<b>Hazchem Code:</b>	•3Z
<b>Special Provisions:</b>	274, 331, 335, 375, AU01
<b>Transport/Additional information:</b>	Not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs. (refer to SP AU01)
<b>Excepted quantities (EQ):</b>	E1
<b>Limited Quantities:</b>	5L
<b>Packagings &amp; IBCs - Packing Instruction:</b>	P001, IBC03, LP01
<b>Packagings &amp; IBCs - Special Packing Provisions:</b>	PP1
<b>Portable Tanks &amp; Bulk Containers - Instructions:</b>	T4
<b>Portable Tanks &amp; Bulk Containers - Special Provisions:</b>	TP1, TP29

## 15 Regulatory Information

**Australian Inventory of Industrial Chemicals:**

All components are on the inventory, or in compliance with the inventory.

**Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:**

Poisons Schedule: 5

**Australian Pesticides and Veterinary Medicines Authority:**

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA approval number 92218.

## 16 Other Information

**Date of Preparation or Last Revision:** 01.12.2022

**Prepared by:** MSDS.COM.AU Pty Ltd

[www.msds.com.au](http://www.msds.com.au)

**Abbreviations and acronyms:**

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 6)

# Safety Data Sheet

## according to WHS Regulations

Print date: 24.04.2023

Revision date: 01.12.2022

**Product Name: Titan Titanium 570 Herbicide**

(Contd. of page 5)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2

**Disclaimer**

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.