

Safety Data Sheet according to WHS Regulations

Printing date 06.01.2023 Revision: 06.01.2023

1 Identification

Product Name: Unique 50 SC

Other Means of Identification: Mixture APVMA Approval Number: 83723

Recommended Use of the Chemical and Restriction on Use:

Horticultural plant growth regulator. For professional use.

Details of Manufacturer or Importer:

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS). Not classified as hazardous according to the Safe Work Australia criteria.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Signal Word None

Hazard Statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 83657-17-4 Uniconazole P

3-5%

🚯 STOT RE 2, H373; 🚯 Aquatic Chronic 2, H411; 🕩 Acute Toxicity (Oral) 4, H302

Non Hazardous Components:

Ingredients determined to be non-hazardous

>95%

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, remove contaminated clothing and wash affected areas with warm water and soap. Seek medical attention if irritation occurs and persists.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

(Contd. on page 2)

according to WHS Regulations

Printing date 06.01.2023 Revision: 06.01.2023

Product Name: Unique 50 SC

(Contd. of page 1)

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give 1 glass of water to drink in small sips. Never give anything by mouth to an unconscious person. Seek medical attention if feeling unwell.

Symptoms Caused by Exposure:

Inhalation: No adverse health effects expected. Skin Contact: No adverse health effects expected. Eye Contact: May cause mild eye irritation. Ingestion: May cause mild gastrointestinal irritation.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, nitrogen and its compounds and smoke, if heated to dryness. Occasionally hydrogen cyanide gas may be evolved in reducing atmosphere. Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear protective equipment. Keep unprotected persons away. Take care as spill may cause a slip hazard.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Wipe up small spills with a paper towel or dry rag. Clean up all spills immediately, since spilled materials, even in small quantities, may present a slip hazard. Absorb large spills with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Decontaminate spill area with water and detergents.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours or mists. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area, preferably below 30 °C. Keep container tightly closed when not in use. Some liquid preparations settle or separate on standing and may require stirring before use. Keep away from strong oxidising agents.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Natural ventilation should be adequate under normal use conditions.

(Contd. on page 3)

according to WHS Regulations

Printing date 06.01.2023 Revision: 06.01.2023

Product Name: Unique 50 SC

(Contd. of page 2)

Respiratory Protection:

Respiratory protection is not required under normal use conditions.

Use an approved mixed type organic vapour / particulate respirator (types A and P) under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Protective PVC or rubber gloves for prolonged or repeated contact or when handling large quantities. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Liquid
Colour: White
Odour: Characteristic

Odour Threshold: No information available

pH-Value: 8.1 (1%)

Melting point/freezing point:No information available
Initial Boiling Point/Boiling Range:
No information available

Flash Point: >100 °C
Flammability: Not applicable.

Auto-ignition Temperature: No information available Decomposition Temperature: No information available

Explosion Limits:

Lower:No information availableUpper:No information availableVapour Pressure:No information available

Relative Density: 1.02

Vapour Density:

Evaporation Rate:

Solubility in Water:

Partition Coefficient (n-octanol/water):

No information available
1 mPa·s (at 100 s⁻¹)

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Storage at temperature above 30 °C.

Incompatible Materials: Strong oxidising agents.

(Contd. on page 4)

according to WHS Regulations

Printing date 06.01.2023 Revision: 06.01.2023

Product Name: Unique 50 SC

(Contd. of page 3)

Hazardous Decomposition Products:

Oxides of carbon, nitrogen and its compounds and smoke, if heated to dryness. Occasionally hydrogen cyanide gas may be evolved in reducing atmosphere.

11 Toxicological Information

Toxicity:

| LD50/LC50 Values: | | |
|-------------------|---------|--------------------|
| Oral | LD50 | >2,000 mg/kg (rat) |
| Dermal | LD50 | >4,000 mg/kg (rat) |
| Inhalation | LC50/4h | >2,750 mg/l (rat) |

Acute Health Effects

Inhalation: No adverse health effects expected. **Skin:** No adverse health effects expected.

Eye: May cause mild eye irritation.

Ingestion: May cause mild gastrointestinal irritation.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: Based on classification principles, the classification criteria are not met.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for uniconazole P for a human is 0.02 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 1.86 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2022).

12 Ecological Information

Ecotoxicity:

Aquatic toxicity: Harmful to aquatic life with long lasting effects.

Persistence and Degradability: Biodegradable

Bioaccumulative Potential: Does not accumulate in organisms.

Mobility in Soil: Mobile when released into soil.

Other adverse effects: No further relevant information available.

(Contd. on page 5)

according to WHS Regulations

Printing date 06.01.2023 Revision: 06.01.2023

Product Name: Unique 50 SC

(Contd. of page 4)

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated
Proper Shipping Name Not regulated
Dangerous Goods Class Not regulated
Packing Group: Not regulated

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Not a scheduled poison.

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA approval number 83723.

16 Other Information

Date of Preparation or Last Revision: 06.01.2023

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 4: Acute toxicity - Category 4

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.