

Safety Data Sheet according to WHS Regulations

Print date: 14.11.2023 Revision date: 14.11.2023

1 Identification

Product Name: Titan Vepo Moisture Retainer

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Wetting agent

Details of Manufacturer or Importer:

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.



STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Eye Damage 1 H318 Causes serious eye damage.

Signal Word Danger

Hazard Statements

H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 103818-93-5 Alcohols, C9-11, ethoxylated propoxylated

<10%

♦ STOT RE 1, H372; ♦ Eye Damage 1, H318; ♦ Acute Toxicity (Oral) 4, H302;

Acute Toxicity (Dermal) 4, H312; Skin Corrosion/Irritation 2, H315

according to WHS Regulations

Print date: 14.11.2023 Revision date: 14.11.2023

Product Name: Titan Vepo Moisture Retainer

(Contd. of page 1)

Non Hazardous Components:	
CAS: 57-55-6 Propylene glycol	10-<30%

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation occurs.

Eye Contact:

In case of eye contact, rinse with water for several minutes including under eyelids. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek immediate medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation. Skin Contact: May cause skin irritation. Eye Contact: Causes serious eye damage.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Minimise run-off from fire fighting entering drains or water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear protective equipment including eye protection. Keep unprotected persons away. Take care as spill may cause a slip hazard.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Wipe up small spills with a paper towel or dry rag. Clean up all spills immediately, since spilled materials, even in small quantities, may present a slip hazard. Absorb large spills with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye contact.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

(Contd. on page 3)

according to WHS Regulations

Print date: 14.11.2023 Revision date: 14.11.2023

Product Name: Titan Vepo Moisture Retainer

(Contd. of page 2)

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Keep away from acids.

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 57-55-6 Propylene glycol

WES TWA: 474* 10** mg/m³, 150* ppm *vapour&particluates;**particulates only

Engineering Controls:

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

Respiratory Protection:

Use an approved particulate respirator (Filter type P) under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Protective gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Viscous liquid Colour: Colourless Characteristic

Odour Threshold: No information available

pH-Value (10 g/l): 4.5 Melting point/freezing point: -5 °C

Initial Boiling Point/Boiling Range: No information available

Flash Point: >100 °C (Pensky-Martens closed cup)

Flammability (solid, gas): Not applicable

Auto-ignition Temperature: No information available

Decomposition Temperature: No information available

Explosion Limits:

Lower:No information availableUpper:No information availableVapour Pressure:No information available

Density at 25 °C: 1.05 g/cm³

Vapour Density:No information availableEvaporation Rate:No information availableSolubility in Water:No information availablePartition Coefficient (n-octanol/water):No information available

(Contd. on page 4)

according to WHS Regulations

Print date: 14.11.2023 Revision date: 14.11.2023

Product Name: Titan Vepo Moisture Retainer

(Contd. of page 3)

Viscosity at 20 °C: 380 mPa.s

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use. **Chemical Stability:** Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: No further relevant information available.

Incompatible Materials: Acids.

Hazardous Decomposition Products: Oxides of carbon.

11 Toxicological Information

Toxicity:

LD50/LC50 Values:

CAS: 57-55-6 Propylene glycol

Oral LD50 20,000 mg/kg (Rattus norvegicus (rat))

LD50 20,800 mg/kg (Oryctolagus cuniculus (rabbit))

Acute Health Effects

Inhalation: May cause respiratory irritation.

Skin: May cause skin irritation. **Eye:** Causes serious eye damage.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: Based on classification principles, the classification criteria are not met.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

May cause damage to organs through prolonged or repeated exposure.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

CAS: 57-55-6 Propylene glycol

EC50/48 h 13,020 mg/l (Daphnia magna (water flea))

LC50/96 h | 52,930 mg/l (Pimephales promelas (fathead minnow))

Persistence and Degradability: No data available on finished product.

according to WHS Regulations

Print date: 14.11.2023 Revision date: 14.11.2023

Product Name: Titan Vepo Moisture Retainer

(Contd. of page 4)

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number
 Proper Shipping Name
 Dangerous Goods Class
 Not regulated
 Packing Group:
 Not regulated

15 Regulatory Information

Australian Inventory of Industrial Chemicals: All ingredients are listed, except ones that are trade secret.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Not a scheduled poison.

16 Other Information

Date of Preparation or Last Revision: 14.11.2023

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 4: Acute toxicity - Category 4

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.