

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

TITAN

LEFTIN 770

SPRAY ADJUVANT

ACTIVE CONSTITUENTS: 334g/L NON-IONIC SURFACTANT BLEND
300g/L AMMONIUM SULPHATE
136g/L VEGETABLE OIL ESTER



An adjuvant for knockdown herbicides combining ingredients for;

- Excellent wetting and spreading to maximise the activity of Glyphosate and other knockdown herbicides
- Overcoming the adverse effects of hard water
- Enhanced penetration through wax cuticle

APVMA Approval No.: 96019/147919

Pack Size: 5L-1000L



TITAN AG Pty Ltd | ABN 57 122 081 574
15/16 Princes Street, Newport NSW 2106
Tel (02) 9999 6655 | titanag.com.au

ADJ	Formulation Type Adjuvant
IN A TRANSPORT EMERGENCY • DIAL 000 • POLICE OR FIRE BRIGADE	
TRANSPORT AND HANDLING NOT A DANGEROUS GOOD ACCORDING TO THE AUSTRALIAN DANGEROUS GOODS (ADG) CODE FOR TRANSPORT BY ROAD AND RAIL	

DIRECTIONS FOR USE

Restraint: DO NOT use this product for spraying herbicides in or on crops. Use ONLY in non-crop situations.

SITUATION	APPLICATION RATE	CRITICAL COMMENTS
HERBICIDE SPRAY Glyphosate herbicides Glufosinate herbicides Paraquat herbicides Glyphosate plus other knockdown herbicides containing any of the following actives: 2,4-D MCPA Clopyralid Metsulfuron-Methyl Triclopyr	0.1-1.0L/100L	Use the higher rate when mixing in hard water (>340 ppm hardness) or during hot or dry conditions.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

GENERAL INSTRUCTIONS

PRODUCT DESCRIPTION

TITAN Leftin 770 Spray Adjuvant is a multi-component adjuvant formulation which provides a variety of benefits to knockdown herbicides in different conditions. It is particularly effective at improving herbicide efficacy under stressed conditions such as hard water or in hot dry conditions. TITAN Leftin 770 Spray Adjuvant contains ammonium sulphate which may reduce the antagonism that occurs when Glyphosate products are tank mixed with certain herbicides.

IMPORTANT

Prior to use, read all directions on this label and on the label of the herbicide being used. Any specific usage or restrictions on the herbicide label have precedence over directions for use referred to on this label. THIS PRODUCT IS NOT RECOMMENDED FOR USE IN-CROP. CROP INJURY MAY RESULT.

MIXING

Follow the directions on the herbicide product's label.

Note: To minimise the loss of activity that may be experienced when using certain herbicides in adverse conditions eg. Glyphosate in hard water, it is advisable to add TITAN Leftin 770 Spray Adjuvant to the water prior to adding the herbicide.

EQUIPMENT MAINTENANCE

Components of TITAN Leftin 770 Spray Adjuvant may be mildly corrosive to copper, brass or galvanized parts. Thoroughly flush tanks, pumps and nozzles with water after use.

COMPATIBILITY

TITAN Leftin 770 Spray Adjuvant is suitable for tank mixing with certain herbicide products including those containing Atrazine, Carfentrazone-ethyl, Chlorsulfuron, Dicamba, Fluroxypyr, Oxyfluorfen, Propyzamide, Simazine, Paraquat/Diquat, Tiafenacil, Triasulfuron and Trifluralin.

All instructions on the herbicide label must be strictly followed.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or watercourses with the chemical or used containers.

STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN. Store in the closed, original container, in a well-ventilated area out of direct sunlight. Avoid storage below 5°C or above 35°C as components of this product may separate. Within normal temperature range (5-35°C), it returns to its normal clear fluid state, but may require agitation to clarify. Triple-rinse containers before disposal. Add rinsing to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging

to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. DO NOT burn empty containers or product.

Refillable containers: Empty contents fully into application equipment. Close all valves and return to designated collection point for refill or storage.

SAFETY DIRECTIONS

Will irritate the eyes. May irritate the skin. Avoid contact with eyes and skin. When opening the container and preparing spray, wear elbow-length PVC gloves and face shield or goggles. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use wash gloves and face shield or goggles. WHEN USING TOGETHER WITH OTHER CHEMICALS CONSULT THEIR SAFETY DIRECTIONS.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766.

SAFETY DATA SHEET

Additional information is listed in the safety data sheet (SDS). A safety data sheet for TITAN Leftin 770 Spray Adjuvant is available from TITAN AG Pty Ltd on request. Call Customer Service on (02) 9999 6655 or visit titanag.com.au

CONDITIONS OF SALE: TITAN AG Pty Ltd shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on TITAN AG's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of TITAN AG Pty Ltd has any authority to add to or alter these conditions.

Additional statements required by Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia: Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.